


BASELINE WATER QUALITY DATA

INVENTORY AND ANALYSIS

Cumberland Island National Seashore



WATER RESOURCES DIVISION AND SERVICEWIDE INVENTORY AND MONITORING PROGRAM



*National Park Service - Department of the Interior
Fort Collins - Denver - Washington*

The National Park Service Water Resources Division is responsible for providing water resources management policy and guidelines, planning, technical assistance, training, and operational support to units of the National Park System. Program areas include water rights, water resources planning, regulatory guidance and review, hydrology, water quality, watershed management, watershed studies, and aquatic ecology.

Technical Reports

The National Park Service disseminates the results of biological, physical, and social research through the Natural Resources Technical Report Series. Natural resources inventories and monitoring activities, scientific literature reviews, bibliographies, and proceedings of technical workshops and conferences are also disseminated through this series.

Mention of trade names or commercial products does not constitute endorsement or recommendation for use by the National Park Service.

Copies of this report are available from the following:

Technical Information Center	(303) 969-2130
Denver Service Center	
P.O. Box 25287	
Denver, CO 80225-0287	

U. S. Department of Commerce	(703) 487-4650
National Technical Information Service	
5285 Port Royal Road	
Springfield, VA 22161	

BASELINE WATER QUALITY DATA
INVENTORY AND ANALYSIS
CUMBERLAND ISLAND NATIONAL SEASHORE

National Park Service
Water Resources Division
Fort Collins, CO 80525

Technical Report NPS/NRWRD/NRTR-97/104

MARCH 1997

United States Department of the Interior
National Park Service
Washington, D.C.

EXECUTIVE SUMMARY

This document presents the results of surface-water-quality data retrievals for Cumberland Island National Seashore (CUIS) from six of the United States Environmental Protection Agency's (EPA) national databases: (1) Storage and Retrieval (STORET) water quality database management system; (2) River Reach File (RF3); (3) Industrial Facilities Discharge (IFD); (4) Drinking Water Supplies (DRINKS); (5) Water Gages (GAGES); and (6) Water Impoundments (DAMS). This document is one product resulting from a cooperative contractual endeavor between the National Park Service's (NPS) Servicewide Inventory and Monitoring Program, the National Park Service's Water Resources Division (WRD), and Horizon Systems Corporation to retrieve, format, and analyze surface water quality data for all units of the National Park System containing significant water resources. The primary goal of the project is to provide descriptive water quality information in a manner and format that is both consistent with the goals of the Servicewide Inventory and Monitoring Program and useable by park resource managers. The document provides: (1) a complete inventory of all retrieved water quality parameter data, water quality stations, and the entities responsible for the data collection; (2) descriptive statistics and appropriate graphical plots of water quality data characterizing period of record, annual, and seasonal central tendencies and trends; (3) a comparison of the park's water quality data to relevant EPA and WRD water quality screening criteria; and (4) an Inventory Data Evaluation and Analysis (IDEA) to determine what Servicewide Inventory and Monitoring Program "Level I" water quality parameters have been measured within the study area. Accompanying the report are disks containing digital copies of all data used in the report, as well as all components of the report (tables, figures, etc.).

The results of the retrievals for the study area from the IFD, DRINKS, GAGES, and DAMS databases located seven industrial/municipal dischargers; no drinking water intakes; six active or inactive U. S. Geological Survey (USGS) and U.S. National Ocean Service water gages (including well and estuary); and no water impoundments. The results of the STORET retrieval for the study area yielded 11,349 observations for 210 separate parameters collected by the NPS, USGS, EPA, Georgia Department of Natural Resources, Florida Department of Environmental Protection, and the St. John's River Water Management District at 48 monitoring stations. Twenty-two stations within the study area (six within the park boundary) were established but contained no data. One station within the study area (none within the park boundary) was established but contained no data appropriate for statistical analysis. Six stations established by the Georgia Department of Natural Resources were located within the park boundary (see Station Period of Record Tabulation); however, as noted above, no water quality observations have been stored for these stations.

Most of the monitoring stations represent either one-time or intensive single-year sampling efforts by the collecting agencies. Six stations within the study area (none within the park boundary) yielded longer-term records consisting of multiple observations for several important water quality parameters (see Station Period of Record Tabulation): (1) St. Marys River - Point Peter Pier (CUIS 0023); (2) Amelia River At Container Eff (CUIS 0009); (3) Amelia River At Cm 30 (CUIS 0002); (4) Amelia River At Cm 26 (CUIS 0014); (5) St Marys Riv #9 At Marker #13 (CUIS 0018); and (6) St. Marys Riv #10 (CUIS 0021)[†].

Screening criteria consisting of published EPA water-quality criteria and instantaneous concentration values selected by the WRD were used to identify potential water quality problems within the study area. While the criteria represent important threshold concentrations of pollutants, it is important to remember that criteria may have been exceeded due to any number of natural or anthropogenic factors, including errors in field, laboratory, and/or recording procedures. The reader is advised to read the Introduction for additional caveats in interpreting the exceeded criteria in this report. The results of the CUIS water quality criteria screen found eight groups of parameters that exceeded screening criteria at least once within the study area. Dissolved oxygen, pH, and chloride exceeded their respective EPA criteria for the protection of freshwater aquatic life. Silver exceeded the EPA criterion for the protection of marine aquatic life. Chloride and sulfate exceeded their respective EPA

[†]Water quality station location descriptions are verbatim from STORET. Any misspellings and abbreviations in STORET are replicated in this document.

drinking water criteria. Bacteria concentrations (total coliform and fecal coliform) and turbidity exceeded the WRD screening limits for freshwater bathing and aquatic life, respectively.

Dissolved oxygen concentrations were measured 542 times at 21 monitoring stations from 1969 through 1993. Ninety-three observations at 16 stations in the Amelia River, Bells River, St Mary's River, and St. Mary's North River were less than or equal to the 4 milligrams per liter (mg/L) EPA criterion for the protection of freshwater aquatic life. Approximately 67 percent of the observations below the criterion were recorded at stations in the Amelia River from 1969 through 1990.

The pH was measured 706 times at 23 monitoring stations from 1969 through 1993. Thirty-six observations at eight stations in the Amelia (CUIS 0002, CUIS 0009) and St. Mary's Rivers (CUIS 0017, CUIS 0018, CUIS 0020, CUIS 0021, CUIS 0022, CUIS 0023) were less than or equal to pH of 6.5 standard units (SU) (EPA chronic criteria for freshwater aquatic life). Approximately 67 percent of the observations below the criterion occurred in the St. Mary's River from 1973 through 1988, including the lowest reported pH of 4.5 SU in the St. Mary's River North of Roses Bluff (CUIS 0022) in September 1988.

Turbidity was measured 392 times at 13 monitoring stations from 1971 through 1993. Seven observations at three stations at the municipal outfall for Fernandina Beach, FL (CUIS 0007), in the Amelia River (CUIS 0009), and at a municipal outfall in the St. Mary's North River (CUIS 0027) exceeded the WRD screening criterion of 50 turbidity units (JTU/FTU/NTU) from 1971 through 1983. The highest reported value of 4,100 JTU was at the municipal outfall for Fernandina Beach, FL (CUIS 0007) in November 1972.

Total coliform concentrations were measured 411 times at 17 monitoring stations from 1969 through 1993. Eighty-two observations at 14 stations in the Amelia River, St. Mary's River, and St. Mary's North River exceeded the WRD bathing water criterion of 1,000 Colony Forming Units/Most Probable Number per 100 milliliters (CFU/MPN/100 ml). Approximately 56 percent of the observations exceeding the criterion were reported at two stations in the Amelia River (CUIS 0002 and CUIS 0009) from 1969 through 1990, including the highest value of 54,000 MPN/100 ml near the Container Corporation effluent (CUIS 0009) in January 1985. Fecal coliform concentrations were measured 448 times at 18 monitoring stations from 1969 through 1993. Eighty-five observations at 15 stations in the Amelia and St. Mary's Rivers exceeded the WRD bathing water criterion of 200 CFU/MPN/100 ml. Approximately 71 percent of the observations exceeding the criterion were reported in the Amelia River from 1969 through 1991, including the highest reported concentration of 24,000 MPN/100 ml near the Container Corporation effluent (CUIS 0009) in January 1985.

Total chloride concentrations were measured 201 times at 15 monitoring stations from 1971 through 1993. Of the 142 observations used in the criteria analysis^{††}, 142 concentrations at six stations in the Amelia River (CUIS 0014), St. Mary's River (CUIS 0018, CUIS 0021, CUIS 0022, CUIS 0023), and St. Mary's North River (CUIS 0027) exceeded the secondary drinking water criterion of 250 mg/L. One hundred-forty-one of these 142 concentrations also exceeded the acute freshwater criterion of 860 mg/L. Approximately 78 percent of the observations exceeding the criteria occurred in the St. Mary's River at Point Peter Pier (CUIS 0023) from 1973 through 1987, including the highest reported value of 31,750 mg/L in November 1981.

Total sulfate concentrations were measured 100 times at 16 monitoring stations from 1982 through 1993. Of the 16 observations collected at four stations in the Amelia (CUIS 0014) and St. Mary's Rivers (CUIS 0018, CUIS 0021, CUIS 0023) used in the criteria analysis^{††}, all exceeded the secondary drinking water criterion of 250 mg/L. Ten of these 16 concentrations exceeding the criterion were reported in the Amelia River northwest of Egans Creek near Little Tiger Island (CUIS 0014) from 1982 through 1990, including the highest value of 3,300 mg/L in October 1990.

^{††}Water quality observations collected at marine stations were excluded from the criteria analysis due to the absence of applicable marine criteria for this parameter; however, observations collected at tidally-influenced riverine stations may have been included.

Total silver concentrations were measured once at two monitoring stations in the Amelia River (CUIS 0002, CUIS 0009) in July 1982. The single observation used in the criteria analysis (see EPA Water Quality Criteria Analysis for Station in the Interpretive Guide To Water Quality Results for explanation), reported as 20 micrograms per liter ($\mu\text{g/L}$) in the Amelia River at Fernandina Beach (CUIS 0002), exceeded the acute marine criterion of 0.12 $\mu\text{g/L}$ in July 1982.

The IDEA conducted for CUIS indicates that STORET data exist for all 13 Level I parameter groups in the study area. For 11 groups, less than 25 percent of the observations were recorded since 1985. For the group Flow, no observations were recorded since 1975. Relative to other parameter groups, data were limited for the groups Alkalinity, Flow, Chlorophyll, Sulfates/Total Dissolved Solids/Hardness, and Toxic Elements. Results for 21 of the 126 EPA priority toxic pollutants (consisting of metals, organic parameters, and pesticides) were retrieved from STORET.

Surface water resources in the CUIS study area include the Atlantic Ocean; Cumberland and St. Andrew Sounds; the Amelia River, St. Mary's River, and several other rivers; and numerous creeks, marshes, and estuaries. Many of these water resources are influenced by tidal flow and contain fresh water and saline waters in transition. The data inventories and analyses contained in this report indicate that some surface waters within the study area have been impacted by human activities. Potential anthropogenic sources of contaminants include municipal and industrial effluent. Of the 11,349 observations reported for the CUIS study area, approximately 96 percent were collected from the Amelia and St. Mary's Rivers. No data were reported from monitoring stations within the boundary of the park unit.

TABLE OF CONTENTS

EXECUTIVE SUMMARY	v
TABLE OF CONTENTS	ix
I. INTRODUCTION	1
Goal	1
Purpose	1
Objectives	1
Document Overview	2
Caveats	2
Key Personnel	3
II. METHODOLOGY	5
Delineation of Park Study Area	5
Data Sources	5
Data Retrieval and Analysis Procedures	7
Park Unit Databases	8
Screening Methodologies and Procedures	9
STORET Edit Criteria	9
Date Screen	10
Station Type Screen	10
Phase 0 Parameter Screen	11
Phase 1 Parameter Screen	11
Media Type Screen	11
Remark Code Screen	11
Composite Type Screen	13
Phase 2 Parameter Screen	14
Observations/Period of Record Screen	15
Statistical Definitions	17
III. INTERPRETIVE GUIDE TO WATER QUALITY RESULTS	19
Overview	19
Regional Location Map	19
Water Quality Monitoring Locations Map(s)	19
Dischargers, Drinking Intakes, Gages, and Impoundments Map(s)	20
Industrial Facilities Discharges, Drinking Water Intakes, Water Gages, and Water Impoundments Table	20
Representative Mean Annual Hydrograph for Seasonal Analysis	20
Contacts for Agency Codes Retrieved	21
Quantity of Data Retrieved by Agency Code	21
Station Period of Record Tabulation	21
Parameter Period of Record Tabulation	22
Station/Parameter Period of Record Tabulation	22
Station-By-Station Results	22
Station Inventory for Station	23
Parameter Inventory for Station	23
EPA Water Quality Criteria Analysis for Station	23
Time Series Plots for Station	24
Annual Analysis for Station	25
Annual Box-and-Whiskers Plots for Station	25

<u>Seasonal Analysis for Station</u>	25
<u>Seasonal Box-and-Whiskers Plots for Station</u>	26
<u>EPA Water Quality Criteria Analysis for Entire Park Study Area</u>	26
<u>NPS Servicewide Inventory and Monitoring Program</u>	
<u>“Level I” Water Quality Inventory Data Evaluation and Analysis (IDEA)</u>	26
<u>Water Quality Observations Outside STORET Edit Criteria for Park</u>	28
IV. <u>WATER QUALITY RESULTS</u>	29
<u>Overview</u>	31
<u>Regional Location Map</u>	32
<u>Water Quality Monitoring Locations Map(s)</u>	33
<u>Dischargers, Drinking Intakes, Gages, and Impoundments Map(s)</u>	34
<u>Industrial Facilities Discharges, Drinking Water Intakes, Water Gages,</u> <u>and Water Impoundments Table</u>	35
<u>Representative Mean Annual Hydrograph for Seasonal Analysis</u>	36
<u>Contacts for Agency Codes Retrieved</u>	37
<u>Quantity of Data Retrieved by Agency Code</u>	38
<u>Station Period of Record Tabulation</u>	39
<u>Parameter Period of Record Tabulation</u>	40
<u>Station/Parameter Period of Record Tabulation</u>	43
<u>Station-By-Station Results</u>	55
<u>CUIS0001 Amelia R. 200 Yds West CM 30</u>	57
<u>CUIS0002 Amelia River at CM 30</u>	59
<u>CUIS0003 Amelia R. 200 Yds East CM 30</u>	81
<u>CUIS0004 Bells River at Mouth</u>	83
<u>CUIS0005 Amelia R 1/4 Mile North of Ittra</u>	85
<u>CUIS0006 Bells River 1/4 Mi Above Conflue</u>	86
<u>CUIS0007 Fernandina Bea City Serv Co Effl</u>	87
<u>CUIS0008 Bells River 200 M N of Mouth</u>	88
<u>CUIS0009 Amelia River at Container Effl</u>	90
<u>CUIS0010 Amelia R. 200 Yds West CCA Dock</u>	126
<u>CUIS0011 Amelia River</u>	128
<u>CUIS0012 Amelia R. 300 Yds West CCA Dock</u>	129
<u>CUIS0013 Amelia R. 200 Yds West CM 26</u>	131
<u>CUIS0014 Amelia River at CM 26</u>	133
<u>CUIS0015 Amelia R. 200 Yds 070 Fm Mkr 26</u>	140
<u>CUIS0016 Amelia R Waste Ditch-Cca Plt</u>	142
<u>CUIS0017 Center St Marys R at Fort Clinch</u>	143
<u>CUIS0018 St Marys Riv #9 at Marker #13</u>	145
<u>CUIS0019 Saint Mary’s River Near NPS Visitor Center Dock</u>	147
<u>CUIS0020 St Marys R Middle at Jolly R</u>	149
<u>CUIS0021 St Marys Riv #10</u>	151
<u>CUIS0022 St Marys Riv #8 N of Roses Bluff</u>	153
<u>CUIS0023 St. Marys River - Point Peter Pier</u>	155
<u>CUIS0024 St. Marys River - Point Peter Pier</u>	234
<u>CUIS0025 St Marys River 1 Mi Past Jolly River</u>	235
<u>CUIS0026 North River(Mouth) @ St. Mary’s</u>	237
<u>CUIS0027 St Marys #11 North River at St</u>	239
<u>CUIS0028 Cumberland Sound at Big Marsh Island</u>	241
<u>CUIS0029 Cumberland Sound at Big Marsh Island</u>	242
<u>CUIS0030 Cumberland Sound at Mouth of Mill Creek</u>	243
<u>CUIS0031 Cumberland Sound at Mouth of Mill Creek</u>	244
<u>CUIS0032 Cumberland Sound at Mouth of Kings Bay</u>	245
<u>CUIS0033 Cumberland Sound at Mouth of Kings Bay</u>	246

	CUIIS0034 Cumberland Sound @ Mouth of Oldhs Cr&Stafrd Isl	247
	CUIIS0035 Cumberland Sound @ Mouth of Oldhs Cr&Stafrd Isl	248
	CUIIS0036 Cumberland Sound at Mouth of South Crooked River	249
	CUIIS0037 Cumberland Sound at Mouth of South Crooked River	250
	CUIIS0038 St Andrew Sound at Mouth of North Crooked River	251
	CUIIS0039 St Andrew Sound at Mouth of North Crooked River	252
	CUIIS0040 St Andrew Sound at Marker 50 Near Cabin Bluff	253
	CUIIS0041 St Andrew Sound at Marker 50 Near Cabin Bluff	254
	CUIIS0042 St Andrew Sound at Confluence of Mud & Brickhill	255
	CUIIS0043 St Andrew Sound at Confluence of Mud & Brickhill	256
	CUIIS0044 St Andrew Sound at Mouth of Shellbine Creek	257
	CUIIS0045 St Andrew Sound at Mouth of Shellbine Creek	258
	CUIIS0046 St Andrew Sound at Mouth of Floyd Creek	259
	CUIIS0047 St Andrew Sound at Mouth of Floyd Creek	260
	CUIIS0048 Jekyll Isl S Picnic Area	261
	EPA Water Quality Criteria Analysis for Entire Park Study Area	262
	NPS Servicewide Inventory and Monitoring Program	
	“Level I” Water Quality Inventory Data Evaluation and Analysis (IDEA)	264
	Water Quality Observations Outside STORET Edit Criteria for Park	269
V.	APPENDICES	277
A.	Computer Files Transmitted With Park Baseline Water Quality Data Inventory and Analysis	A-1
B.	Water Quality Database File Structures	B-1
	Parameter Data File	B-1
	Water Quality Station Data File	B-4
	Industrial Facilities Discharges File	B-6
	Drinking Water Intakes File	B-9
	Water Gage File	B-12
	Water Impoundment File	B-14
	RF3 Structure File	B-18
	RF3 Trace File	B-22
	Catalog Unit Boundary File	B-23
	Encyclopedia File	B-24
C.	STORET Water Quality Control/Edit Checking	C-1
D.	STORET Administrative Parameters	D-1
E.	STORET Parameters Not Suitable for Statistical Analysis	E-1
F.	National EPA Water Quality Criteria Summary	F-1
G.	Inventory Data Evaluation and Analysis (IDEA) Servicewide Inventory and Monitoring Program “Level I” Parameter Groups	G-1
H.	Literature Cited	H-1
I.	Selected General Water Quality References	I-1

INTRODUCTION

The National Park Service's (NPS) Organic Act of 1916 states that the mission of the NPS is to promote and regulate the use of national parks, monuments, and other units "... to conserve the scenery and the natural and historic objects and wildlife therein and to provide for the enjoyment of the same in such a manner and by such means as will leave them unimpaired for the enjoyment of future generations." One task embodied by this mission is preserving and protecting water resources and water dependent environments in parks. Ensuring the integrity of park water quality, due to its importance in sustaining natural, aquatic park ecosystems and supporting human consumptive and recreational use, is fundamental to successfully addressing this task. The first step in ensuring the integrity of park water quality is defining historic and extant water quality.

This document represents one product of an ongoing effort by the NPS Water Resources Division (WRD) and the Servicewide Inventory and Monitoring Program to characterize baseline water quality using existing data at park units containing significant natural resources. This effort was initiated in 1993 by the award of a contract to Horizon Systems Corporation to retrieve, format, and analyze surface water quality data from the Environmental Protection Agency's (EPA) Storage and Retrieval (STORET) database system. The scope of work identified in the Request For Proposals outlined several sequential, interrelated project phases, including, but not limited to: (1) determining the water quality retrieval/query area around each park; (2) downloading and assessing the quality of the data from STORET; (3) generating basic water quality summary statistics and graphic plots; (4) reformatting water quality data for compatibility with the park-based Water Quality Data Management System presently under-development; and (5) providing recommendations concerning possible hardware, software, and personnel options for storing combined park databases in a centralized NPS water quality database. This report documents the results of phases one through four of this effort for this park unit.

Goal

The goal of this document is to provide descriptive water quality information in a format usable for park planning purposes (eg. Water Resources Management Plans, Resource Management Plans, and General Management Plans). The report is designed to characterize baseline water quality rather than assess specific water quality problems at a park. This is consistent with the Servicewide Inventory and Monitoring Program's goal of obtaining basic, "Level I", water quality parameters for key waterbodies at each park (National Park Service 1993). Consequently, this report is best used as a reference document to help design new goal-driven water quality monitoring programs rather than as conclusive evidence of previous or existing water quality problems.

Purpose

The purpose of this report is to inventory existing park water quality data; establish baseline water quality at the park; identify potential water quality problems; and establish a park water quality database. This report is intended to enable park resource managers to compare and contrast water quality data collected as part of ongoing inventory and monitoring programs with historical water quality trends. Additionally, this report is intended to foster better designed park-based water quality inventory and monitoring programs in the future. The water quality databases which accompany this report will also lay the groundwork for establishing a NPS water quality database that will allow Regions and Washington Offices to generate regional and national assessments of park water quality.

Objectives

Specific objectives of the study documented in this report are to:

1. Retrieve water quality and related data from the EPA's STORET and other database systems;
2. Develop a complete inventory of all retrieved data;

3. Produce descriptive statistics and appropriate time series and box-and-whiskers plots of water quality data to characterize period of record, annual, and seasonal central tendencies and trends;
4. Compare water quality data with relevant national EPA water quality criteria on a station-by-station and study area basis;
5. Determine the presence and/or absence of the Servicewide Inventory and Monitoring Program's "Level I" water quality parameters within the study area; and
6. Reformat water quality and other related data for use in the park-based Water Quality Data Management System, presently under-development, and other appropriate analytical tools.

Document Overview

This report is comprised of five chapters. The first chapter, this Introduction, provides a brief statement of the study's background; goal, purpose, and objectives; and the key personnel who helped produce the document. This chapter also contains this brief overview of the document's contents and important interpretive caveats to consider when referring to and using this document. The second chapter focuses on the methods, procedures, and databases that were employed to retrieve and analyze water quality data for the park. The third chapter is the user's interpretive guide to chapter four. Chapter three explains how to interpret all the tables and figures presented in chapter four. Chapter four, which likely comprises the majority of the document (unless there isn't much water quality data for the park), contains detailed inventories, descriptive statistics, graphics, and national EPA water quality criteria comparisons characterizing the park unit's water quality data on a station-by-station basis and over the entire study area. This chapter also contains a comparison of park water quality data with the Servicewide Inventory and Monitoring Program's "Level I" water quality inventory parameters and a listing of water quality observations that were outside the STORET edit criteria range. Chapter five, the Appendices, contains more specialized materials such as the file names and database structures included on floppy disk(s) with this report; STORET edit criteria; national EPA water quality criteria; Servicewide Inventory and Monitoring Program's "Level I" water quality inventory parameters; selected water quality references; and other materials which provide background on the methods, procedures, and databases used or produced by this study.

The water quality and other related data referenced in this report accompany the document on floppy disk. The water quality parameter data file is in DBASE III+¹ format and will be useable in the park-based Water Quality Data Management System presently under-development. The water quality stations, industrial facilities discharges, drinking water intakes, water gages, water impoundments, and River Reach databases are also in DBASE III+ and/or ASCII format for ready-use in Geographic Information Systems (GIS), Computer-Aided Design Systems, or Desktop Mapping Systems.

Caveats

While intended primarily as a reference document, it is important that users peruse the first three chapters and Appendices of this report to better understand and interpret the results presented in chapter four. As a means for identifying potential areas for more intensive study, comparisons of the park's water quality data with relevant national EPA water quality criteria for appropriate designated uses² and with the Servicewide Inventory and

¹The use and/or mention of specific proprietary hardware or software packages is for informational purposes only and is not intended to connote or denote an endorsement.

²The Environmental Protection Agency's Quality Criteria for Water 1995 Final Draft (Silver Book) was the primary source of water quality criteria. In the spirit of the other caveats offered in this section, it is important to recognize that water quality criteria are often revised when new or better information become available.

Monitoring Program's "Level I" water quality inventory parameters have been made. Extreme caution must be exercised in interpreting the results of these comparisons. Observations that exceed water quality criteria may have occurred due to any number of natural or anthropogenic factors, as well as other reasons. For example, STORET is a "user-beware" water quality database system. While there is some rudimentary edit (bounds) checking of any data entered in STORET (See Appendix C), users are basically free to enter their own data. Beyond data entry errors, the possibility of inaccurate data entering the system due to inappropriate measurement techniques, sample mistreatment, and other reasons is a serious concern. Consequently, if observations for a particular parameter frequently exceed the EPA water quality criterion over a prolonged time period, the best approach is to examine in detail the data exceeding the criterion. Questions which should be asked regarding the data include: What water source(s) are manifesting the problem? Does the data make sense? Was it collected by a reputable organization following a sound study plan and employing accepted techniques? If the answers to these questions still cause concern, a specific cause and effect water quality investigation focusing on the parameters of concern may be warranted. Similarly, the absence of particular Servicewide Inventory and Monitoring Program "Level I" water quality parameters from the park only means that no entity or organization has collected and entered this data into the EPA's STORET database. Too frequently, data that are collected in and around NPS units never make it into the EPA's national water quality database. These data may exist in published or unpublished reports, file cabinets, or other databases. Before definitively concluding that no baseline data exist for a particular parameter, these alternative resting grounds for data should be investigated. Such a detailed exploration, however, was beyond the scope of this study.

Key Personnel

Many individuals contributed to the design and implementation of this project. The primary contributors and their roles in the project are briefly mentioned below.

National Park Service, Water Resources Division:

Dean Tucker was the Contracting Officer's Technical Representative responsible for designing, coordinating, and implementing all aspects of this effort.

Jill Minter coordinated and managed the team which prepared all components of the report.

Gary Rosenlieb provided administrative oversight and was involved in quality control for all tasks related to this project.

Barry Long and Roy Irwin reviewed technical tasks and provided water quality expertise related to data analysis.

Gary Smillie provided hydrologic expertise in the determination of hydrologic seasons.

Mike Matz helped prepare reports and write the Executive Summaries.

Elizabeth Eisenhauer, Scott Hermsen, Alicia Lizarraga, and J. Chris Echohawk provided digital cartographic support, both in determining retrieval/query areas and producing maps and graphics.

Kelli O'Connor uploaded water quality data to STORET prior to report preparation.

Jacque Nolan designed the cover.

Horizon Systems:

Cindy McKay served as Project Manager for Horizon Systems, performed the initial requirements analysis, and was involved in all quality control tasks related to the project.

Alan Cahoon was responsible for automating the procedures which produced the water quality databases and Water Quality Results chapter.

Sue Hanson, P.E., provided technical advice for writing this document.

Dr. Jim Loftis was the data quality analyst for the project.

Armando F. Ballofet, P.E., served as the local technical liaison between Horizon Systems and the NPS.

Other National Park Service:

Several other individuals provided invaluable technical review, comments, administrative support, and/or other assistance, including: Dan Kimball, Bill Jackson, Mark Flora, Gary Williams, John Karish, Brendhan Zubricki, Richard Hammerschlag, Randy Ferrin, Gary Vequist, Mike Martin, Kevin Berghoff, and Dyra Monroe.

METHODOLOGY

This section provides an overview of the procedures and criteria used to retrieve and analyze water quality data for each park unit. Generating baseline water quality data inventories and analyses for all NPS units is a monumental task. To accomplish this undertaking given a very limited budget, the procedures employed to produce each report had to be as generic and automated as possible. Consequently, customization of reports to individual park needs and issues was not feasible. Moreover, such customization was beyond the scope of this effort which was simply intended to produce baseline water quality data inventories for all parks rather than customized issue-driven reports. During the procedure-development stages of the project, specifications for the final product evolved, within the context of the aforementioned resource constraints, to focus on comprehensive water quality baseline data inventories and concise, descriptive statistical examinations of the available water quality data for each park unit. Detailed below are the data sources and final methods and procedures that were used to create the baseline water quality inventories, analyses, databases, and other products for each park unit. A thorough understanding of the limitations of the data sources and procedures described in this chapter and the next (Interpretive Guide to Water Quality Results) is a prerequisite to intelligent use of the results presented in this document.

Delineation of Park Study Area

The first step in retrieving water resources-related data for each park was deciding on a procedure to determine the study area boundary. Since water flows through parks, utilizing the park boundary as a simple query/study area was deemed inadequate. On the other end of the continuum, using the entire watershed as the study area was considered superfluous given: (1) the areal extent of certain park watersheds (eg. the entire Mississippi River); (2) the sheer volume of potentially irrelevant data such a large study area could generate; and (3) the resources required to specify the watershed for each park unit. The approach which was ultimately adopted - a modified hydrologic boundary - reflects a compromise between the park boundary and the entire watershed. Thus the study area employed for each park is an area extending at least three miles upstream and one mile downstream from the park boundary. Although these distances are somewhat arbitrary, this approach is easy to automate and was felt to limit the data retrieved, in most instances, to that of most importance to the park. Extending the query area one mile downstream of the park was intended to capture any data immediately downstream of the park which may reflect the quality of the water in the park. A current (as possible) copy of each park's boundary was obtained in digital format directly from the park or digitized from Regional land status maps, U.S. Geological Survey (USGS) quadrangles, or other sources. Using GIS techniques, the boundary was used to create the three miles upstream, one mile downstream buffer. For a few parks with which WRD water quality specialists were very familiar with potential water quality threats and/or valuable sources of data that may lie just outside the study area, the study area may have been tweaked (enlarged) to cover these areas of concern or interest. Unfortunately, a customized study area was not feasible for all park units. Hence, the three miles upstream, one mile downstream buffer was the primary study area employed for most parks. This study area was transferred to the EPA mainframe computer and used as the basis for all water resources-related data retrievals from the data sources described below.

Data Sources

The EPA maintains many mainframe data systems related to national water resources (U.S. Environmental Protection Agency 1992). Six of these data systems were used for this project:

- STOrage and RETrieval System (STORET) - water quality parameter data, locations of sampling stations, descriptive elements about stations and parameters;
- Industrial Facilities Discharge (IFD) - locations of industrial and municipal point source discharge facilities;

- Drinking Water Supplies (DRINKS) - locations of intake pipes for drinking water supplies;
- Water Gages (GAGES) - locations of USGS and other water gages;
- Water Impoundments (DAMS) - locations of most large water impoundments (greater than 10,000 acre feet at normal pool volume) and many smaller impoundments; and
- River Reach File, Version 3 (RF3) - 1:100,000 scale geographical representation of surface waters (rivers, lakes, etc.) with a unique identifier assigned to each surface water segment and connectivity information useful for routing and navigation.

STORET is the national water quality data repository (U.S. Environmental Protection Agency 1989). Water quality data is entered in STORET by public agencies (federal, state, or local) that collect water samples and/or perform laboratory analysis. As such, STORET is a "user-beware" data system. Although the EPA manages the STORET data system and, since November 1983, has imposed some minimum quality control criteria on the data (See Appendix C), data are generated and input to STORET by the "owner" agencies. Consequently, the EPA does not certify any data within STORET. Currently, there are over 800,000 active and inactive sampling stations and more than 225 million observations covering in excess of 13,000 water quality parameters entered in STORET. The earliest data dates back to the turn of the century. Using the bi-monthly update cycle, user agencies may store results of recent monitoring activities in STORET. Included in STORET is USGS WATSTORE water quality data, which is updated on a monthly basis. Although STORET contains a phenomenal amount of data, it is important to note that data exist in STORET only if the collectors decide to upload their data to the system. Since many agencies and researchers do not upload their data to STORET, the absence of water quality data in the system for a particular area doesn't mean that there has never been any water quality data collected for the area. The data may exist in published or unpublished reports, file cabinets, or in agency-specific databases. Identifying and retrieving these other sources of data were beyond the scope of the present effort. All parameter data and water quality station location data downloaded from STORET within the park's study area are included in DBASE III+ format files on disk(s) accompanying this report (See Appendices A and B).

The data within the IFD database are extracted from the EPA's Permit Compliance System (PCS). IFD contains the facility locations of all industrial and municipal dischargers which require a National Pollutant Discharge Elimination System (NPDES) permit to operate. Over 7,100 municipal, federal, and industrial facilities discharging into the waters of the United States are tracked by PCS and IFD. If any industrial facilities discharges exist within the study area, a file in DBASE III+ format documenting a variety of information about each discharge accompanies this report on disk (See Appendices A and B).

The EPA DRINKS database identifies locations of drinking water supply intakes. This file contains data for 850 supplies which serve more than 25,000 people, and 6,800 supplies which serve between 1,000 and 25,000 people. If any drinking water intakes exist within the study area, a file in DBASE III+ format documenting a variety of information about each intake accompanies this report on disk (See Appendices A and B).

The GAGES data originates primarily with the USGS and copies are maintained on the EPA mainframe computer for ease of integration with other EPA national data systems. Although other agency's water gages, as well as some artificial gages, may appear in GAGES, the vast majority of gages are stream gages belonging to the USGS. The GAGES database contains approximately 36,000 records for both active and inactive gaging stations. If any USGS or other agency stream gages occur within the study area, a file in DBASE III+ format documenting several fields of information about each gage accompanies this report on disk (See Appendices A and B).

The Water Impoundment database was originally compiled by the U.S. Army Corps of Engineers in response to a Congressional inquiry on dam safety hazards (GKY and Associates 1990). The EPA subsequently modified the database for use in water quality investigations. Of the 68,155 dams in the database, 2,125 are considered large (impounding 10,000 acre feet or more at normal pool volume). It is important to note that while the database includes entries for 66,030 smaller dams, estimates place the actual number of dams in the U.S. at several million

(including small farm ponds). If any water impoundments occur within the study area, a file in DBASE III+ format documenting several fields of information about each impoundment accompanies this report on disk (See Appendices A and B).

The RF3 data system is a hydrologic database of surface water features across the U.S. (excluding, at present, Idaho, Oregon and Washington, which currently operate a different system - although this data is expected to be converted to RF3 soon, Alaska and Hawaii). RF3 was created primarily from 1:100,000 scale USGS Digital Line Graph data. RF3 is made up of over 3,000,000 individual "reaches". A reach is generally defined as a portion of surface water between two confluences (U.S. Environmental Protection Agency 1993). The linework underlying RF3 contains over 95,000,000 coordinate points. RF3 is designed to facilitate hydrologic routing, identifying upstream and downstream elements, and specifying the exact location of any point on a stream network. RF3 data exists as a series of traces with associated attributes. The EPA project which is producing RF3 is being conducted in three phases: Compilation, Assessment, and Revision. The Compilation phase is complete except for Idaho, Washington, Oregon, and Alaska. The Assessment phase was completed during the first half of 1994; while the Revision phase was begun in March 1994. One important outcome of the Revision phase is that the reach codes which uniquely identify each surface water feature will change. Consequently, these codes should not be used, at this time, as keys for relating other data to RF3. The RF3 data provided with this document is provisional and should be used only to provide a geographic backdrop for the park's water quality data. RF3 data covering each USGS catalog unit (a geographic area representing a single or multiple drainage basin(s), or some other distinct hydrologic feature (U.S. Geological Survey 1982)) touched by the park's study area is included in ASCII export and DBASE III+ formats on the disk(s) accompanying this report (See Appendices A and B).

For additional information on any of these data systems, contact the EPA Office of Water at (202) 260-7028.

Data Retrieval and Analysis Procedures

The six EPA data systems discussed above reside on the EPA mainframe computer located in Research Triangle Park, N.C. Horizon Systems used a dedicated, leased telephone line with a data transfer rate of 9600 bits per second to download data occurring within the park's study area from all the databases. The bisynchronous communication software and hardware provided error checking during all data transfer procedures.

As described above, the park study/query area boundary was used to select the water quality stations, industrial facilities discharges, drinking water intakes, water gages, water impoundments, and river reaches associated with the park unit. For various reasons, screening criteria (described later in this section) were employed to select appropriate water quality stations, parameters, and observations. Horizon Systems wrote several mainframe programs to automate, to the greatest extent feasible, the STORET data retrieval and storage procedures. Once the data were extracted from the EPA data systems, they were downloaded to a microcomputer for statistical analyses and reformatted into DBASE III+ compatible format.

Specifically, once on the PC, the data were processed to:

- (1) Reformat the data into DBASE III+ format and other database structures;
- (2) Eliminate questionable data outside the STORET edit criteria ranges (See Appendix C);
- (3) Display on a map the location of water quality monitoring stations and other water resources themes;
- (4) Determine the frequency of water quality observations by station, parameter, and station/parameter;
- (5) Generate descriptive period-of-record water quality statistics in a tabular format;
- (6) Generate appropriate descriptive annual and seasonal analyses of the water quality data in a tabular format;
- (7) Plot appropriate period of record time series and annual and seasonal box-and-whisker graphs;
- (8) Compare the water quality data against relevant EPA national criteria; and

- (9) Compare the water quality data against the NPS Servicewide Inventory and Monitoring Program's "Level I" water quality parameters.

Special customized microcomputer programs (primarily written in Clipper and Microsoft Professional BASIC) and procedures were created to address each of these tasks. All reformatted database files are included on disk(s) accompanying this document. The contents of these databases are described briefly below. Complete database structures are included in Appendices A and B. The descriptive water quality tabular statistics (see "Statistical Analyses" below) were computed based upon NPS specifications. Command or batch files were generated to drive STATGRAPHICS 7.0 in order to produce all the time series and box-and-whiskers plots.

Park Unit Databases

Up to seven digital databases in DBASE III+ and other formats have been created for the park by querying the water resources-related data sources described above. The disk(s) containing these databases accompany the report. The contents of each of these databases are discussed briefly below. More detailed documentation of these databases is included in Appendices A and B.

- (A) Water Quality Parameter Data: This database includes all the water quality parameter data downloaded from STORET that passed the STORET Edit Criteria, Date, Station Type, and Phase 0 Parameter screens (described below) and is summarized tabularly and graphically in this document. This constitutes the park's baseline water quality data. Since it is already in digital format, more sophisticated analysis of the data is possible than the descriptive statistics and graphics presented here.
- (B) Water Quality Station Locations: This database consists of the STORET header information describing each station where water quality data was collected. As the latitude and longitude of the station are included in the database, this file is easily imported into the park's GIS.
- (C) Industrial Facility Discharge Locations: This database includes any industrial or municipal point source discharges located within the park's study area. As the latitude and longitude of each discharge facility are included in the database, this file is easily imported into the park's GIS.
- (D) Drinking Water Intake Locations: This database includes any drinking water intakes located within the park's study area. As the latitude and longitude of each intake are included in the database, this file is easily imported into the park's GIS.
- (E) Water Gage Locations: This database includes water (stream, lake, estuary, well, spring, climate, or other) gages located within the park's study area. Most of the gages will likely be stream gages belonging to the USGS. As the latitude and longitude of each gage are included in the database, this file is easily imported into the park's GIS.
- (F) Water Impoundment Locations: This database includes any water impoundments (dams) located within the park's study area. As the latitude and longitude of each impoundment are included in the database, this file is easily imported into the park's GIS.
- (G) River Reach Data: This database includes all stream traces (1:100,000 scale) and attributes for reaches falling within any USGS catalog unit that touches the park's study area. The traces are geo-referenced in ASCII format. The attributes are in both ASCII export and DBASE III+ formats. This information is also readily incorporated into the park's GIS.

The absence of any of these seven files from the disk(s) accompanying the report indicates that there was either no data of this type within the park's study area or the data was unavailable. Several other files are included on the disk(s) accompanying this report, including digital copies of all the figures and tables contained in the document and some other items. Refer to Appendices A and B for detailed documentation of these files. Not included on

disk is an Encyclopedia File (for WRD reference) that documents the minimum and maximum values for each water quality parameter and the parks in which those values were recorded. When Baseline Water Quality Data Inventory and Analysis reports have been completed for all parks, this Encyclopedia File will be available upon request from the NPS WRD.

Screening Methodologies and Procedures

Developing automated or semi-automated procedures to produce baseline water quality inventories and analyses for all national park units required constant testing and debugging of procedures. Three parks, Rock Creek Park, Yellowstone National Park, and Indiana Dunes National Lakeshore, were used to pilot test and refine the automated procedures. It became evident, after a preliminary analysis of all the downloaded STORET data, especially for Indiana Dunes National Lakeshore, that the specifications for the graphical analyses could generate hundreds (possibly thousands) of plots, many of which would not necessarily be useful. Also, there were many stations; parameters; and/or observations downloaded that were not part of the study's objectives; not overly useful; or of dubious quality. In order to reduce the number of graphical plots (time series, annual and seasonal box-and-whiskers) to fit within project resources, various screening criteria were investigated. Ultimately, a comprehensive set of screening criteria were developed to reduce the number of graphical plots. After initial counts of the total number of possible time series and annual and seasonal box-and-whiskers plots were generated, these counts were used to decide which screening criteria would be applied to limit the number of these plots produced for the park unit. Additional screening criteria were employed to restrict the tabular descriptive statistics results to only those deemed useful to the park. Table A provides the categories of screening criteria and to which analyses the screens were applied. A "yes" entry in the table means that the screening category eliminated or prevented data from appearing in certain tables and plots contained in the document. Consequently, in understanding how data from STORET was used in this report, it may be helpful to keep in mind the three general types of screening criteria: (1) screens that apply to stations; (2) screens that apply to certain parameters at stations; and/or (3) screens that apply only to particular observations of parameters at stations. A detailed description of each of the screening criteria categories follows this table. *It is important to note that statistics in "Inventory" reports may not be consistent with statistics in "Overview" reports since different categories of screening criteria were applied.* Also, if attempting to replicate the results of the statistical and graphical analyses presented in this document, be sure to follow the same screening methodologies.

STORET Edit Criteria

As mentioned previously, STORET is a "user-beware" data system. As the EPA doesn't certify any data in STORET, public agencies enter and are responsible for the quality of their own data. Only data entered since November 1983 have been subjected to any rudimentary edit/bounds checking. Agencies entering data since this date can elect to override the edit/bounds checking for individual observations. USGS WATSTORE water quality data is entered into STORET without any EPA edit/bounds checking to ensure data integrity between WATSTORE and STORET. Unfortunately, during the course of our pilot tests, erroneous USGS and EPA water quality data values were discovered. In order to eliminate as much "bad" data as possible, all water quality data downloaded from STORET was subjected to automatic edit/bounds checking (STORET Edit Criteria contained in Appendix C) for the 190 most common parameters. Observations falling outside the STORET Edit Criteria were documented (See the Water Quality Observations Outside STORET Edit Criteria for Park section in the Water Quality Results chapter) and then retained or discarded from the database and all tables and plots based on whether the value was judged as being in the realm of possibility. Although the STORET Edit Criteria screen likely removed some "bad" data for these common parameters, the probability of other erroneous data in the database is high. Be sure to consult the Caveat section in the Introduction.

Table A. Categories of Screening Criteria and to Which Output Products They Apply (A "yes" Entry Means the Screening Category Eliminated or Prevented Data From Being Used in the Product):							
Screening Category	Data Download	Overview Tables	Inventory Tables	Annual Tables	Seasonal Tables	Standards Tables	Plots (All)
STORET Edit Criteria	yes	yes	yes	yes	yes	yes	yes
Date	yes	yes	yes	yes	yes	yes	yes
Station Type	yes	yes	yes	yes	yes	yes	yes
Phase 0 Parameter	yes	yes	yes	yes	yes	yes	yes
Phase 1 Parameter	no	no	yes	yes	yes	yes	yes
Media Type	no	no	yes	yes	yes	yes	yes
Remark Codes	no	no	yes	yes	yes	yes	yes
Composite Type	no	no	yes	yes	yes	yes	yes
Phase 2 Parameter	no	no	no	no	no	no	yes
Observations/Period of Record	no	no	no	yes	yes	no	yes

Date Screen

Every water quality observation in STORET typically has a sampling date associated with it. Unfortunately, STORET does not prevent users from entering incorrect dates. Consequently, any water quality observation with an incorrect and/or suspect date (eg. a month greater than 12; a day greater than 31; or a sample date later than the STORET retrieval date) were discarded.

Station Type Screen

STORET contains data from a wide variety of stations classified by the type of waterbody in which samples were collected. As this project's purpose was to inventory and analyze surface-water quality, the following surface-water station types were retrieved (clarification provided in parentheses):

Station Types Included In Retrieval

- (a) STREAM
- (b) CANAL
- (c) LAKE
- (d) RESERV (Reservoir)
- (e) SPRING
- (f) FWTLND (Fresh Water Wetland)
- (g) SWTLND (Salt Water Wetland)
- (h) ESTURY (Estuary)
- (i) OCEAN

Ground water and/or other station type data may have been retrieved if the entering agency classified the station type incorrectly. Rectifying this error was beyond the scope and resources of this project.

Phase 0 Parameter Screen

Nearly all water quality parameters associated with each station type listed above were retrieved. The only exception to this was the exclusion of most of the STORET administrative parameters. A complete list of STORET administrative parameters is included in Appendix D. The few administrative parameters that were included in the retrievals are as follows:

<u>Code</u>	<u>STORET Administrative Parameter Description</u>
00027	Code No. for Agency Collecting Sample
00028	Code No. for Agency Analyzing Sample
00063	Sampling Points, Number of In a Cross Section
00111	Ratio of Fecal Coliform to Fecal Streptococci
00115	Sample Treatment Code (1=Raw, 2=Treated)
34772	NPDES Number, Cross Reference
45580	Method of Analysis
74065	Stream Flow Class
74066	Annual Runoff
74067	Soil Classification
74068	Water Quality Designated Use Classification

Phase 1 Parameter Screen

Some of the data retrieved from STORET was not suitable for statistical or graphical analysis. Consequently, this screening criterion eliminated all parameters which were not suitable for statistical or graphical analysis within the context of this project. The full list of these parameters is presented in Appendix E. Examples of parameters excluded from statistical and graphical analysis include the administrative parameters mentioned above, land use acreage, encoded values, dates, latitude/longitude, etc. Excluded parameters do, however, appear in the Parameter Period of Record and Station/Parameter Period of Record (two of the "Overview" Tables), as well as in the water quality parameter file included on disk(s) accompanying this report.

Media Type Screen

Water quality samples can be taken in a variety of aqueous media. Water quality data were retrieved from STORET only if the media were WATER or VERT (vertically integrated). WATER and VERT samples comprise the overwhelming majority of samples in STORET. The media screen eliminated the following water quality sampling media:

<u>Media Screen</u>	<u>Description</u>
BOTTOM	Sampled At the Bottom
DREDGE	Sampled By Dredge
PORE	Pore Sample
CORE	Core Sample

Remark Code Screen

STORET enables the agency collecting water quality samples to provide a qualifying remark for each parameter observation. These remarks provide additional information about the measured or observed value entered into STORET (See Appendix B - Parameter Data File for a complete listing and description of all remark codes). Based on the STORET remark codes, two potential screens were applied to water quality observations based on whether the measured value was used in subsequent analyses: (1) Elimination or (2) Modification/Inclusion.

Elimination:

Non-composite water quality parameters with the remark codes presented in Table B were eliminated from the period of record, annual, and seasonal descriptive statistics and graphics. Not including observations with these remarks was justified by the fact that most of the remarks: (A) indicate either less confidence in the measured value; (B) are remarks for nominal or categorical data that doesn't lend itself to statistical analysis; or, (C) complicate the statistical analysis beyond the scope of this effort. Observations containing these remark codes comprise a very small fraction of the data. Although statistical analyses weren't undertaken on this data, all water quality observations, regardless of remark code, are included on disk(s) accompanying this report. If you re-analyze this data in order to replicate the results presented here, be sure to eliminate all non-composite observations with the remark codes presented in Table B.

Table B. Non-composite Parameters With the Following Remark Codes Were Eliminated From Statistical and Graphical Analysis:	
Remark Code	Description of STORET Remark Code
F	Female Species.
J	Estimated, Not the Result of Analytic Measurement.
M	Presence Verified, But Not Quantified, Below Quantification Limit. For Species, Male. For Oxygen Reduction Potential, Indicates Negative Value.
N	Presumptive Evidence of Presence.
O	Analysis Lost.
V	Analyte Was Detected In Sample and Method Blank.
W	Less Than Lowest Value Reportable Under Remark "T".
Z	Too Many Colonies Were Present to Count (TNTC), Value Represents Filtration Value.

Modification/Inclusion:

Water quality parameter observations with the remark codes presented in Table C were halved prior to inclusion in period of record, annual, and seasonal descriptive statistics and graphics. These remark codes deal with observations that were below the detection limit for the parameter. The common water quality data analysis convention for these remark codes is to use half of the detection limit in statistical analyses (Ward, Loftis, and McBride 1990; Gilbert 1987). Although this is a somewhat defensible treatment of observations below the detection limit, the statistics that may be computed using these halved values may not be defensible. Consequently, any computed statistics in inventory, annual, or seasonal tables that are comprised of 50% or more K, T, and U remark codes are footnoted "Computed with 50% or more of the total observations as values that were half the detection limit." This will provide the user with some caution in using and interpreting these results. Water quality data included on disk(s) accompanying this report that may have these remark codes are stored as the original entry (detection limit). If you re-analyze this data in order to replicate the results presented here, be sure to substitute half the detection limit value in the database whenever these remark codes are encountered.

Table C. The Value of Water Quality Parameters With the Following Remark Codes Were Halved (Half of the Detection Limit Entered In STORET) Prior to Inclusion In Descriptive Statistics and Graphics:	
Remark Code	Description of STORET Remark Code
K	Off-scale Low, Actual Value Not Known, But Known to Be Less Than Value Shown.
T	Less Than Detection Criteria.
U	Analyzed For But Not Detected, Value is Detection Limit For Process Used. If Species, Undetermined.

Composite Type Screen

Sometimes data entered in STORET represent something other than a single measurement at one location at one point in time. These samples are typically referred to as composite samples due to the fact that they vary temporally and spatially. Consequently, the observation entered into STORET for composite data is typically a computed value that summarizes the data over time and/or space. Such data complicate statistical and graphical analyses and must be handled separately. Such treatment was beyond the scope of this study; although composite values typically represent only a fraction of STORET observations. The composite type screen eliminates all composite observations from statistical and graphical analyses, except those with a composite type code of "A" that have a one day or less sampling period and those with a composite type code "D". All water quality observations, regardless of composite type code, are included on disk(s) accompanying this report. If you re-analyze this data in order to replicate the results presented here, be sure to exclude all composite observations except those with a code of "A" that have a one day or less sampling period and those with a code of "D". Table D presents a list of possible STORET composite type codes.

Table D. Possible STORET Composite Type Codes	
Composite Type Code	STORET Composite Type Description
A	Average
H	Maximum
L	Minimum
N	Number of Observations
#	Number of Observations
S	Standard Deviation
U	Sum of Squares
V	Variance
C	Coefficient of Error
X	Coefficient of Variance
E	Skewness
F	Kurtosis
Z	Number of Obs. That Exceed An Established Limit
%	Precision
\$	Accuracy
B	N/A
D	Indicates Replicate Sample

Phase 2 Parameter Screen

Due to budgetary limitations, the number of graphical plots (time series, annual and seasonal box-and-whiskers) produced had to be manageable - typically no more than 100 total plots. After scrutinizing the results of the pilot tests and the Baseline Water Quality Data Inventory and Analysis Reports produced for the first group of parks, the 19 parameters which, typically, were the most frequently measured at nearly all stations were water temperature, stage, discharge, and various meteorological measurements (See Table E). Consequently, most of the graphical plots produced would be of water temperature, stage, discharge, and meteorological conditions. Although these are important parameters, particularly in conjunction with other water quality parameters, it was felt that plotting resources would be better allocated to other water quality parameters. Consequently the STORET parameter codes listed in Table E never generated graphical plots. It is important to note, however, that these parameters are included in all other aspects of the project, including all applicable period of record, annual, and seasonal descriptive statistics tables.

Table E. Frequently Measured STORET Codes That Were Prevented From Generating Plots	
STORET Parameter Code	STORET Parameter Description
00003	Sampling Station Location, Vertical (Feet)
00010	Water Temperature (Degrees Centigrade)
00020	Temperature, Air (Degrees Centigrade)
00021	Temperature, Air (Degrees Fahrenheit)
00025	Barometric Pressure (MM of HG)
00032	Cloud Cover (Percent)
00035	Wind Velocity (Miles Per Hour)
00036	Wind Direction in Degrees from Trun N (Clockwise)
00040	Wind Direction (Azimuth)
00045	Precipitation, Total (Inches Per Day)
00046	Precipitation, Total (Inches Per Week)
00052	Humidity, Relative (Percent)
00061	Stream Flow, Instantaneous (CFS)
00065	Stream Stage (Feet)
81903	Depth of Bottom of Water @ Sample Site (Feet)
82553	Rainfall In 1 Day Inclusive Prior to Sample (Inches)
82554	Rainfall In 7 Days Inclusive Prior to Sample (Inches)
82371	Rainfall In 3 Days Inclusive Prior to Sample (Inches)
82372	Rainfall In 14 Days Inclusive Prior to Sample (Inches)
85599	Precipitation, Total/Period-Rain Equivalent (Cm/Sample)

Observations/Period of Record Screen

Despite never plotting water temperature, stage, discharge, and meteorological measurements, the number of plots generated by some parks still exceeded the 100 plot limit. Also, some rationale was needed to plot only those parameters with sufficient data density to make a meaningful statistical graphic. For example, time series plots comprised of only a few observations or annual or seasonal box-and-whiskers plots with limited observations and/or data in only one or two years or seasons are not very informative. Consequently, a number of plotting criteria were developed to limit the number of time series and box-and-whiskers plots to, at most, 100 informative graphics by using each parameter's number of observations and period of record. Similar, albeit less stringent criteria, were used for including results of annual and seasonal analyses in descriptive statistics tables. Consequently, there are more summaries of annual and seasonal results in tables than in graphics. Whenever an entry in an annual or seasonal table generated a plot, this entry was footnoted to notify the reader of the presence of the graphic. Due to differing quantities of data at parks, different screening criteria were employed. The same

criteria for appearance in seasonal and annual tables were used for all parks. Table F presents the least stringent plot screens.

Table F. Least Stringent Plot Screening Criteria Used to Limit the Number of Plots Generated

<p>Time Series:</p> <p>To generate a time series plot, a station/parameter combination must have a period of record of at least 2 years and a total of at least 8 observations.</p> <p>Annual Analysis:</p> <p>To generate an annual box-and-whiskers plot, a station/parameter combination must have at least 9 observations in each of at least 4 years. The years do not have to be consecutive.</p> <p>Seasonal Analysis:</p> <p>To generate a seasonal box-and-whiskers plot, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years. The years do not have to be consecutive.</p>
--

The exact three plot screens used varied by park unit and are documented in the Overview section of the Water Quality Results chapter. If your park's plotting criteria deviated from these least stringent criteria, it is because too many plots would have been generated using these criteria.

The criteria used for appearance of station/parameter combinations in annual and seasonal analysis tables are presented in Table G. These tabular criteria, which are actually the least stringent plotting criteria, were constant from park to park.

Table G. Criteria Used for Generating Entries in Annual and Seasonal Analysis Tables

<p>Annual Analysis:</p> <p>For an entry to appear in an annual table, a station/parameter combination must have at least 9 observations in each of at least 4 years. The years do not have to be consecutive.</p> <p>Seasonal Analysis:</p> <p>For an entry to appear in a seasonal table, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years. The years do not have to be consecutive.</p>
--

Statistical Definitions

Since this report is intended only to characterize historical and/or existing water quality at the park rather than address specific water quality problems, only simple descriptive statistics are presented. Inferential and non-parametric statistical analysis to examine relationships and trends were beyond the scope of the study. The complete water quality dataset is provided on disk accompanying this report to afford the opportunity for more detailed exploratory data analysis. The descriptive statistics are included in the inventory, annual, and seasonal tables. Table H provides a brief definition of each descriptive statistic provided for each parameter at a station.


Table H. Definition of Descriptive Statistics Contained in Inventory, Annual, and Seasonal Tables

Observations:	The number of samples collected.
Median:	The median is the 50th percentile or the value in a dataset sorted in ascending order that exceeds 50% of all observations, yet is also exceeded by the remaining 50% of all observations.
Mean:	The sum of all observations collected divided by the number of observations.
Maximum:	The maximum value observed.
Minimum:	The minimum value observed.
Variance:	This is a measure of variability or dispersion of the observations; or, in other words, describes how many observations are close (or far), from the mean. It is calculated as the weighted average of the squared deviations from the mean.
Standard Deviation:	The positive square root of the variance.
10th Percentile:	The value in a dataset sorted in ascending order that exceeds 10% of all observations, yet is itself exceeded by the remaining 90% of all observations.
25th Percentile:	The value in a dataset sorted in ascending order that exceeds 25% of all observations, yet is itself exceeded by the remaining 75% of all observations. The 25th percentile is also known as the first quartile.
75th Percentile:	The value in a dataset sorted in ascending order that exceeds 75% of all observations, yet is itself exceeded by the remaining 25% of all observations. The 75th percentile is also known as the third quartile.
90th Percentile:	The value in a dataset sorted in ascending order that exceeds 90% of all observations, yet is itself exceeded by the remaining 10% of all observations.

As with the tabular descriptive statistics, the scope of the project limited the generation of exploratory graphics to time series plots and annual and seasonal box-and-whiskers plots. Plots were only generated, however, provided the parameter met or exceeded the relevant plotting criteria specified in the previous section.

Time series plots display the parameter concentration on the Y-axis and the date on the X-axis. This provides the user with a visual feeling for not only the parameter's concentration and variability over time, but also the density of data in different time periods. The time series plots provide a visual representation of the data in the basic station inventory. Due to software limitations, a line connects each measured value in sequence regardless of the time period between samples. Readers are cautioned not to assume that the concentration of the parameter between any two data points can be represented by a straight line. It is likely that the concentration varied between any two observations, particularly if the observations are separated by a significant time period.

The annual and seasonal box-and-whisker plots provide a graphical overview of the measured data and give the user a better understanding of the data's distribution and possible outliers. In essence, the box-and-whisker plots provide a visual representation of the data contained in the annual and/or seasonal tables. The interpretation of the boxes is provided in the figure to the right. Each box encompasses the middle 50 percent of measured values (from the 75th to 25th percentiles). The difference between the 75th and 25th percentiles is also known as the interquartile range. The horizontal line inside each box is the median or 50th percentile. The lines which extend out from each end of the box are the whiskers. The whiskers extend out from first quartile (25th percentile) and third quartile (75th percentile) to the smallest data point within 1.5 interquartile ranges from the first and third quartiles. Observations that extend beyond the whiskers are known as outliers. Far outliers are observations whose values lie more than three interquartile ranges below the first quartile or above the third quartile. These are designated with plus signs.



INTERPRETIVE GUIDE TO WATER QUALITY RESULTS

This interpretive guide discusses each of the products presented in the next chapter - Water Quality Results. This chapter highlights how each of the tables and figures were prepared and how they can be used. Each subheading in this chapter corresponds to a particular product in the subsequent Water Quality Results chapter.

Overview

The Overview provides a brief one-page summary of the results of the various database retrievals for both the study area and the park. The study area results include the park results since the study area encompasses the park and all lands and waters within at least 3 miles upstream and 1 mile downstream of the park. Thus, the GIS estimated acreage of the study area should always be greater than the park acreage. The park acreage was computed from the digital boundary that was obtained for the park. More than likely this acreage will differ, perhaps significantly, from the "official" published acreage for the park due to the spatial and temporal accuracy of the digital boundary, treatment of inholdings, and other concerns. The number of STORET stations is the number of locations within the study area and park where an agency monitored (or intended to monitor) water quality. The number of stations with no data reveals the number of stations created in STORET for which water quality data were never entered. The number of stations with no statistical analysis reports the number of stations in the study area and park that contain data not amenable to normal parametric statistics. The number of longer term stations indicates the number of stations in the study area and park with at least 6 parameters having periods-of-record extending 2 years with an average of at least 1 observation per year over the period-of-record. The date of STORET retrieval is the calendar date when Horizon Systems downloaded all the data from STORET. Thus, the report documents all data entered in STORET prior to the retrieval date. Keep in mind that an agency can upload archival data at any time. Consequently, a retrieval date only guarantees that as of that date, this report contains all the data that had been entered into STORET. The period of record is the earliest date for which water quality data exist in STORET for the study area and park up to the date when the most recent data were entered prior to the retrieval date. The number of parameters measured is the number of unique water quality parameters measured within the study area and park and entered in STORET. The number of water quality observations is the sum of the total number of observations across all parameters within the study area and park. The number of industrial/municipal facilities discharges, drinking water intakes, water gages, and water impoundments are the number of each of these entities found within the study area and park. The number of time series, annual, and seasonal plots are the number of these different types of graphics produced by station/parameter combinations within the study area and park using the plotting criteria described in the previous chapter. The hydrologic seasons, described below, are the seasons used for the seasonal water quality data analysis. The time series, annual, and seasonal criteria are the plot and tabular screening criteria described in the previous chapter.

Regional Location Map

The Regional Location Map provides a small scale, general representation of the park and study area location within the United States. Digital, reproducible copies of this graphic are included on the disk(s) accompanying this report.

Water Quality Monitoring Locations Map(s)

The Water Quality Monitoring Locations Map(s) usually provides a larger scale representation of the park and study area than the Regional Location Map. This map indicates the locations within the study area where water quality has been monitored and the data entered into STORET. The water quality monitoring stations are labelled sequentially with the rightmost significant digits. The station names were assigned in numerically ascending order by latitude (for parks with a greater north-south extent than east-west) or longitude (for parks with a greater east-

west extent than north-south). Thus, this map serves as a visual index to the water quality data contained in the report. Since the 1:100,000 scale hydrography (from the River Reach File Ver. 3.0 or other sources) is displayed on the map, users can refer to the map to locate the station number on the reach in which they are interested and then find the appropriate section in the report that documents the water quality at that station. If the scale allows, USGS catalog units are also displayed on the map to provide an approximation of drainage basins. More than one Water Quality Monitoring Location map may be presented if the scale requires breaking the area into multiple maps for legibility. If multiple maps are necessary, an index map showing the geographic extent of each sub-map or panel will be present. Digital, reproducible copies of this graphic are included on the disk(s) accompanying this report. The digital, geo-referenced data files documented in Appendices A and B will allow the park to create water quality monitoring stations as a coverage in their GIS.

Dischargers, Drinking Intakes, Gages, and Impoundments Map(s)

The Dischargers, Drinking Intakes, Gages, and Impoundments Map(s) displays the same information as the Water Quality Monitoring Location Map(s) except the water quality stations are replaced by industrial/municipal facilities discharges, drinking water intakes, active and inactive gage locations, and water impoundments. This map also serves as a visual index allowing the user to determine the identification code of each discharger, drinking intake, gage, or impoundment. This number can then be used to obtain additional information about the entity on the following page of the report or to refer to the more detailed database files accompanying the report on disk. These more detailed database files are geo-referenced (See Appendices A and B), thus allowing the park to create these coverages in their GIS. More than one Dischargers, Drinking Intakes, Gages, and Impoundments map may be presented if the scale requires breaking the area into multiple maps for legibility. If multiple maps are necessary, an index map showing the geographic extent of each sub-map or panel will be present. Digital, reproducible copies of this graphic are also included on the disk(s) accompanying this report.

Industrial Facilities Discharges, Drinking Water Intakes, Water Gages, and Water Impoundments Table

This table provides some additional information about each of the discharges, drinking intakes, water gages, and water impoundments displayed on the previous map(s). This information generally includes the site identification number; the station or facility name; an address or some other indication of location; and some other pertinent information. More detailed information about each of these entities is contained in the database files on disk accompanying the report (See Appendices A and B).

Representative Mean Annual Hydrograph for Seasonal Analysis

One component of the water quality data analysis contained in the document is a seasonal analysis of the data (where adequate data exist). In order to undertake this analysis, some representation of the park's seasons was required. Seasons can be based on many factors (eg. hydrologic, climatic, recreational use, etc.). Since project resources did not allow us to contact every park and discuss with resource management staff what appropriate seasons may be for the park, WRD staff elected to adopt primarily a hydrologic/climatic definition of the seasons which uses a process of hydrograph separation to glean seasons from stream discharge patterns. The procedure employed to make these determinations was as follows:

- (1) Find the nearest USGS Hydro-Climatic Data Network (HCDN) station (U.S. Geological Survey 1992) to the park that is most representative of streamflow conditions at the park. The HCDN is basically a subset of USGS streamflow stations, including only those stations that are unaffected by artificial diversions, storage, or other disruptions of the natural channel. All HCDN stations generally have at least a 20 year period of record. Consequently, discharge patterns at these stations should reflect only hydrologic and climatic influences. For the most part, selected HCDN sites were typically within 15-20 miles of the park. In some parks where WRD staff were aware of the existence of a stream gage located within the park that would be more representative of park waters even though it wasn't an HCDN site, this gage was selected.

- (2) Retrieve the daily discharge values for the selected station from the USGS Daily Values File and generate a mean annual hydrograph and a box-and-whiskers plot of daily flows by month.
- (3) Interpret the plots based on our knowledge of the hydrologic regime at these parks and assign seasons.

This approach, used for the majority of parks, assumes that most water quality data at the park will be found in streams and that the discharge pattern of the selected stream is representative of the seasons for all park waterbodies. Although this assumption may be weak for certain parks, project resources did not allow a more thorough investigation. For parks where there wasn't any stream gage (HCDN or otherwise) deemed representative of park waters, precipitation records from a nearby meteorological station were obtained from the National Climatic Data Center. Plotting daily average precipitation and box-and-whiskers of monthly precipitation sums allowed WRD hydrologists to make a rough approximation of climatic seasons for use in analyzing the water quality data.

Again, it is important to note the many ways of defining "seasons" and thus the limitations of the seasonal analysis contained in this document. For certain parks it may be more useful to perform a seasonal analysis with seasons defined by recreational use patterns or some other natural or anthropogenic factor. This option is available to the park since all the water quality data analyzed in this document is contained on disk(s) accompanying this report. Digital, reproducible copies of this seasonal analysis graphic are also included on the disk(s) accompanying this report.

Contacts for Agency Codes Retrieved

This table provides a list of the organizations who have entered data into STORET. A contact name at the organization and a phone number are also supplied. The agency code in the first column is the key for identifying which stations belong to that agency. This code will appear in the first line of each station's inventory. Although the agencies listed in this table are potential partners for future water quality monitoring or management endeavors, don't be surprised if the name of the contact and/or the telephone number is out of date. This information is entered when an agency first creates a station. The agency may not update this information when the initial contact moves on or the telephone number changes. Nonetheless, it is likely that the contact or someone else at the agency may be able to provide you with project reports or other information relative to the agency's data. A digital copy of this table accompanies this report on disk (See Appendices A and B).

Quantity of Data Retrieved by Agency Code

This table displays the period-of-record; numbers of water quality stations, longer-term stations, and stations without data; total number of water quality observations; and the number of unique water quality parameters measured by each agency within the study area and park boundary. Using this table, a park can quickly determine which agencies collect the most data in and around the park and whether they have monitored recently. A digital copy of this table accompanies this report on disk (See Appendices A and B).

Station Period of Record Tabulation

The Station Period of Record Tabulation provides a quick overview of the names of all the stations within the study area where water quality has been monitored and data entered into STORET. It also furnishes the total number of observations taken at each station and the frequency of observations between certain dates: (1) 01/01/85 until the most recent date data were measured; (2) 01/01/75 - 12/31/84; and (3) prior to 01/01/75. The station identification number, the four character park abbreviation code followed by a four digit number, provides the means to jump from a particular station in the table to the statistical and graphical analyses for this station contained in the Station-By-Station Results section. The Station Period of Record Tabulation reveals which water

quality stations were situated within the park as defined by the park's GIS boundary. The Station Period of Record Tabulation also footnotes longer-term water quality stations. Longer-term stations are those that have at least 6 parameters with an average of one or more observations per year for those parameters during a period of record extending at least two years. Note that although a station may not be flagged as longer-term, it can still harbor much important data (albeit for only a few parameters or over a very long term with just a few observations). A digital copy of this table accompanies this report on disk (See Appendices A and B).

Parameter Period of Record Tabulation

The Parameter Period of Record Tabulation provides a complete listing of every water quality parameter ever measured in the study area and entered into STORET. This table is a summation of all the water quality observations for each parameter across all stations in the study area. Like the Station Period of Record Tabulation, the total number of observations for each parameter and the frequency of observations between: (1) 01/01/85 until the most recent date data were measured; (2) 01/01/75 - 12/31/84; and (3) prior to 01/01/75 are provided. This table is handy for quickly assessing whether particular parameters have been measured in the study area. The Parameter Period of Record Tabulation also shows how many in-park (and total) water quality stations contained data for each parameter. Some administrative parameters and parameters not suitable for statistical analysis within the context of this project (as discussed in the Screening Methodologies and Procedures section of the Methodology chapter) are listed in the Parameter Period of Record Tabulation, but not in the Station-By-Station Results section. A digital copy of this table accompanies this report on disk (See Appendices A and B).

Station/Parameter Period of Record Tabulation

The Station/Parameter Period of Record Tabulation combines the information found in the Station Period of Record Tabulation and the Parameter Period of Record Tabulation. This table provides a listing of all the stations where a particular water quality parameter was measured in the study area and the data entered into STORET. The table provides the start and end dates of the period of record of each parameter at each station; the number of years of measurement (computed from the start and end dates); whether the station/parameter combination occurred within the park boundary; the total number of observations for each parameter at each station, and whether a time series (T), annual (A), and/or seasonal (S) plot was generated for the station/parameter combination in the Station-By-Station Results section. This table is very useful when you need to determine at which locations within the study area (or park) particular parameters were monitored and how much data was collected there. Some administrative parameters and parameters not suitable for statistical analysis within the context of this project (as discussed in the Screening Methodologies and Procedures section of the Methodology chapter) are listed in the Station/Parameter Period of Record Tabulation, but not in the Station-By-Station Results section. A digital copy of this table accompanies this report on disk (See Appendices A and B).

Station-By-Station Results

Probably the most voluminous portion of the document is the Station-By-Station Results. Here the results of the water quality analyses for each station are presented in sequence. The results include the station inventory; parameter inventory; EPA water quality criteria analysis; and, as applicable, time series graphics and annual and seasonal tables and box-and-whiskers graphics. Each of these products are discussed below.

Station Inventory for Station

Each station's data commences with its Station Inventory. The Station Inventory provides the descriptive attributes about each water quality monitoring station contained in STORET. This includes a variety of locational information such as a verbal description, the Federal Information Processing codes for county and state, latitude and longitude, and other items; the station type (stream, spring, estuary, etc.); monitoring agency; creation date; indices to the River Reach File; whether the station lies within the park boundary; and several other attributes. This water quality station location data is also contained on disk(s) accompanying the report (See Appendices A and B).

Parameter Inventory for Station

Following the descriptive attributes about a station is the Parameter Inventory for the station. The Parameter Inventory provides a complete inventory and descriptive summary of all the water quality parameter data for the station. This table furnishes the parameter STORET code and name; the period of record for this parameter at this station; and the descriptive statistics defined in the Statistical Definitions in the previous chapter. Three different footnotes can appear on a parameter's descriptive statistics. Two asterisks (**) in the 10th, 25th, 75th, or 90th percentile columns indicates that there was insufficient data to compute these statistics for this parameter. Percentiles were not computed unless the parameter had at least 9 observations. Two number signs (##) next to the number of observations indicates that more than 50 percent of the observations entered into the computations as values that were taken to be half the detection limit. Caution should be employed in interpreting and using statistical results when more than half the values are set to half the detection limit. The letter "p" following a numeric STORET parameter code in the Parameter Inventory indicates that a time series plot was produced for this parameter at this station. Digital, reproducible copies of the Parameter Inventory tables are contained on the disk(s) accompanying this report.

Two downloaded parameter groups, pH and bacteriological, received special treatment whenever descriptive statistics were computed in the Parameter Inventory (as well as subsequent annual and seasonal tables). Whenever pH appears in a descriptive statistics table, the entry is increased to 3 entries: (1) the original pH entry; (2) pH computed from conversion to and from $\mu\text{eq/l H}^+$; and (3) $\mu\text{eq/l H}^+$. The reason for these conversions is that pH is actually the negative logarithm of the hydrogen ion concentration. To be technically correct in computing descriptive statistics, pH values must be converted to $\mu\text{eq/l H}^+$ (Kunkle and Wilson 1984). Once the descriptive statistics are computed using the pH values expressed as $\mu\text{eq/l H}^+$, the results can be converted back to pH. The three pH entries in the descriptive statistics table will all have the same STORET code.

Whenever a bacteriological parameter appears in a descriptive statistics table, the entry is increased to 3 entries: (1) the original bacteriological entry; (2) an entry computed using the log of each measured value; and (3) an entry that simply reports the geometric mean. The reason for converting to logs and displaying the geometric mean is convention. Bacteriological water quality standards typically reference the geometric mean rather than the arithmetic. The three bacteriological entries in the descriptive statistics tables will all have the same STORET code.

EPA Water Quality Criteria Analysis for Station

The EPA Water Quality Criteria Analysis table follows the Parameter Inventory. This table presents a comparison between the station's STORET water quality data and applicable national water quality criteria for freshwater and marine aquatic organisms; drinking water; and other concerns. Comparison against applicable State water quality criteria was not feasible given project resources. Appendix F provides the relevant national EPA water quality criteria values. In most cases, the EPA water quality criteria values are single sample concentrations that can be directly compared to single sample STORET entries. There are, however, two notable exceptions to this single sample/single value comparison: ammonia and fecal-indicator bacteria. For these two parameters, criteria are either derived from or depend on the results of other chemical characteristics of the water or require a time series statistical treatment of multiple samples to determine whether the criterion has been exceeded. The EPA ammonia criterion is pH and temperature dependent. To calculate the criterion for each ammonia sample value was beyond

the scope of this project. Consequently, ammonia criteria were not included in Appendix F or the EPA Water Quality Criteria Analyses. Un-ionized ammonia criteria can be determined from formula table values included in the EPA Silver Book (Environmental Protection Agency 1995).

For the purposes of this project, fecal-indicator bacteria data were flagged as exceeding criteria when their concentrations exceeded 200, 1000, 126, and 33 (fresh)/35 (salt) colony forming units or most probable number for single samples of fecal coliform, total coliform, E. coli, and enterococci, respectively. These values represent only approximations of the criteria for primary contact recreation waters where criteria are typically expressed in terms of a geometric mean computed with no less than 5 samples during a given month. When a fecal-indicator bacterial observation exceeds a criterion in the EPA Water Quality Criteria Analysis section, the reader should refer to the corresponding geometric mean calculations in the preceding Parameter Inventory. Long-term geometric means that exceed the respective water quality criteria for multiple samples are more indicative of chronic bacteriological problems than single sample values.

Water quality observations carrying non-detection or below-detection limit remark codes (K, T, and U) required special treatment in the EPA Water Quality Criteria Analysis. As with the statistics in the Parameter Inventory, half the detection limit was the value used in the EPA Water Quality Criteria Analysis. For certain observations, however, half the detection limit may exceed a water quality criterion. For those observations it would be inappropriate to classify them as exceeding a criterion since the actual value wasn't known. Thus, it was decided that any below detection limit or non-detect observations that exceed a water quality criterion using half the detection value would be excluded from the EPA Water Quality Criteria Analysis. If non-detect or below detection limit values are excluded from the EPA Water Quality Criteria Analysis for a particular parameter, the total observations for that parameter will be footnoted with an ampersand (&). This will also explain the difference between the total observations in the Parameter Inventory and the EPA Water Quality Criteria Analysis. Non-detect or below detection limit values are included in the EPA Water Quality Criteria Analysis, however, if half the detection limit doesn't exceed the parameter's criterion.

The EPA Water Quality Criteria Analysis for each station lists the parameter; the standard type and value; the total number of observations for the parameter at this station; the number of observations that exceeded the standard value; and the proportion of observations that exceeded the standard value. Water quality observations are considered as having exceeded a criterion regardless of whether the criterion represents a maximum acceptable value or a minimum acceptable value. The table also breaks down the water quality criteria analysis on a seasonal basis to allow the reader to discern whether parameter observations tend to exceed criteria during only certain seasons or year round. Although the EPA Water Quality Criteria Analysis table is a good starting point for assessing potential water quality problems at the station, the reader is strongly encouraged to read the caveat section in the Introduction concerning drawing conclusions about water quality problems from this table. Digital, reproducible copies of these tables accompany the report on disk (See Appendices A and B).

Time Series Plots for Station

Following the EPA Water Quality Criteria analysis will be any Time Series Plots for each parameter that met the time series plot screening criterion selected for the park unit. If a time series plot is generated for a particular parameter at a station, a "p" will appear next to the STORET parameter code in the Parameter Inventory. If no time series plots are present for the particular station, the data did not meet the time series screening criterion listed in the Overview section of the Water Quality Results chapter. The x-axis on these plots is the period of record, listing only the 2-digit calendar year for clarity (i.e. 1983 is presented as 83). The y-axis is the concentration of the selected parameter in its measurement units. In general, the units for a given parameter are given either on the y-axis or in the parameter description in the subtitle of the graph. Subtitle and/or y-axis parameter descriptions may be truncated on the plots so as to not exceed the maximum number of plotting characters. Y-axis values less than zero are sometimes shown for better representation of the entire plot. The station identification code, parameter description, and parameter STORET code are presented in the main title. The footnote provides a descriptive location name. Observations on the plot are represented as squares. Lines are drawn connecting each successive observation. As mentioned previously in the Statistical Definitions section of the Methodology chapter, the interconnecting line is drawn only for ease of reading and provides no indication of what the actual parameter

values were between the two observed measurements. Digital, reproducible copies of all time series plots accompany the report on disk (See Appendices A and B).

For time series plots of pH, the original pH values are plotted. For time series plots of bacteriological data, the log of the measured value is plotted. Hence, the y-axis of a time series plot for bacteriological parameters is log-linear.

Annual Analysis for Station

If more than 9 observations exist in each of at least 4 years for a particular parameter at a station, an Annual Analysis table will be generated. Entries will be made in the table for each parameter having more than 9 observations in each of at least 4 years. The Annual Analysis presents the same descriptive statistics as the Parameter Inventory table, except that it provides the statistics by year, rather than the entire period of record. Although some of the years may not contain 9 observations, these years still have an entry in the table. A parameter needs only to have 9 observations in any 4 years of its period of record to qualify for the Annual Analysis table. Like the Parameter Inventory, percentiles with fewer than 9 observations are not computed and entries computed with greater than 50 percent of the data values set to half the detection limit are flagged. Entries in the Annual Analysis table that also meet the annual analysis box-and-whisker plot screening criterion will be flagged with a "p" next to the STORET code. Digital, reproducible copies of these tables accompany the report on disk (See Appendices A and B).

Annual Box-and-Whiskers Plots for Station

Entries in the Annual Analysis table that meet the annual box-and-whisker plot screening criterion will generate Annual Box-and-Whiskers Plots. The interpretation of box-and-whiskers plots is explained in the Statistical Definitions section of the Methodology chapter. A box is generated for each year of the period of record, even if less than 9 observations were recorded in the year. The axis labeling and plot titling is the same as for the time series plots. Digital, reproducible copies of these graphics accompany the report on disk (See Appendices A and B).

For annual box-and-whiskers plots of pH, $\mu\text{eq/l H}^+$ are plotted. For annual box-and-whiskers plots of bacteriological data, the log of the measured value is plotted. Hence, the y-axis of an annual box-and-whiskers plot for bacteriological parameters is log-linear.

Seasonal Analysis for Station

As explained above, a park's hydrologic seasons for seasonal water quality analysis were determined using a process of hydrograph separation and other techniques. If a parameter has more than 9 observations in each of 2 seasons with a period of record of at least 6 years and observations in at least 3 of the 6 years, a Seasonal Analysis table will be generated for the station. The Seasonal Analysis presents the same descriptive statistics as the Parameter Inventory table, except that it provides the statistics by season, rather than the entire period of record. Although certain parameters for a season at a station may not contain 9 observations, these parameters can still have an entry in the table. A parameter needs only to have 9 observations in each of 2 seasons with a period of record of at least 6 years and observations in at least 3 of the 6 years to qualify for the Seasonal Analysis table. Consequently, some of the parameters could have fewer than 9 observations in a particular season but still generate a table entry. Like the Parameter Inventory and Annual Analysis, percentiles with fewer than 9 observations are not computed and entries computed with greater than 50 percent of the data values set to half the detection limit are flagged. Entries in the Seasonal Analysis table that also meet the seasonal analysis box-and-whisker plot screening criterion will be flagged with a "p" next to the STORET code. Digital, reproducible copies of these tables accompany the report on disk (See Appendices A and B).

Seasonal Box-and-Whiskers Plots for Station

Entries in the Seasonal Analysis table that meet the seasonal box-and-whisker plot screening criterion will generate Seasonal Box-and-Whiskers Plots. The interpretation of box-and-whiskers plots is explained in the Statistical Definitions section of the Methodology chapter. A box is generated for each season of the period of record, even if less than 9 observations were recorded in the season. On the x-axis, the seasons are labeled 1 through the number of seasons defined for the park through hydrograph separation. The actual calendar dates that correspond to these numerically labeled seasons exist in the Overview section and the Seasonal Analysis tables in the Water Quality Results chapter. The axis labeling and plot titling are the same as for the time series and annual box-and-whiskers plots. Digital, reproducible copies of these graphics accompany the report on disk (See Appendices A and B).

For seasonal box-and-whiskers plots of pH, $\mu\text{eq/l H}^+$ are plotted. For seasonal box-and-whiskers plots of bacteriological data, the log of the measured value is plotted. Hence, the y-axis of a seasonal box-and-whiskers plot for bacteriological parameters is log-linear.

EPA Water Quality Criteria Analysis for Entire Park Study Area

This table essentially summarizes all the individual station-by-station EPA water quality criteria analyses in the study area. (Refer to the EPA Water Quality Criteria Analysis for Station section above for more detailed information on the treatment of special cases in the EPA Water Quality Criteria Analysis for Entire Park Study Area.) This table presents a comparison between the study area's STORET water quality data and applicable national water quality criteria for freshwater and marine aquatic organisms; drinking water; and other concerns. Comparison against applicable State water quality criteria was not feasible given project resources. Appendix F provides the relevant national EPA water quality criteria values. The EPA Water Quality Criteria Analysis for the Entire Park Study Area lists the parameter; the standard type and value; the total number of observations for the parameter at this station; the number of observations that exceeded the standard value; and the proportion of observations that exceeded the standard value. Water quality observations are considered as having exceeded a criterion regardless of whether the criterion represents a maximum acceptable value or a minimum acceptable value. The table also breaks down the water quality criteria analysis on a seasonal basis to allow the reader to discern whether parameter observations tend to exceed criteria during only certain seasons or year round. Although the EPA Water Quality Criteria Analysis for the Entire Park Study Area is a good starting point for assessing potential water quality problems at the park, the reader is strongly encouraged to read the caveat section in the Introduction before drawing conclusions about water quality problems from this table. A digital, reproducible copy of this table accompanies the report on disk (See Appendices A and B).

NPS Servicewide Inventory and Monitoring Program

Level I Water Quality Inventory Data Evaluation and Analysis (IDEA)

One of the objectives of this Baseline Water Quality Data Inventory and Analysis project is to perform an IDEA - an Inventory Data Evaluation and Analysis - to determine the presence and/or absence of Servicewide Inventory and Monitoring Program "Level I" water quality parameter groups in the park's study area. The Strategic Plan for Conducting Baseline Natural Resource Inventories in the National Park Service (National Park Service 1993) identified the basic water quality parameters displayed in Table I as the parameters that all parks must have for "key" waterbodies (determined on the basis of size, uniqueness, threats, etc.) within park boundaries. Since these parameters can be measured in different ways and with different units, there are multiple STORET codes associated with each parameter; hence the concept of parameter groups. The Strategic Plan distinguishes between those parameter groups required for all parks and parameter groups required only on a case-by-case basis.

The IDEA basically compares the parameters listed in the Parameter Period of Record Tabulation and Station/Parameter Period of Record Tabulation with the "Level I" Servicewide Inventory and Monitoring water quality parameter groups, listed in Table I and in Appendix G, and notes, not only the presence or absence of each parameter group, but the total number of observations for each parameter present in the group; the number of

observations between certain time periods; and the total number of stations within the study area at which the parameter was measured. The total number of different (unique) stations measuring parameters for the group is in parentheses on each parameter group's summary line.

The first page of the IDEA lists the missing Servicewide Inventory and Monitoring Program "Level I" groups. If a parameter group appears on this list, no data for any of the parameters defining the group (See Appendix G) was retrieved for it within the study area. So-called non-priority parameter groups may appear in the missing list. Non-priority parameters are park-specific parameters (case-by-case) which may not be applicable to your park. Consequently, if you believe a particular parameter, not included in IDEA (See Appendix G), to be important for your park, you will have to consult the Parameter and Station/Parameter Period of Record Tabulations to determine the presence or absence of this parameter for the park. Although considered a "Level I" parameter, biological data, obtained through rapid bioassessment or other means, is not considered in this report which deals specifically with surface water chemistry. Following the Missing Level I Group list is the Present Level I Group list which displays the summary results for each Servicewide Inventory and Monitoring "Level I" water quality parameter group that was found.

Table I. Basic "Level I" Water Quality Parameters Identified as Required and Optional By the Servicewide Inventory and Monitoring Program for "Key" Park Waterbodies

<p><u>Required Parameter Groups:</u></p> <p>(1) Alkalinity</p> <p>(2) pH</p> <p>(3) Conductivity</p> <p>(4) Dissolved Oxygen</p> <p>(5) Rapid Bioassessment Baseline (EPA/State protocols, involving fish and macroinvertebrates)</p> <p>(6) Temperature</p> <p>(7) Flow</p> <p><u>Case-By-Case Parameters Groups:</u></p> <p>(8) Toxic Elements</p> <p>(9) Clarity/Turbidity</p> <p>(10) Nitrate/Nitrogen</p> <p>(11) Phosphate/Phosphorus</p> <p>(12) Chlorophyll</p> <p>(13) Sulfates</p> <p>(14) Bacteria</p>

The last page of the IDEA summarizes the information from the Missing and Present Level I Group lists. This page provides information on the temporal and spatial distributions of the data. Included in this table are the total number of observations for each parameter group; the number of observations since January 1, 1985; the percent of the total observations since January 1, 1985; the number of stations measuring each parameter group; the percent of the total number of stations with data measuring the parameter group; the number of observations per station with data; the period-of-record for this parameter group; and the average number of observations per year of the period-of-record.

In interpreting the results of the IDEA, the reader should first consult the Missing Level I Group list. For the parameter groups listed, there was no baseline water quality data within the study area entered in STORET. Consequently, these parameter groups could be a higher priority for data collection. It is important, however, to realize that data within these parameter groups may have been already collected but not entered into STORET. The resources for this project did not enable us to pursue thorough literature and file cabinet reviews to dredge up

every last iota of data. If data exists for certain Servicewide Inventory and Monitoring Program "Level I" water quality parameter groups in a park's file cabinet, it is the park's responsibility to factor that data into their IDEA. Consequently, the listing of a parameter group on the Missing "Level I" Group list is not a WRD endorsement to launch a study to collect these data. The IDEA is intended to simply note that no data exist for these parameter groups in STORET for the park. It is the park's responsibility to ascertain whether such data has already been collected by the park or other entities before embarking on a new study. In fact, in the future the WRD will require that any park study plan proposing to collect baseline water quality data show that they have consulted their Baseline Water Quality Data Inventory and Analysis report and searched in other locations (file cabinets, published literature, etc.) for the data they propose to collect. A similar interpretation springs from the Present "Level I" Group list. Insufficient data density in certain time periods for particular parameter groups is not necessarily cause for launching a new inventory and/or monitoring program. The park should still consult with other potential sources of data. Again, the IDEA is designed to provide only a quick check on data in STORET for the Servicewide Inventory and Monitoring Program "Level I" water quality parameter groups.

Water Quality Observations Outside STORET Edit Criteria for Park

STORET data entered after November 1983 were subjected to rudimentary edit/bounds checking for 190 common parameters (See the STORET Edit Criteria in Appendix C). None of the data entered into STORET prior to that time has been subjected to edit/bounds checking. Moreover, to maintain exact comparability with USGS WATSTORE data, WATSTORE data entered into STORET has never been subjected to the EPA edit/bounds checking. During the pilot test phase of this project, obviously incorrect data was identified from both USGS and other agency data in STORET. As a consequence, all data downloaded from STORET was filtered through the STORET edit criteria to identify parameter observation values that fall outside any edit criterion ranges. This section documents the station name, parameter, date, time, parameter value, agency, and STORET station name of every observation that fell outside the range of an edit criterion. Not all data falling outside an edit criterion are necessarily incorrect. Such data may represent unique or special conditions. Consequently, every observation falling outside a STORET edit criterion was scrutinized to determine, in our best professional judgement, whether the value was in the realm of possibility or obviously incorrect. Water quality observations that appeared to be obviously incorrect are marked with an "X" in the Disposition column of this table. These values were not retrieved or included in any of the inventory tables or graphs. Water quality values outside a STORET edit criterion but within the realm of possibility were retained and included in inventory tables and graphs. The Water Quality Observations Outside STORET Edit Criteria for Park table documents all values that were outside an edit criterion range. This documentation is also necessitated by the fact that agencies can override the STORET edit criteria for individual observations. Although the edit criteria eliminate some potentially "bad" data from the report, the probability of other incorrect data, for both the 190 parameters that are edit/bound checked and all the other STORET parameters that aren't error checked, is high. Readers should consult the Caveat section in the Introduction for guidelines on the use and interpretation of STORET data. The responsibility for correcting these observations rests with the collecting agency.

WATER QUALITY RESULTS

OVERVIEW FOR CUIS

Study Area Boundary Description

The study area includes the park and all areas within at least 3 miles upstream of the park unit boundary and at least 1 mile downstream.

	<u>Study Area</u>	<u>Park</u>
GIS Estimated Acreage:	153702	36400
# STORET Stations:	48	6
# Stations With No Data:	22	6
# Stations With No Stat. Analysis:	1	0
# Longer Term Stations:	6	0
Date of STORET Retrieval:	10/15/96	10/15/96
Period of Record:	11/17/65-11/08/93	No Data in Park
# Parameters Measured:	210	0
# Water Quality Observations:	11349	0
# Industrial/Municipal Facilities:	7	0
# Drinking Water Intakes:	0	0
# Water Gages:	6	1
# Water Impoundments:	0	0
# Total Plots:	114	0
# Time Series:	48	0
# Annual:	20	0
# Seasonal:	46	0

Hydrologic Definition of Seasons:

1. June 1 - September 30
2. October 1 - November 30
3. December 1 - April 9
4. April 10 - May 31

Time Series Plot Criteria:

To be included in the time series plots, a station/parameter combination must have at least 8 years and at least 32 observations.

Annual Analysis Criteria:

To be included in the annual box-and-whisker plots, a station/parameter combination must have at least 9 observations in each of at least 4 years.

To be included in the annual analysis tables, a station/parameter combination must have at least 9 observations in each of at least 4 years.


Seasonal Analysis Criteria:

To be included in the seasonal box-and-whisker plots, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years.

To be included in the seasonal analysis tables, a station/parameter combination must have at least 9 observations in each of 2 seasons and a period of record of at least 6 years and observations in at least 3 of the 6 years.


Cumberland Island National Seashore

Regional Location Map




Cumberland Island National Seashore

Water Quality Monitoring Locations



Cumberland Island National Seashore

Dischargers, Drinking Intakes, Water Gages, & Water Impoundments



Industrial Facility Discharges, Drinking Water Intakes, Water Gages, and Water Impoundments Within the CUIS Study Area

Industrial Facility Discharges

<u>Site ID</u>	<u>Station/Facility Name</u>	<u>Address</u>	<u>City</u>	<u>Facility Receiving Water Name</u>
FL0001104	CONTAINER CORP FERNANDINA	NORTH 8TH STREET	FERNANDINA	AMELIA RV
FL0024121	EMMA LOVE HARDEE ELEM SCHOOL	SUSAN DRIVE	FERNANDINA BEACH	STORM DITCH
FL0032654	MARSH COVE APTS	HWY A1A,BOX 1207	FERNANDINA BEACH	AMELIA RV
GA0001953	GILMAN PAPER ST MARYS	P.O.BOX 878	ST. MARYS	NO RV
GA0003468	UNION CARBIDE WOODBINE(THIOKOL	SHELLBINE C
GA0026255	ST MARYS WCP PLT	WEED AND COLE STREETS	SAINT MARYS	ST MARY'S R
GA0027707	USN FLEET BALLISTIC MSSB	P.O.BOX 10068	SAINT MARYS	KINGS BAY

Drinking Water Intakes

<u>Site ID</u>	<u>Station/Facility Name</u>	<u>City</u>	<u>Population Served</u>	<u>Avg. Daily Production</u> <u>(Gal./Day)</u>
----------------	------------------------------	-------------	--------------------------	---

No drinking water intakes available for this study area.

Water Gages

<u>Site ID</u>	<u>Station Name</u>	<u>Site Type</u>	<u>Drainage Area</u> <u>(Square Miles)</u>	<u>Begin Year</u>	<u>End Year</u>
USNOS304018081280001	FERNANDINA BEACH AME	Estuary			
USGS304055081272001	NS-2	Well			
USGS304200081255501	N-23	Well			
USGS304213081270801	34DN19	Well			
USGS02228300	CUMBERLAND SOUND AT DUNGENESS DOCK NR ST MARYS	Estuary			
USGS304756081311101	33E027	Well			



Water Impoundments

<u>Site ID</u>	<u>Impoundment Name</u>	<u>Owner</u>	<u>Primary Purpose</u>	<u>Type of Dam</u>	<u>Downstream Hazard</u>	<u>Year Completed</u>
----------------	-------------------------	--------------	------------------------	--------------------	--------------------------	-----------------------

No water impoundments available for this study area.

REPRESENTATIVE MEAN ANNUAL HYDROGRAPH FOR SEASONAL ANALYSIS

CUMBERLAND ISLAND NATIONAL SEASHORE
St. Marys River near Macclenny, FL
02231000, 61 year record



Representative mean annual hydrograph (top) and distribution of daily flows by month (bottom) for hydrologic season determination. Box and whiskers represent a five number summary; bottom whisker cap is 10th percentile, bottom of box is 25th percentile, internal line is median, top of box is 75th percentile, and top whisker is 90th percentile. Hydrologic seasons for Cumberland Island National Seashore are: Jun. 1 to Sep. 30, Oct. 1 to Nov. 30, Dec. 1 to Apr. 9, and Apr. 10 to May 31.

CONTACTS FOR AGENCY CODES RETRIEVED FOR CUIS

<u>AGENCY</u>	<u>PRIMARY CONTACT NAME</u>	<u>ORGANIZATION</u>	<u>PHONE NUMBER(S)</u>
21FLA	COSSIN, KEN	FLORIDA DEPT ENV PROTECTN	(904)487-0505
21FLSJWM	HENDRICKSON,JOHN	ST. JOHN'S RIVER WATER	(904)328-8321
1113S050	HENRY,BRUCE	USEPA REGION 4	(404)347-3633
11NPSWRD	TUCKER, DEAN	NATIONAL PARK SERVICE	(970)225-3516 (970)225-3518
21GAEPD	KAMPS, DAVE	GA DEPT OF NAT RESOURCES	(404)656-4905
22GALAKE	KAMPS, DAVE	GA DEPT OF NAT RESOURCES	(404)656-4905
11BIOACC	KRONER, STEVE	U.S. EPA MDSD	(202)260-4761
112WRD	WILLIAMS, OWEN	US GEOLOGICAL SURVEY	(703)648-5610

QUANTITY OF DATA RETRIEVED FOR CUIS BY AGENCY CODE
WITHIN THE ENTIRE STUDY AREA (S.A.) AND JUST WITHIN THE PARK

Agency	Organization	Period of Record		Water Quality Stations		Longer Term ¹ Stations		No Data Stations		Water Quality Observations		Water Quality Parameters	
		Study Area	Park Only	S.A.	Park	S.A.	Park	S.A.	Park	S.A.	Park	S.A.	Park
21FLA	FLORIDA DEPT ENV PROTECTN	05/22/69-11/08/93	No Data in Park	20	0	5	0	1	0	7486	0	79	0
21FLSJWM	ST. JOHN'S RIVER WATER	05/19/92-01/18/93	No Data in Park	2	0	0	0	0	0	215	0	32	0
1113S050	USEPA REGION 4	11/17/65-11/19/65	No Data in Park	1	0	0	0	0	0	12	0	5	0
11NPSWRD	NATIONAL PARK SERVICE	05/03/89-05/03/89	No Data in Park	1	0	0	0	0	0	12	0	12	0
21GAEPD	GA DEPT OF NAT RESOURCES	09/11/73-02/17/93	No Data in Park	11	3	1	0	10	3	3325	0	83	0
22GALAKE	GA DEPT OF NAT RESOURCES	No Data in S.A.	No Data in Park	11	3	0	0	11	3	0	0	0	0
11BIOACC	U.S. EPA MDSD	05/19/88-05/19/88	No Data in Park	1	0	0	0	0	0	292	0	64	0
112WRD	US GEOLOGICAL SURVEY	04/29/71-04/29/71	No Data in Park	1	0	0	0	0	0	7	0	7	0
Totals		11/17/65-11/08/93	No Data in Park	48	6	6	0	22	6	11349	0	210	0

¹Station With At Least 6 Parameters Having An Average of 1 Or More Observations Per Year During a Period of Record Extending At Least 2 Years.

Station Period of Record Tabulation From 11/17/65 To 11/08/93

Station Ident.	Location Description	In Park	Total Obs	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75
CUIS0001	AMELIA R. 200 YDS WEST CM 30	No	290	0	290	0
CUIS0002 ¹	AMELIA RIVER AT CM 30	No	1221	26	785	410
CUIS0003	AMELIA R. 200 YDS EAST CM 30	No	292	0	292	0
CUIS0004	BELLS RIVER AT MOUTH	No	290	0	290	0
CUIS0005	AMELIA R 1/4 MILE NORTH OF ITTRA	No	9	0	9	0
CUIS0006	BELLS RIVER 1/4 MI ABOVE CONFLUE	No	9	0	9	0
CUIS0007	FERNANDINA BEA CITY SERV CO EFFL	No	13	0	0	13
CUIS0008	BELLS RIVER 200 M N OF MOUTH	No	92	92	0	0
CUIS0009 ¹	AMELIA RIVER AT CONTAINER EFF	No	1280	128	861	291
CUIS0010	AMELIA R. 200 YDS WEST CCA DOCK	No	282	0	282	0
CUIS0011	AMELIA RIVER	No	0	0	0	0
CUIS0012	AMELIA R. 300 YDS WEST CCA DOCK	No	286	0	286	0
CUIS0013	AMELIA R. 200 YDS WEST CM 26	No	290	0	290	0
CUIS0014 ¹	AMELIA RIVER AT CM 26	No	760	98	662	0
CUIS0015	AMELIA R. 200 YDS 070 FM MKR 26	No	285	0	285	0
CUIS0016	AMELIA R WASTE DITCH-CCA PLT	No	12	0	0	12
CUIS0017	CENTER ST MARYS R AT FORT CLINCH	No	313	183	92	38
CUIS0018 ¹	ST MARYS RIV #9 AT MARKER #13	No	635	475	112	48
CUIS0019	SAINT MARY'S RIVER NEAR NPS VISITOR CENTER DOCK	No	12	12	0	0
CUIS0020	ST MARYS R MIDDLE AT JOLLY R	No	260	144	78	38
CUIS0021 ¹	ST MARYS RIV #10	No	625	416	120	89
CUIS0022	ST MARYS RIV #8 N OF ROSES BLUFF	No	322	148	113	61
CUIS0023 ¹	ST. MARYS RIVER - POINT PETER PIER	No	3325	793	2196	336
CUIS0024	ST. MARYS RIVER - POINT PETER PIER	No	0	0	0	0
CUIS0025	ST MARYS RIVER 1 MI PAST JOLLY RIVER	No	123	123	0	0
CUIS0026	NORTH RIVER(MOUTH) @ ST. MARY'S	No	292	292	0	0
CUIS0027	ST MARYS #11 NORTH RIVER AT ST	No	24	0	0	24
CUIS0028	CUMBERLAND SOUND AT BIG MARSH ISLAND	No	0	0	0	0
CUIS0029	CUMBERLAND SOUND AT BIG MARSH ISLAND	No	0	0	0	0
CUIS0030	CUMBERLAND SOUND AT MOUTH OF MILL CREEK	No	0	0	0	0
CUIS0031	CUMBERLAND SOUND AT MOUTH OF MILL CREEK	No	0	0	0	0
CUIS0032	CUMBERLAND SOUND AT MOUTH OF KINGS BAY	No	0	0	0	0
CUIS0033	CUMBERLAND SOUND AT MOUTH OF KINGS BAY	No	0	0	0	0
CUIS0034	CUMBERLAND SOUND @ MOUTH OF OLDHS CR&STAFRD ISL	Yes	0	0	0	0
CUIS0035	CUMBERLAND SOUND @ MOUTH OF OLDHS CR&STAFRD ISL	Yes	0	0	0	0
CUIS0036	CUMBERLAND SOUND AT MOUTH OF SOUTH CROOKED RIVER	No	0	0	0	0
CUIS0037	CUMBERLAND SOUND AT MOUTH OF SOUTH CROOKED RIVER	No	0	0	0	0
CUIS0038	ST ANDREW SOUND AT MOUTH OF NORTH CROOKED RIVER	No	0	0	0	0
CUIS0039	ST ANDREW SOUND AT MOUTH OF NORTH CROOKED RIVER	No	0	0	0	0
CUIS0040	ST ANDREW SOUND AT MARKER 50 NEAR CABIN BLUFF	Yes	0	0	0	0
CUIS0041	ST ANDREW SOUND AT MARKER 50 NEAR CABIN BLUFF	Yes	0	0	0	0
CUIS0042	ST ANDREW SOUND AT CONFLUENCE OF MUD & BRICKHILL	Yes	0	0	0	0
CUIS0043	ST ANDREW SOUND AT CONFLUENCE OF MUD & BRICKHILL	Yes	0	0	0	0
CUIS0044	ST ANDREW SOUND AT MOUTH OF SHELLBINE CREEK	No	0	0	0	0
CUIS0045	ST ANDREW SOUND AT MOUTH OF SHELLBINE CREEK	No	0	0	0	0
CUIS0046	ST ANDREW SOUND AT MOUTH OF FLOYD CREEK	No	0	0	0	0
CUIS0047	ST ANDREW SOUND AT MOUTH OF FLOYD CREEK	No	0	0	0	0
CUIS0048	JEKYLL ISL S PICNIC AREA	No	7	0	0	7

¹Longer Term Station With At Least 6 Parameters Having An Average of 1 Or More Observations Per Year During a Period of Record Extending At Least 2 Years.

Parameter Period of Record Tabulation From 11/17/65 To 11/08/93

Parameter Code	Name	Total Obs	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Stations	
						Total	Park
00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	629	158	411	60	22	0
00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	433	147	271	15	16	0
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	505	86	357	62	22	0
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	123	18	91	14	1	0
00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	543	147	381	15	16	0
00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	394	110	284	0	15	0
00055	VELOCITY, STREAM FT/SEC	59	40	19	0	8	0
00060	FLOW, STREAM, MEAN DAILY CFS	3	0	0	3	1	0
00061	FLOW, STREAM, INSTANTANEOUS CFS	4	0	4	0	4	0
00070	TURBIDITY, (JACKSON CANDLE UNITS)	132	0	84	48	9	0
00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	253	76	148	29	9	0
00078	TRANSPARENCY, SECCHI DISC (METERS)	151	75	76	0	11	0
00080	COLOR (PLATINUM-COBALT UNITS)	159	32	89	38	8	0
00081	COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	127	49	65	13	8	0
00090	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	95	0	85	10	1	0
00094	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	419	81	329	9	18	0
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	275	78	140	57	13	0
00098	SAMPLING STATION LOCATION VERTICAL (METERS)	33	33	0	0	3	0
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	57	36	21	0	10	0
00300	OXYGEN, DISSOLVED MG/L	485	76	347	62	19	0
00310	BOD, 5 DAY, 20 DEG C MG/L	451	74	318	59	19	0
00340	COD, .25N K2CR2O7 MG/L	16	0	1	15	6	0
00400	PH (STANDARD UNITS)	450	74	323	53	22	0
00403	PH, LAB, STANDARD UNITS SU	256	77	152	27	10	0
00410	ALKALINITY, TOTAL (MG/L AS CACO3)	185	49	90	46	10	0
00435	ACIDITY, TOTAL (MG/L AS CACO3)	33	0	0	33	6	0
00480	SALINITY - PARTS PER THOUSAND	229	35	192	2	16	0
00500	RESIDUE, TOTAL (MG/L)	142	13	90	39	9	0
00505	RESIDUE, TOTAL VOLATILE (MG/L)	26	0	0	26	7	0
00510	RESIDUE, TOTAL FIXED (MG/L)	24	0	0	24	7	0
00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	22	1	0	21	8	0
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	271	54	154	63	13	0
00535	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	155	44	64	47	9	0
00540	RESIDUE, FIXED NONFILTRABLE (MG/L)	152	44	64	44	9	0
00546	RESIDUE, SETTLEABLE (MG/L)	1	0	0	1	1	0
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	402	82	305	15	18	0
00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	13	0	13	0	3	0
00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	61	0	28	33	9	0
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	312	80	232	0	20	0
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	381	80	286	15	18	0
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	1	0	1	0	1	0
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	7	0	0	7	5	0
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	7	0	0	7	5	0
00665	PHOSPHORUS, TOTAL (MG/L AS P)	435	79	313	43	19	0
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	4	3	0	1	2	0
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	1	0	0	1	1	0
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	170	10	133	27	17	0
00900	HARDNESS, TOTAL (MG/L AS CACO3)	27	0	0	27	6	0
00915	CALCIUM, DISSOLVED (MG/L AS CA)	1	1	0	0	1	0
00916	CALCIUM, TOTAL (MG/L AS CA)	7	7	0	0	2	0
00927	MAGNESIUM, TOTAL (MG/L AS MG)	7	7	0	0	2	0
00929	SODIUM, TOTAL (MG/L AS NA)	6	6	0	0	2	0
00930	SODIUM, DISSOLVED (MG/L AS NA)	1	1	0	0	1	0
00937	POTASSIUM, TOTAL MG/L AS K)	7	7	0	0	2	0
00940	CHLORIDE,TOTAL IN WATER MG/L	201	39	106	56	15	0
00945	SULFATE, TOTAL (MG/L AS SO4)	100	16	84	0	16	0
00951	FLUORIDE, TOTAL (MG/L AS F)	35	25	10	0	8	0
01002	ARSENIC, TOTAL (UG/L AS AS)	5	2	3	0	4	0
01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	1	1	0	0	1	0
01004	ARSENIC TOTAL IN FISH OR ANIMAL WET WT MG/KG	7	7	0	0	1	0
01012	BERYLLIUM, TOTAL (UG/L AS BE)	3	0	3	0	3	0
01027	CADMIUM, TOTAL (UG/L AS CD)	5	2	3	0	4	0
01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	1	1	0	0	1	0
01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	1	1	0	0	1	0
01034	CHROMIUM, TOTAL (UG/L AS CR)	5	2	3	0	4	0
01042	COPPER, TOTAL (UG/L AS CU)	12	9	3	0	6	0
01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	1	1	0	0	1	0
01045	IRON, TOTAL (UG/L AS FE)	9	7	2	0	4	0
01051	LEAD, TOTAL (UG/L AS PB)	6	3	3	0	5	0
01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	1	1	0	0	1	0
01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	1	1	0	0	1	0

Parameter Period of Record Tabulation From 11/17/65 To 11/08/93

Parameter Code	Name	Total Obs	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Stations	
						Total	Park
01059	THALLIUM, TOTAL (UG/L AS TL)	3	0	3	0	3	0
01067	NICKEL, TOTAL (UG/L AS NI)	3	0	3	0	3	0
01068	NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG, DRY WGT)	1	1	0	0	1	0
01077	SILVER, TOTAL (UG/L AS AG)	2	0	2	0	2	0
01092	ZINC, TOTAL (UG/L AS ZN)	4	2	2	0	3	0
01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	1	1	0	0	1	0
01097	ANTIMONY, TOTAL (UG/L AS SB)	3	0	3	0	3	0
01103	TIN IN BOTTOM DEPOSITS (MG/KG AS SN DRY WGT)	1	1	0	0	1	0
01147	SELENIUM, TOTAL (UG/L AS SE)	3	0	3	0	3	0
30344	PENTACHLORODIBENZO-P-DIOXIN, 12378, FISH, WET WT, PG/G	6	6	0	0	1	0
30345	HEXACHLORODIBENZO-P-DIOXIN, 123478, FISH, WET WT, PG/G	6	6	0	0	1	0
30346	HEXACHLORODIBENZO-P-DIOXIN, 123678, FISH, WET WT, PG/G	6	6	0	0	1	0
30347	HEXACHLORODIBENZO-P-DIOXIN, 123789, FISH, WET WT, PG/G	6	6	0	0	1	0
30348	HEPTACHLORODIBENZO-P-DIOXIN, 1234678, TIS, WET WT, PG/G	6	6	0	0	1	0
30349	TETRACHLORODIBENZOFURAN, 2378-, FISH, WET WT, PG/G	6	6	0	0	1	0
30350	PENTACHLORODIBENZOFURAN, 12378-, FISH, WET WT, PG/G	6	6	0	0	1	0
30351	PENTACHLORODIBENZOFURAN, 23478-, FISH, WET WT, PG/G	6	6	0	0	1	0
30352	HEXACHLORODIBENZOFURAN, 123478-, FISH, WET WT, PG/G	6	6	0	0	1	0
30353	HEXACHLORODIBENZOFURAN, 123678-, FISH, WET WT, PG/G	6	6	0	0	1	0
30354	HEXACHLORODIBENZOFURAN, 123789-, FISH, WET WT, PG/G	6	6	0	0	1	0
30355	HEXACHLORODIBENZOFURAN, 234678-, FISH, WET WT, PG/G	6	6	0	0	1	0
30356	HEPTACHLORODIBENZOFURAN, 1234678-, FISH, WET WT, PG/G	6	6	0	0	1	0
30357	HEPTACHLORODIBENZOFURAN, 1234789-, FISH, WET WT, PG/G	6	6	0	0	1	0
31501	COLIFORM, TOT, MEMBRANE FILTER, IMMED. M-ENDO MED, 35C	19	19	0	0	4	0
31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	392	34	302	56	17	0
31613	FECAL COLIFORM, MEMBR. FILTER, M-FC AGAR, 44.5C, 24HR	5	5	0	0	3	0
31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	25	0	0	25	6	0
31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	397	49	305	43	16	0
31616	FECAL COLIFORM, MEMBR. FILTER, M-FC BROTH, 44.5 C	21	21	0	0	4	0
31639	ENTEROCOCCI GROUP D, MF TRANS, M-E, EIA #/100ML	4	4	0	0	2	0
32209	CHLOROPHYLL A UG/L FLUOROMETRIC CORRECTED	12	12	0	0	1	0
32210	CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTED	7	7	0	0	2	0
32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	22	22	0	0	8	0
32212	CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTED	3	3	0	0	2	0
32214	CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTED	7	7	0	0	2	0
32218	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	6	6	0	0	2	0
32219	PHEOPHYTIN RATIO(OD 663)SPECTRO, BEFORE/AFTER ACID	7	7	0	0	2	0
32230	CHLOROPHYLL A (MG/L)	10	0	0	10	5	0
32231	CHLOROPHYLL B (MG/L)	9	0	0	9	5	0
32232	CHLOROPHYLL C (MG/L)	10	0	0	10	5	0
32240	TANNIN AND LIGNIN (MG/L)	2	0	0	2	1	0
34010	TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L)	1	1	0	0	1	0
34020	XYLENES IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L)	1	1	0	0	1	0
34030	BENZENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L)	1	1	0	0	1	0
34395	HEXACHLOROBUTADIENE WET WGT TISM/G/KG	4	4	0	0	1	0
34555	1,2,4-TRICHLOROBENZENE WET WGT TISM/G/KG	4	4	0	0	1	0
34685	ENDRIN WET WGT TISM/G/KG	4	4	0	0	1	0
34686	HEPTACHLOR EPOXIDE WET WGT TISM/G/KG	4	4	0	0	1	0
34687	HEPTACHLOR WET WGT TISM/G/KG	4	4	0	0	1	0
34688	HEXACHLOROBENZENE WET WGT TISM/G/KG	4	4	0	0	1	0
34754	2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN TISWETWTPG/G	6	6	0	0	1	0
38824	ISOPROPALIN TISWETWGTMG/KG	4	4	0	0	1	0
39063	CHLORDANE-CIS ISOMER, TISSUE WET WGT (UG/G)	4	4	0	0	1	0
39066	CHLORDANE-TRANS ISOMER, TISSUE WET WGT (UG/G)	4	4	0	0	1	0
39074	BHC-ALPHA ISOMER, TISSUE UG/G WET WGT	4	4	0	0	1	0
39319	MONOCHLOROBIPHENYL, TOTAL, TISSUE, WET, WT, MG/KG	4	4	0	0	1	0
39322	P,P'-DDE IN TISSUE WET WGT MG/KG	4	4	0	0	1	0
39335	DICHLOROBIPHENYL, TOTAL, TISSUE, WET, WT, MG/KG	4	4	0	0	1	0
39339	TRICHLOROBIPHENYL, TOTAL, TISSUE, WET, WT, MG/KG	4	4	0	0	1	0
39345	TETRACHLOROBIPHENYL, TOT, TISSUE, WET, WT, MG/KG	4	4	0	0	1	0
39347	PENTACHLOROBIPHENYL, TOT, TISSUE, WET, WT, MG/KG	4	4	0	0	1	0
39350	CHLORDANE (TECH MIX & METABS), WHOLE WATER, UG/L	2	2	0	0	1	0
39351	CHLORDANE (TECH MIX & METABS), SEDIMENTS, DRY WGT, UG/KG	1	1	0	0	1	0
39354	HEPTACHLOROBIPHENYL, TOT, TISSUE, WET, WT, MG/KG	4	4	0	0	1	0
39355	OCTACHLOROBIPHENYL, TOT, TISSUE, WET, WT, MG/KG	4	4	0	0	1	0
39359	DDT SUM ANALOGS IN SEDIMENT UG/KG DRY WEIGHT	1	1	0	0	1	0
39360	DDD IN WHOLE WATER SAMPLE (UG/L)	2	2	0	0	1	0
39363	DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS)	1	1	0	0	1	0
39364	DDD IN SHELLFISH OR ANIMAL (UG/KG WET WEIGHT)	7	7	0	0	1	0
39365	DDE IN WHOLE WATER SAMPLE (UG/L)	2	2	0	0	1	0
39368	DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS)	1	1	0	0	1	0

**Parameter Period of Record Tabulation
From 11/17/65 To 11/08/93**

Parameter Code	Name	Total Obs	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Stations	
						Total	Park
39369	DDE IN SHELLFISH OR ANIMAL (UG/KG WET WEIGHT)	7	7	0	0	1	0
39370	DDT IN WHOLE WATER SAMPLE (UG/L)	2	2	0	0	1	0
39374	DDT IN SHELLFISH OR ANIMAL (UG/KG WET WEIGHT)	7	7	0	0	1	0
39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	2	2	0	0	1	0
39393	ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS)	1	1	0	0	1	0
39404	DIELDRIN IN TISSUE WET WGT (UG/G)	4	4	0	0	1	0
39408	NONACHLOROBIPHENYL,TOT, TISSUE,WET,WT,MG/KG	4	4	0	0	1	0
39409	DECACHLOROBIPHENYL,TOT, TISSUE,WET,WT,MG/KG	4	4	0	0	1	0
39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	2	2	0	0	1	0
39481	METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.)	1	1	0	0	1	0
39516	PCBS IN WHOLE WATER SAMPLE (UG/L)	2	2	0	0	1	0
39519	PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS)	1	1	0	0	1	0
39520	PCBS IN SHELLFISH OR ANIMAL (UG/KG WET WEIGHT)	7	7	0	0	1	0
39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	2	2	0	0	1	0
39785	GAMMA-BHC(LINDANE),TISSUE,WET WEIGHT,MG/KG	11	11	0	0	2	0
39811	CHLORDANE,GAMMA,IN BOTTOM DEPOS(UG/KG DRY SOLIDS)	1	1	0	0	1	0
45501	HYDROCARBON IN WATER, FREON EXT, CHROMAT, IR MG/L	1	1	0	0	1	0
46333	PENTACHLORONITROBENZENE (PCNB) IN TISSUE WET MG/KG	4	4	0	0	1	0
70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	8	8	0	0	3	0
70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	219	12	165	42	16	0
70977	INSTRUMENT RATIO, LAB/FIELD CONCENTRATIONS, NUMBER	6	6	0	0	1	0
71488	MACROINVERTEBRATES,BENTHIC,TOTAL NO/M2	7	7	0	0	3	0
71900	MERCURY, TOTAL (UG/L AS HG)	4	2	2	0	3	0
71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	1	1	0	0	1	0
71930	MERCURY,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS	7	7	0	0	1	0
71935	MERCURY, TOTAL IN FISH (PPM,WET WEIGHT BASIS)	4	4	0	0	1	0
71938	ZINC,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS	7	7	0	0	1	0
72000	ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL)	1	0	0	1	1	0
72015	DEPTH TO TOP OF SAMPLE INTERVAL (FT BELOW LSD)	1	0	0	1	1	0
72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	124	49	74	1	9	0
76530	BIPHENYL TISSUE ,WET WGT,MG/KG	4	4	0	0	1	0
78113	ETHYL BENZENE WHOLE WATER SAMPLE UG/L	1	1	0	0	1	0
78907	HEXACHLOROBIPHENYLS IN FISH TISSUE WET WGT. MG/KG	4	4	0	0	1	0
78922	NONACHLOR, TRANS, TISSUE, WET WEIGHT MG/KG	4	4	0	0	1	0
78923	NONACHLOR, CIS, TISSUE, WET WEIGHT MG/KG	4	4	0	0	1	0
79026	1,2,3,4,-TETRACHLOROBENZENE IN FISH WET WGT MG/KG	4	4	0	0	1	0
81312	POLYCHLORINATEDBIPHENYLS FISH TISSUE WET WGT MG/KG	4	4	0	0	1	0
81633	LEAD IN SHELLFISH TISSUE DRY WEIGHT MG/KG	7	7	0	0	1	0
81634	CADMIUM IN SHELLFISH TISSUE DRY WEIGHT MG/KG	7	7	0	0	1	0
81636	COPPER IN SHELLFISH TISSUE DRY WEIGHT MG/KG	7	7	0	0	1	0
81644	METHOXYCHLOR IN FISH TISSUE,UG/G WET WEIGHT	4	4	0	0	1	0
81645	MIREX IN FISH TISSUE WET WEIGHT UG/G	4	4	0	0	1	0
81652	TREFLAN IN FISH TISSUE WET WEIGHT MG/KG	4	4	0	0	1	0
81717	ENDRIN IN SHELLFISH TISSUE DRY WEIGHT UG/KG	7	7	0	0	1	0
81721	METHOXYCHLOR IN SHELLFISH TISSUE DRY WEIGHT UG/KG	7	7	0	0	1	0
81741	MANGANESE IN FISH TISSUE WET WEIGHT MG/KG	5	5	0	0	1	0
81796	CHROMIUM IN SHELLFISH TISSUE, DRY WEIGHT MG/KG	7	7	0	0	1	0
81807	DURSBAN IN FISH TISSUE WET WEIGHT MG/KG	4	4	0	0	1	0
81811	NICKEL IN SHELLFISH TISSUE WET WEIGHT MG/KG	5	5	0	0	1	0
81823	PENTACHLOROANISOLE(PCA)INFISH TISSUE WET WGT MG/KG	4	4	0	0	1	0
81863	CHLORDANE IN SHELLFISH TISSUE WET WEIGHT UG/KG	7	7	0	0	1	0
82029	OXYCHLORDANE IN TISSUE SAMPLE WET WEIGHT MG/KG	4	4	0	0	1	0
82079	TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU	7	7	0	0	2	0
82246	NATURAL SUBSTRATE,DIVERSITY INDEX	11	10	1	0	4	0
82250	NATURAL SUBSTRATE - NUMBER OF SPECIES	11	10	1	0	4	0
82903	DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE METERS	5	5	0	0	2	0
83500	SAMPLE, AREA SQUARE CENTIMETERS	12	7	5	0	3	0
84007	ANATOMY ALPHA CODE	6	6	0	0	1	0
85675	TRICHLOROBENZENE,1,3,5- TISSUE,WET,WT,MG/KG	4	4	0	0	1	0
85676	TRICHLOROBENZENE,1,2,3- TISSUE,WET,WT,MG/KG	4	4	0	0	1	0
85677	TETRACHLOROBENZENE,1,2,4,5- TISSUE,WET,WT,MG/KG	4	4	0	0	1	0
85678	TETRACHLOROBENZENE,1,2,3,5- TISSUE,WET,WT,MG/KG	4	4	0	0	1	0
85679	PENTACHLOROBENZENE TISSUE,WET,WT,MG/KG	4	4	0	0	1	0
85680	DIPHENYL DISULFIDE TISSUE,WET,WT,MG/KG	4	4	0	0	1	0
85681	OCTACHLOROSTYRENE TISSUE,WET,WT,MG/KG	4	4	0	0	1	0
85682	NITROFEN TISSUE,WET,WT,MG/KG	4	4	0	0	1	0
85683	PERTHANE TISSUE,WET,WT,MG/KG	4	4	0	0	1	0
85684	DICOFOL (KELTHANE) TISSUE,WET,WT,MG/KG	4	4	0	0	1	0

Station/Parameter Period of Record Tabulation From 11/17/65 To 11/08/93

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
CUIS0001	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	07/28/82-08/20/82	0	20	
CUIS0002	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	05/22/69-05/13/85	15	79	
CUIS0003	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	07/28/82-08/20/82	0	20	
CUIS0004	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	07/28/82-08/20/82	0	20	
CUIS0005	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	03/26/75-03/26/75	0	1	
CUIS0006	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	03/26/75-03/26/75	0	1	
CUIS0007	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	07/07/71-11/06/72	1	2	
CUIS0009	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	03/20/72-04/02/91	19	82	
CUIS0010	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	07/28/82-08/20/82	0	18	
CUIS0012	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	07/28/82-08/20/82	0	18	
CUIS0013	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	07/28/82-08/20/82	0	20	
CUIS0014	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	01/09/80-04/02/91	11	48	
CUIS0015	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	07/28/82-08/20/82	0	19	
CUIS0017	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	11/27/73-09/13/88	14	25	
CUIS0018	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	03/23/71-11/08/93	22	47	
CUIS0020	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	11/27/73-09/13/88	14	13	
CUIS0021	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	03/23/71-11/08/93	22	45	
CUIS0022	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	04/08/71-09/13/88	17	17	
CUIS0023	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	01/15/75-02/17/93	18	126	
CUIS0026	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	05/19/88-05/19/88	0	6	
CUIS0027	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	03/23/71-03/23/71	0	1	
CUIS0048	No	00003	SAMPLING STATION LOCATION, VERTICAL (FEET)	04/29/71-04/29/71	0	1	
CUIS0001	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	07/28/82-08/20/82	0	16	
CUIS0002	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	03/31/81-05/13/85	4	21	
CUIS0003	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	07/28/82-08/20/82	0	16	
CUIS0004	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	07/28/82-08/20/82	0	16	
CUIS0009	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	03/29/78-04/02/91	13	32	
CUIS0010	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	07/28/82-08/20/82	0	16	
CUIS0012	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	07/28/82-08/20/82	0	16	
CUIS0013	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	07/28/82-08/20/82	0	16	
CUIS0014	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	03/02/81-04/02/91	10	29	
CUIS0015	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	07/28/82-08/20/82	0	16	
CUIS0017	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	08/12/85-09/13/88	3	12	
CUIS0018	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	08/12/85-11/08/93	8	36	
CUIS0020	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	08/12/85-09/13/88	3	7	
CUIS0021	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	08/12/85-11/08/93	8	32	
CUIS0022	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	08/12/85-09/13/88	3	8	
CUIS0023	No	00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE	09/11/73-02/17/93	19	144	
CUIS0001	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	0	16	
CUIS0002	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	05/22/69-05/13/85	15	62	
CUIS0003	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	0	16	
CUIS0004	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	0	16	
CUIS0005	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/26/75-03/26/75	0	1	
CUIS0006	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/26/75-03/26/75	0	1	
CUIS0008	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	05/19/92-11/02/92	0	3	
CUIS0009	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/20/72-04/02/91	19	64	
CUIS0010	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	0	16	
CUIS0012	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	0	16	
CUIS0013	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	0	16	
CUIS0014	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	01/09/80-04/02/91	11	39	
CUIS0015	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	0	16	
CUIS0017	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/27/73-09/13/88	14	12	
CUIS0018	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/23/71-11/08/93	22	22	
CUIS0020	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/27/73-09/13/88	14	10	
CUIS0021	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/23/71-11/08/93	22	23	
CUIS0022	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	04/08/71-09/13/88	17	14	
CUIS0023	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	19	136	
CUIS0025	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	05/19/92-01/18/93	0	4	
CUIS0027	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/23/71-03/23/71	0	1	
CUIS0048	No	00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	04/29/71-04/29/71	0	1	
CUIS0023	No	00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	15	123	
CUIS0001	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	07/28/82-08/20/82	0	18	
CUIS0002	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	09/20/76-05/13/85	8	52	
CUIS0003	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	07/28/82-08/20/82	0	19	
CUIS0004	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	07/28/82-08/20/82	0	19	
CUIS0009	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	01/09/79-04/02/91	12	58	
CUIS0010	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	07/29/82-08/20/82	0	17	
CUIS0012	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	07/29/82-08/20/82	0	17	
CUIS0013	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	07/28/82-08/20/82	0	18	
CUIS0014	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	01/09/80-04/02/91	11	47	
CUIS0015	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	07/28/82-08/20/82	0	18	
CUIS0017	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	06/12/79-09/13/88	9	15	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation From 11/17/65 To 11/08/93

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
CUIS0018	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	10/11/76-11/08/93	17	41	
CUIS0020	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	06/12/79-09/13/88	9	10	
CUIS0021	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	10/11/76-11/08/93	17	37	
CUIS0022	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	10/11/76-09/13/88	11	13	
CUIS0023	No	00027	CODE NO FOR AGENCY COLLECTING SAMPLE-SEE APPEND.	09/11/73-02/17/93	19	144	
CUIS0001	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	07/28/82-08/20/82	0	18	
CUIS0002	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	10/31/77-05/13/85	7	49	
CUIS0003	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	07/28/82-08/20/82	0	19	
CUIS0004	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	07/28/82-08/20/82	0	19	
CUIS0009	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	01/09/79-04/02/91	12	58	
CUIS0010	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	07/29/82-08/20/82	0	17	
CUIS0012	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	07/29/82-08/20/82	0	17	
CUIS0013	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	07/28/82-08/20/82	0	18	
CUIS0014	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	01/09/80-04/02/91	11	46	
CUIS0015	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	07/28/82-08/20/82	0	18	
CUIS0017	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	06/12/79-09/13/88	9	16	
CUIS0018	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	06/12/79-11/08/93	14	40	
CUIS0020	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	06/12/79-09/13/88	9	11	
CUIS0021	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	06/12/79-11/08/93	14	36	
CUIS0022	No	00028	CODE NO FOR AGENCY ANALYZING SAMPLE (SEE APPEND)	06/12/79-09/13/88	9	12	
CUIS0002	No	00055	VELOCITY, STREAM FT/SEC	03/29/78-05/13/85	7	7	
CUIS0009	No	00055	VELOCITY, STREAM FT/SEC	03/26/75-04/02/91	16	12	
CUIS0014	No	00055	VELOCITY, STREAM FT/SEC	01/25/82-04/02/91	9	8	
CUIS0017	No	00055	VELOCITY, STREAM FT/SEC	11/10/86-09/13/88	1	3	
CUIS0018	No	00055	VELOCITY, STREAM FT/SEC	08/12/85-11/08/93	8	11	
CUIS0020	No	00055	VELOCITY, STREAM FT/SEC	11/10/86-09/13/88	1	4	
CUIS0021	No	00055	VELOCITY, STREAM FT/SEC	11/10/86-11/08/93	6	10	
CUIS0022	No	00055	VELOCITY, STREAM FT/SEC	08/12/85-09/13/88	3	4	
CUIS0016	No	00060	FLOW, STREAM, MEAN DAILY CFS	11/17/65-11/19/65	0	3	
CUIS0005	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	03/26/75-03/26/75	0	1	
CUIS0006	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	03/26/75-03/26/75	0	1	
CUIS0017	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	03/26/75-03/26/75	0	1	
CUIS0021	No	00061	FLOW, STREAM, INSTANTANEOUS CFS	03/26/75-03/26/75	0	1	
CUIS0002	No	00070	TURBIDITY, (JACKSON CANDLE UNITS)	03/20/72-06/24/74	2	17	
CUIS0007	No	00070	TURBIDITY, (JACKSON CANDLE UNITS)	07/07/71-11/06/72	1	2	
CUIS0017	No	00070	TURBIDITY, (JACKSON CANDLE UNITS)	11/27/73-12/04/73	0	2	
CUIS0018	No	00070	TURBIDITY, (JACKSON CANDLE UNITS)	03/23/71-04/08/71	0	2	
CUIS0020	No	00070	TURBIDITY, (JACKSON CANDLE UNITS)	11/27/73-12/04/73	0	2	
CUIS0021	No	00070	TURBIDITY, (JACKSON CANDLE UNITS)	03/23/71-12/04/73	2	4	
CUIS0022	No	00070	TURBIDITY, (JACKSON CANDLE UNITS)	04/08/71-12/04/73	2	3	
CUIS0023	No	00070	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	9	99	T,A,S
CUIS0027	No	00070	TURBIDITY, (JACKSON CANDLE UNITS)	03/23/71-03/23/71	0	1	
CUIS0002	No	00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	10/31/77-05/13/85	7	16	
CUIS0009	No	00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	03/20/72-04/02/91	19	36	T,S
CUIS0014	No	00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	01/09/80-04/02/91	11	14	
CUIS0017	No	00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	06/12/79-09/13/88	9	8	
CUIS0018	No	00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	01/11/78-11/08/93	15	18	
CUIS0020	No	00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	06/12/79-09/13/88	9	8	
CUIS0021	No	00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	01/11/78-11/08/93	15	16	
CUIS0022	No	00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	01/11/78-09/13/88	10	9	
CUIS0023	No	00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	19	128	T,A,S
CUIS0002	No	00078	TRANSPARENCY, SECCHI DISC (METERS)	09/20/76-05/13/85	8	20	
CUIS0008	No	00078	TRANSPARENCY, SECCHI DISC (METERS)	05/19/92-08/18/92	0	2	
CUIS0009	No	00078	TRANSPARENCY, SECCHI DISC (METERS)	09/20/76-04/02/91	14	28	S
CUIS0014	No	00078	TRANSPARENCY, SECCHI DISC (METERS)	01/09/80-04/02/91	11	16	
CUIS0017	No	00078	TRANSPARENCY, SECCHI DISC (METERS)	06/12/79-09/13/88	9	7	
CUIS0018	No	00078	TRANSPARENCY, SECCHI DISC (METERS)	10/11/76-11/08/93	17	18	
CUIS0020	No	00078	TRANSPARENCY, SECCHI DISC (METERS)	01/24/80-09/13/88	8	6	
CUIS0021	No	00078	TRANSPARENCY, SECCHI DISC (METERS)	10/11/76-11/08/93	17	16	
CUIS0022	No	00078	TRANSPARENCY, SECCHI DISC (METERS)	10/11/76-09/13/88	11	9	
CUIS0023	No	00078	TRANSPARENCY, SECCHI DISC (METERS)	03/19/85-07/28/92	7	25	S
CUIS0025	No	00078	TRANSPARENCY, SECCHI DISC (METERS)	05/19/92-01/18/93	0	4	
CUIS0002	No	00080	COLOR (PLATINUM-COBALT UNITS)	05/22/69-06/24/74	5	17	
CUIS0008	No	00080	COLOR (PLATINUM-COBALT UNITS)	05/19/92-11/02/92	0	3	
CUIS0018	No	00080	COLOR (PLATINUM-COBALT UNITS)	03/23/71-04/08/71	0	2	
CUIS0021	No	00080	COLOR (PLATINUM-COBALT UNITS)	03/23/71-04/08/71	0	2	
CUIS0022	No	00080	COLOR (PLATINUM-COBALT UNITS)	04/08/71-04/08/71	0	1	
CUIS0023	No	00080	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	19	129	T,A,S
CUIS0025	No	00080	COLOR (PLATINUM-COBALT UNITS)	05/19/92-01/18/93	0	4	
CUIS0027	No	00080	COLOR (PLATINUM-COBALT UNITS)	03/23/71-03/23/71	0	1	
CUIS0002	No	00081	COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	10/31/77-05/13/85	7	16	
CUIS0009	No	00081	COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	03/20/72-04/02/91	19	33	T,S

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation **From 11/17/65 To 11/08/93**

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
CUIS0014	No	00081	COLOR, APPARENT (UNFILTERED SAMPLE) PLAT-COB UNITS	01/09/80-04/02/91	11	14	
CUIS0017	No	00081	COLOR, APPARENT (UNFILTERED SAMPLE) PLAT-COB UNITS	06/12/79-09/13/88	9	9	
CUIS0018	No	00081	COLOR, APPARENT (UNFILTERED SAMPLE) PLAT-COB UNITS	01/11/78-11/08/93	15	19	
CUIS0020	No	00081	COLOR, APPARENT (UNFILTERED SAMPLE) PLAT-COB UNITS	06/12/79-09/13/88	9	9	
CUIS0021	No	00081	COLOR, APPARENT (UNFILTERED SAMPLE) PLAT-COB UNITS	01/11/78-11/08/93	15	17	
CUIS0022	No	00081	COLOR, APPARENT (UNFILTERED SAMPLE) PLAT-COB UNITS	01/11/78-09/13/88	10	10	
CUIS0023	No	00090	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	9	95	T, A, S
CUIS0001	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	0	16	
CUIS0002	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	09/20/76-05/13/85	8	38	T
CUIS0003	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	0	16	
CUIS0004	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	0	16	
CUIS0008	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	05/19/92-11/02/92	0	3	
CUIS0009	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	09/20/76-04/02/91	14	46	T, S
CUIS0010	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	0	16	
CUIS0012	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	0	16	
CUIS0013	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	0	16	
CUIS0014	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	01/09/80-04/02/91	11	37	T
CUIS0015	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	0	16	
CUIS0017	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	01/24/80-09/13/88	8	7	
CUIS0018	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	10/11/76-11/08/93	17	16	
CUIS0020	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	01/24/80-09/13/88	8	7	
CUIS0021	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	10/11/76-11/08/93	17	14	
CUIS0022	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	10/11/76-09/13/88	11	8	
CUIS0023	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	19	127	T, A, S
CUIS0025	No	00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	05/19/92-01/18/93	0	4	
CUIS0002	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/20/72-05/13/85	13	27	
CUIS0005	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/26/75-03/26/75	0	1	
CUIS0006	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/26/75-03/26/75	0	1	
CUIS0009	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/20/72-04/02/91	19	30	S
CUIS0014	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/26/81-04/02/91	9	9	
CUIS0016	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/17/65-11/18/65	0	2	
CUIS0017	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/27/73-09/13/88	14	11	
CUIS0018	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	01/11/78-11/08/93	15	18	
CUIS0020	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/27/73-09/13/88	14	10	
CUIS0021	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/27/73-11/08/93	19	19	
CUIS0022	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/27/73-09/13/88	14	11	
CUIS0023	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	19	135	T, A, S
CUIS0048	No	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	04/29/71-04/29/71	0	1	
CUIS0008	No	00098	SAMPLING STATION LOCATION VERTICAL (METERS)	05/19/92-11/02/92	0	3	
CUIS0023	No	00098	SAMPLING STATION LOCATION VERTICAL (METERS)	03/19/85-07/28/92	7	26	
CUIS0025	No	00098	SAMPLING STATION LOCATION VERTICAL (METERS)	05/19/92-01/18/93	0	4	
CUIS0002	No	00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	09/20/76-05/17/82	5	7	
CUIS0008	No	00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	05/19/92-11/02/92	0	3	
CUIS0009	No	00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	04/04/77-04/02/91	13	9	
CUIS0014	No	00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	06/28/81-04/02/91	9	6	
CUIS0017	No	00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	08/12/85-09/13/88	3	4	
CUIS0018	No	00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	10/11/76-08/25/93	16	7	
CUIS0020	No	00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	08/12/85-09/13/88	3	4	
CUIS0021	No	00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	10/11/76-11/08/93	17	8	
CUIS0022	No	00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	10/11/76-09/13/88	11	5	
CUIS0025	No	00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	05/19/92-01/18/93	0	4	
CUIS0001	No	00300	OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	0	15	
CUIS0002	No	00300	OXYGEN, DISSOLVED MG/L	05/22/69-05/13/85	15	60	T, S
CUIS0003	No	00300	OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	0	16	
CUIS0004	No	00300	OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	0	16	
CUIS0005	No	00300	OXYGEN, DISSOLVED MG/L	03/26/75-03/26/75	0	1	
CUIS0006	No	00300	OXYGEN, DISSOLVED MG/L	03/26/75-03/26/75	0	1	
CUIS0009	No	00300	OXYGEN, DISSOLVED MG/L	03/20/72-04/02/91	19	63	T, S
CUIS0010	No	00300	OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	0	16	
CUIS0012	No	00300	OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	0	16	
CUIS0013	No	00300	OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	0	16	
CUIS0014	No	00300	OXYGEN, DISSOLVED MG/L	01/09/80-04/02/91	11	39	T
CUIS0015	No	00300	OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	0	15	
CUIS0017	No	00300	OXYGEN, DISSOLVED MG/L	11/27/73-09/13/88	14	12	
CUIS0018	No	00300	OXYGEN, DISSOLVED MG/L	03/23/71-11/08/93	22	21	
CUIS0020	No	00300	OXYGEN, DISSOLVED MG/L	11/27/73-09/13/88	14	11	
CUIS0021	No	00300	OXYGEN, DISSOLVED MG/L	03/23/71-11/08/93	22	22	
CUIS0022	No	00300	OXYGEN, DISSOLVED MG/L	04/08/71-09/13/88	17	13	
CUIS0023	No	00300	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	19	131	T, A, S
CUIS0027	No	00300	OXYGEN, DISSOLVED MG/L	03/23/71-03/23/71	0	1	
CUIS0001	No	00310	BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	0	15	
CUIS0002	No	00310	BOD, 5 DAY, 20 DEG C MG/L	05/22/69-05/13/85	15	54	T, S

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

**Station/Parameter Period of Record Tabulation
From 11/17/65 To 11/08/93**

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
CUIS0003	No	00310	BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	0	16	
CUIS0004	No	00310	BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	0	16	
CUIS0005	No	00310	BOD, 5 DAY, 20 DEG C MG/L	03/26/75-03/26/75	0	1	
CUIS0006	No	00310	BOD, 5 DAY, 20 DEG C MG/L	03/26/75-03/26/75	0	1	
CUIS0009	No	00310	BOD, 5 DAY, 20 DEG C MG/L	03/20/72-04/02/91	19	52	T,S
CUIS0010	No	00310	BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	0	16	
CUIS0012	No	00310	BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	0	16	
CUIS0013	No	00310	BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	0	16	
CUIS0014	No	00310	BOD, 5 DAY, 20 DEG C MG/L	01/09/80-04/02/91	11	32	T
CUIS0015	No	00310	BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	0	15	
CUIS0016	No	00310	BOD, 5 DAY, 20 DEG C MG/L	11/17/65-11/19/65	0	3	
CUIS0017	No	00310	BOD, 5 DAY, 20 DEG C MG/L	11/27/73-09/13/88	14	12	
CUIS0018	No	00310	BOD, 5 DAY, 20 DEG C MG/L	04/08/71-11/08/93	22	19	
CUIS0020	No	00310	BOD, 5 DAY, 20 DEG C MG/L	11/27/73-09/13/88	14	11	
CUIS0021	No	00310	BOD, 5 DAY, 20 DEG C MG/L	04/08/71-11/08/93	22	20	
CUIS0022	No	00310	BOD, 5 DAY, 20 DEG C MG/L	04/08/71-09/13/88	17	13	
CUIS0023	No	00310	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	18	123	T,A,S
CUIS0002	No	00340	COD, .25N K2CR2O7 MG/L	05/22/69-02/12/73	3	7	
CUIS0009	No	00340	COD, .25N K2CR2O7 MG/L	03/20/72-04/28/83	11	3	
CUIS0018	No	00340	COD, .25N K2CR2O7 MG/L	03/23/71-04/08/71	0	2	
CUIS0021	No	00340	COD, .25N K2CR2O7 MG/L	03/23/71-04/08/71	0	2	
CUIS0022	No	00340	COD, .25N K2CR2O7 MG/L	04/08/71-04/08/71	0	1	
CUIS0027	No	00340	COD, .25N K2CR2O7 MG/L	03/23/71-03/23/71	0	1	
CUIS0001	No	00400	PH (STANDARD UNITS)	07/28/82-08/20/82	0	16	
CUIS0002	No	00400	PH (STANDARD UNITS)	05/22/69-05/13/85	15	56	T
CUIS0003	No	00400	PH (STANDARD UNITS)	07/28/82-08/20/82	0	16	
CUIS0004	No	00400	PH (STANDARD UNITS)	07/28/82-08/20/82	0	16	
CUIS0005	No	00400	PH (STANDARD UNITS)	03/26/75-03/26/75	0	1	
CUIS0006	No	00400	PH (STANDARD UNITS)	03/26/75-03/26/75	0	1	
CUIS0008	No	00400	PH (STANDARD UNITS)	05/19/92-11/02/92	0	3	
CUIS0009	No	00400	PH (STANDARD UNITS)	03/20/72-04/02/91	19	58	T,S
CUIS0010	No	00400	PH (STANDARD UNITS)	07/28/82-08/20/82	0	16	
CUIS0012	No	00400	PH (STANDARD UNITS)	07/28/82-08/20/82	0	16	
CUIS0013	No	00400	PH (STANDARD UNITS)	07/28/82-08/20/82	0	16	
CUIS0014	No	00400	PH (STANDARD UNITS)	03/02/81-04/02/91	10	35	T
CUIS0015	No	00400	PH (STANDARD UNITS)	07/28/82-08/20/82	0	16	
CUIS0017	No	00400	PH (STANDARD UNITS)	11/27/73-09/13/88	14	8	
CUIS0018	No	00400	PH (STANDARD UNITS)	03/23/71-11/08/93	22	18	
CUIS0020	No	00400	PH (STANDARD UNITS)	11/27/73-09/13/88	14	7	
CUIS0021	No	00400	PH (STANDARD UNITS)	03/23/71-11/08/93	22	18	
CUIS0022	No	00400	PH (STANDARD UNITS)	04/08/71-09/13/88	17	11	
CUIS0023	No	00400	PH (STANDARD UNITS)	12/18/73-02/17/93	19	116	T,A,S
CUIS0025	No	00400	PH (STANDARD UNITS)	05/19/92-01/18/93	0	4	
CUIS0027	No	00400	PH (STANDARD UNITS)	03/23/71-03/23/71	0	1	
CUIS0048	No	00400	PH (STANDARD UNITS)	04/29/71-04/29/71	0	1	
CUIS0002	No	00403	PH, LAB, STANDARD UNITS SU	11/27/73-05/13/85	11	18	
CUIS0009	No	00403	PH, LAB, STANDARD UNITS SU	01/07/74-04/02/91	17	21	S
CUIS0014	No	00403	PH, LAB, STANDARD UNITS SU	01/09/80-04/02/91	11	13	
CUIS0017	No	00403	PH, LAB, STANDARD UNITS SU	11/27/73-09/13/88	14	11	
CUIS0018	No	00403	PH, LAB, STANDARD UNITS SU	01/11/78-11/08/93	15	19	
CUIS0019	No	00403	PH, LAB, STANDARD UNITS SU	05/03/89-05/03/89	0	1	
CUIS0020	No	00403	PH, LAB, STANDARD UNITS SU	11/27/73-09/13/88	14	11	
CUIS0021	No	00403	PH, LAB, STANDARD UNITS SU	11/27/73-11/08/93	19	19	
CUIS0022	No	00403	PH, LAB, STANDARD UNITS SU	11/27/73-09/13/88	14	11	
CUIS0023	No	00403	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	19	132	T,A,S
CUIS0002	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	03/20/72-11/07/73	1	13	
CUIS0008	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	05/19/92-11/02/92	0	3	
CUIS0009	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	03/20/72-04/02/91	19	14	
CUIS0014	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	10/01/90-04/02/91	0	2	
CUIS0018	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	03/23/71-11/08/93	22	8	
CUIS0021	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	03/23/71-11/08/93	22	8	
CUIS0022	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	04/08/71-04/08/71	0	1	
CUIS0023	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	19	131	T,A,S
CUIS0025	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	05/19/92-01/18/93	0	4	
CUIS0027	No	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	03/23/71-03/23/71	0	1	
CUIS0002	No	00435	ACIDITY, TOTAL (MG/L AS CaCO3)	03/20/72-01/07/74	1	14	
CUIS0009	No	00435	ACIDITY, TOTAL (MG/L AS CaCO3)	03/20/72-01/07/74	1	13	
CUIS0018	No	00435	ACIDITY, TOTAL (MG/L AS CaCO3)	03/23/71-04/08/71	0	2	
CUIS0021	No	00435	ACIDITY, TOTAL (MG/L AS CaCO3)	03/23/71-04/08/71	0	2	
CUIS0022	No	00435	ACIDITY, TOTAL (MG/L AS CaCO3)	04/08/71-04/08/71	0	1	
CUIS0027	No	00435	ACIDITY, TOTAL (MG/L AS CaCO3)	03/23/71-03/23/71	0	1	
CUIS0001	No	00480	SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	0	16	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

**Station/Parameter Period of Record Tabulation
From 11/17/65 To 11/08/93**

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
CUIS0002	No	00480	SALINITY - PARTS PER THOUSAND	05/26/81-05/13/85	3	26	
CUIS0003	No	00480	SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	0	16	
CUIS0004	No	00480	SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	0	16	
CUIS0009	No	00480	SALINITY - PARTS PER THOUSAND	05/26/81-04/02/91	9	28	
CUIS0010	No	00480	SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	0	16	
CUIS0012	No	00480	SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	0	16	
CUIS0013	No	00480	SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	0	16	
CUIS0014	No	00480	SALINITY - PARTS PER THOUSAND	05/26/81-04/02/91	9	26	
CUIS0015	No	00480	SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	0	16	
CUIS0017	No	00480	SALINITY - PARTS PER THOUSAND	11/17/80-01/11/88	7	5	
CUIS0018	No	00480	SALINITY - PARTS PER THOUSAND	11/17/80-11/08/93	12	11	
CUIS0020	No	00480	SALINITY - PARTS PER THOUSAND	11/17/80-01/11/88	7	5	
CUIS0021	No	00480	SALINITY - PARTS PER THOUSAND	11/17/80-11/08/93	12	10	
CUIS0022	No	00480	SALINITY - PARTS PER THOUSAND	11/17/80-01/11/88	7	4	
CUIS0023	No	00480	SALINITY - PARTS PER THOUSAND	05/29/74-07/24/74	0	2	
CUIS0002	No	00500	RESIDUE, TOTAL (MG/L)	05/22/69-05/23/73	4	11	
CUIS0007	No	00500	RESIDUE, TOTAL (MG/L)	07/07/71-07/07/71	0	1	
CUIS0009	No	00500	RESIDUE, TOTAL (MG/L)	03/20/72-05/23/73	1	8	
CUIS0016	No	00500	RESIDUE, TOTAL (MG/L)	11/18/65-11/19/65	0	2	
CUIS0018	No	00500	RESIDUE, TOTAL (MG/L)	03/23/71-04/08/71	0	2	
CUIS0021	No	00500	RESIDUE, TOTAL (MG/L)	03/23/71-04/08/71	0	2	
CUIS0022	No	00500	RESIDUE, TOTAL (MG/L)	04/08/71-04/08/71	0	1	
CUIS0023	No	00500	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	14	114	T,A,S
CUIS0027	No	00500	RESIDUE, TOTAL (MG/L)	03/23/71-03/23/71	0	1	
CUIS0002	No	00505	RESIDUE, TOTAL VOLATILE (MG/L)	05/22/69-05/23/73	4	10	
CUIS0007	No	00505	RESIDUE, TOTAL VOLATILE (MG/L)	07/07/71-11/06/72	1	2	
CUIS0009	No	00505	RESIDUE, TOTAL VOLATILE (MG/L)	03/20/72-05/23/73	1	8	
CUIS0018	No	00505	RESIDUE, TOTAL VOLATILE (MG/L)	03/23/71-04/08/71	0	2	
CUIS0021	No	00505	RESIDUE, TOTAL VOLATILE (MG/L)	03/23/71-04/08/71	0	2	
CUIS0022	No	00505	RESIDUE, TOTAL VOLATILE (MG/L)	04/08/71-04/08/71	0	1	
CUIS0027	No	00505	RESIDUE, TOTAL VOLATILE (MG/L)	03/23/71-03/23/71	0	1	
CUIS0002	No	00510	RESIDUE, TOTAL FIXED (MG/L)	03/20/72-05/23/73	1	8	
CUIS0007	No	00510	RESIDUE, TOTAL FIXED (MG/L)	07/07/71-11/06/72	1	2	
CUIS0009	No	00510	RESIDUE, TOTAL FIXED (MG/L)	03/20/72-05/23/73	1	8	
CUIS0018	No	00510	RESIDUE, TOTAL FIXED (MG/L)	03/23/71-04/08/71	0	2	
CUIS0021	No	00510	RESIDUE, TOTAL FIXED (MG/L)	03/23/71-04/08/71	0	2	
CUIS0022	No	00510	RESIDUE, TOTAL FIXED (MG/L)	04/08/71-04/08/71	0	1	
CUIS0027	No	00510	RESIDUE, TOTAL FIXED (MG/L)	03/23/71-03/23/71	0	1	
CUIS0002	No	00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	03/20/72-05/23/73	1	8	
CUIS0007	No	00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	07/07/71-07/07/71	0	1	
CUIS0016	No	00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	11/18/65-11/19/65	0	2	
CUIS0018	No	00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	03/23/71-04/08/71	0	2	
CUIS0021	No	00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	03/23/71-04/08/71	0	2	
CUIS0022	No	00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	04/08/71-04/08/71	0	1	
CUIS0023	No	00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	09/11/73-03/01/88	14	5	
CUIS0027	No	00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	03/23/71-03/23/71	0	1	
CUIS0002	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	05/22/69-05/13/85	15	34	T,S
CUIS0007	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	07/07/71-11/06/72	1	2	
CUIS0008	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	05/19/92-11/02/92	0	3	
CUIS0009	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	03/20/72-04/02/91	19	35	T,S
CUIS0014	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	01/09/80-04/02/91	11	13	
CUIS0017	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/27/73-09/13/88	14	10	
CUIS0018	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	03/23/71-11/08/93	22	20	
CUIS0020	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/27/73-09/13/88	14	10	
CUIS0021	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	03/23/71-11/08/93	22	20	
CUIS0022	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	04/08/71-09/13/88	17	12	
CUIS0023	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	14	107	T,A,S
CUIS0025	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	05/19/92-01/18/93	0	4	
CUIS0027	No	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	03/23/71-03/23/71	0	1	
CUIS0002	No	00535	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	05/22/69-05/13/85	15	34	T,S
CUIS0009	No	00535	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	03/20/72-04/02/91	19	35	T,S
CUIS0014	No	00535	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	01/09/80-04/02/91	11	13	
CUIS0017	No	00535	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	11/27/73-09/13/88	14	10	
CUIS0018	No	00535	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	03/23/71-11/08/93	22	20	
CUIS0020	No	00535	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	11/27/73-09/13/88	14	10	
CUIS0021	No	00535	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	03/23/71-11/08/93	22	20	
CUIS0022	No	00535	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	04/08/71-09/13/88	17	12	
CUIS0027	No	00535	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	03/23/71-03/23/71	0	1	
CUIS0002	No	00540	RESIDUE, FIXED NONFILTRABLE (MG/L)	09/27/72-05/13/85	12	31	
CUIS0009	No	00540	RESIDUE, FIXED NONFILTRABLE (MG/L)	03/20/72-04/02/91	19	35	T,S
CUIS0014	No	00540	RESIDUE, FIXED NONFILTRABLE (MG/L)	01/09/80-04/02/91	11	13	
CUIS0017	No	00540	RESIDUE, FIXED NONFILTRABLE (MG/L)	11/27/73-09/13/88	14	10	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation From 11/17/65 To 11/08/93

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
CUIS0018	No	00540	RESIDUE, FIXED NONFILTRABLE (MG/L)	03/23/71-11/08/93	22	20	
CUIS0020	No	00540	RESIDUE, FIXED NONFILTRABLE (MG/L)	11/27/73-09/13/88	14	10	
CUIS0021	No	00540	RESIDUE, FIXED NONFILTRABLE (MG/L)	03/23/71-11/08/93	22	20	
CUIS0022	No	00540	RESIDUE, FIXED NONFILTRABLE (MG/L)	04/08/71-09/13/88	17	12	
CUIS0027	No	00540	RESIDUE, FIXED NONFILTRABLE (MG/L)	03/23/71-03/23/71	0	1	
CUIS0007	No	00546	RESIDUE, SETTLEABLE (MG/L)	07/07/71-07/07/71	0	1	
CUIS0001	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0002	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	10/31/77-05/13/85	7	31	
CUIS0003	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0004	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0008	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	05/19/92-11/02/92	0	3	
CUIS0009	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	10/31/77-04/02/91	13	37	T,S
CUIS0010	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0012	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0013	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0014	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	01/09/80-04/02/91	11	30	
CUIS0015	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	0	15	
CUIS0017	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	01/24/80-09/13/88	8	7	
CUIS0018	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	01/11/78-11/08/93	15	18	
CUIS0020	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	01/24/80-09/13/88	8	6	
CUIS0021	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	01/11/78-11/08/93	15	17	
CUIS0022	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	01/11/78-09/13/88	10	10	
CUIS0023	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	19	128	T,A,S
CUIS0025	No	00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	05/19/92-01/18/93	0	4	
CUIS0002	No	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	04/14/82-05/02/83	1	4	
CUIS0009	No	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	04/14/82-05/02/83	1	5	
CUIS0014	No	00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	04/14/82-05/02/83	1	4	
CUIS0002	No	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	03/20/72-03/02/81	8	20	S
CUIS0009	No	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	03/20/72-03/02/81	8	20	S
CUIS0014	No	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	01/09/80-03/02/81	1	2	
CUIS0017	No	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	06/12/79-01/24/80	0	2	
CUIS0018	No	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	03/23/71-01/24/80	8	5	
CUIS0020	No	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	06/12/79-01/24/80	0	2	
CUIS0021	No	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	03/23/71-01/24/80	8	5	
CUIS0022	No	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	04/08/71-01/24/80	8	4	
CUIS0027	No	00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	03/23/71-03/23/71	0	1	
CUIS0001	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0002	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	10/31/77-05/13/85	7	32	
CUIS0003	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0004	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0005	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-03/26/75	0	1	
CUIS0006	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-03/26/75	0	1	
CUIS0008	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	05/19/92-11/02/92	0	3	
CUIS0009	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-04/02/91	16	39	T,S
CUIS0010	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0012	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0013	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0014	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	01/09/80-04/02/91	11	30	
CUIS0015	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0017	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-09/13/88	13	10	
CUIS0018	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	01/11/78-11/08/93	15	17	
CUIS0020	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	06/12/79-09/13/88	9	9	
CUIS0021	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-11/08/93	18	17	
CUIS0022	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	01/11/78-09/13/88	10	10	
CUIS0023	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/19/85-02/17/93	7	27	S
CUIS0025	No	00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	05/19/92-01/18/93	0	4	
CUIS0001	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0002	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/06/81-05/13/85	3	25	
CUIS0003	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0004	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0008	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	05/19/92-11/02/92	0	3	
CUIS0009	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	05/26/81-04/02/91	9	30	
CUIS0010	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0012	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0013	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0014	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	05/26/81-04/02/91	9	28	
CUIS0015	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	0	16	
CUIS0017	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	11/17/80-09/13/88	7	7	
CUIS0018	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	11/17/80-11/08/93	12	14	
CUIS0020	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	11/17/80-09/13/88	7	7	
CUIS0021	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	11/17/80-11/08/93	12	13	
CUIS0022	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	11/17/80-09/13/88	7	7	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

**Station/Parameter Period of Record Tabulation
From 11/17/65 To 11/08/93**

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
CUIS0023	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	19	131	T,A,S
CUIS0025	No	00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	05/19/92-01/18/93	0	4	
CUIS0002	No	00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	05/17/82-05/17/82	0	1	
CUIS0002	No	00650	PHOSPHATE, TOTAL (MG/L AS PO4)	03/20/72-03/20/72	0	1	
CUIS0018	No	00650	PHOSPHATE, TOTAL (MG/L AS PO4)	03/23/71-04/08/71	0	2	
CUIS0021	No	00650	PHOSPHATE, TOTAL (MG/L AS PO4)	03/23/71-04/08/71	0	2	
CUIS0022	No	00650	PHOSPHATE, TOTAL (MG/L AS PO4)	04/08/71-04/08/71	0	1	
CUIS0027	No	00650	PHOSPHATE, TOTAL (MG/L AS PO4)	03/23/71-03/23/71	0	1	
CUIS0002	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/20/72-03/20/72	0	1	
CUIS0018	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/23/71-04/08/71	0	2	
CUIS0021	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/23/71-04/08/71	0	2	
CUIS0022	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	04/08/71-04/08/71	0	1	
CUIS0027	No	00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/23/71-03/23/71	0	1	
CUIS0001	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0002	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	03/20/72-05/13/85	13	41	T
CUIS0003	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0004	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0008	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	05/19/92-11/02/92	0	3	
CUIS0009	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	03/20/72-04/02/91	19	47	T,S
CUIS0010	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0012	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0013	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0014	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	01/09/80-04/02/91	11	30	
CUIS0015	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0017	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	11/27/73-09/13/88	14	10	
CUIS0018	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	03/23/71-11/08/93	22	18	
CUIS0020	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	12/04/73-09/13/88	14	10	
CUIS0021	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	03/23/71-11/08/93	22	18	
CUIS0022	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	04/08/71-09/13/88	17	12	
CUIS0023	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	19	129	T,A,S
CUIS0025	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	05/19/92-01/18/93	0	4	
CUIS0027	No	00665	PHOSPHORUS, TOTAL (MG/L AS P)	03/23/71-03/23/71	0	1	
CUIS0009	No	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	03/20/72-03/20/72	0	1	
CUIS0023	No	00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	03/19/85-11/21/85	0	3	
CUIS0009	No	00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/20/72-03/20/72	0	1	
CUIS0001	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	07/28/82-07/29/82	0	4	
CUIS0002	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	11/27/73-02/02/83	9	17	
CUIS0003	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	07/28/82-07/29/82	0	4	
CUIS0004	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	07/28/82-07/29/82	0	4	
CUIS0008	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	05/19/92-11/02/92	0	3	
CUIS0009	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	03/29/78-02/02/83	4	13	
CUIS0010	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	07/29/82-07/29/82	0	2	
CUIS0012	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	07/29/82-07/29/82	0	2	
CUIS0013	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	07/28/82-07/29/82	0	4	
CUIS0014	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	03/02/81-02/02/83	1	10	
CUIS0015	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	07/28/82-07/29/82	0	3	
CUIS0017	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	11/27/73-12/04/73	0	2	
CUIS0020	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	11/27/73-12/04/73	0	2	
CUIS0021	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	11/27/73-12/04/73	0	4	
CUIS0022	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	11/27/73-12/04/73	0	2	
CUIS0023	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	12	90	T,A,S
CUIS0025	No	00680	CARBON, TOTAL ORGANIC (MG/L AS C)	05/19/92-01/18/93	0	4	
CUIS0002	No	00900	HARDNESS, TOTAL (MG/L AS CaCO3)	03/20/72-01/07/74	1	11	
CUIS0009	No	00900	HARDNESS, TOTAL (MG/L AS CaCO3)	03/20/72-01/07/74	1	10	
CUIS0018	No	00900	HARDNESS, TOTAL (MG/L AS CaCO3)	03/23/71-04/08/71	0	2	
CUIS0021	No	00900	HARDNESS, TOTAL (MG/L AS CaCO3)	03/23/71-04/08/71	0	2	
CUIS0022	No	00900	HARDNESS, TOTAL (MG/L AS CaCO3)	04/08/71-04/08/71	0	1	
CUIS0027	No	00900	HARDNESS, TOTAL (MG/L AS CaCO3)	03/23/71-03/23/71	0	1	
CUIS0019	No	00915	CALCIUM, DISSOLVED (MG/L AS Ca)	05/03/89-05/03/89	0	1	
CUIS0008	No	00916	CALCIUM, TOTAL (MG/L AS Ca)	05/19/92-11/02/92	0	3	
CUIS0025	No	00916	CALCIUM, TOTAL (MG/L AS Ca)	05/19/92-01/18/93	0	4	
CUIS0008	No	00927	MAGNESIUM, TOTAL (MG/L AS Mg)	05/19/92-11/02/92	0	3	
CUIS0025	No	00927	MAGNESIUM, TOTAL (MG/L AS Mg)	05/19/92-01/18/93	0	4	
CUIS0008	No	00929	SODIUM, TOTAL (MG/L AS Na)	05/19/92-11/02/92	0	3	
CUIS0025	No	00929	SODIUM, TOTAL (MG/L AS Na)	05/19/92-11/02/92	0	3	
CUIS0019	No	00930	SODIUM, DISSOLVED (MG/L AS Na)	05/03/89-05/03/89	0	1	
CUIS0008	No	00937	POTASSIUM, TOTAL MG/L AS K	05/19/92-11/02/92	0	3	
CUIS0025	No	00937	POTASSIUM, TOTAL MG/L AS K	05/19/92-01/18/93	0	4	
CUIS0002	No	00940	CHLORIDE, TOTAL IN WATER MG/L	03/20/72-05/02/83	11	18	
CUIS0005	No	00940	CHLORIDE, TOTAL IN WATER MG/L	03/26/75-03/26/75	0	1	
CUIS0006	No	00940	CHLORIDE, TOTAL IN WATER MG/L	03/26/75-03/26/75	0	1	
CUIS0008	No	00940	CHLORIDE, TOTAL IN WATER MG/L	05/19/92-11/02/92	0	3	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

**Station/Parameter Period of Record Tabulation
From 11/17/65 To 11/08/93**

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
CUIS0009	No	00940	CHLORIDE, TOTAL IN WATER MG/L	03/20/72-10/01/90	18	18	
CUIS0014	No	00940	CHLORIDE, TOTAL IN WATER MG/L	05/02/83-10/01/90	7	2	
CUIS0017	No	00940	CHLORIDE, TOTAL IN WATER MG/L	11/27/73-09/13/88	14	7	
CUIS0018	No	00940	CHLORIDE, TOTAL IN WATER MG/L	03/23/71-08/25/93	22	9	
CUIS0019	No	00940	CHLORIDE, TOTAL IN WATER MG/L	05/03/89-05/03/89	0	1	
CUIS0020	No	00940	CHLORIDE, TOTAL IN WATER MG/L	11/27/73-09/13/88	14	6	
CUIS0021	No	00940	CHLORIDE, TOTAL IN WATER MG/L	03/23/71-08/25/93	22	12	
CUIS0022	No	00940	CHLORIDE, TOTAL IN WATER MG/L	04/08/71-09/13/88	17	8	
CUIS0023	No	00940	CHLORIDE, TOTAL IN WATER MG/L	09/11/73-08/20/87	13	110	T,A,S
CUIS0025	No	00940	CHLORIDE, TOTAL IN WATER MG/L	05/19/92-01/18/93	0	4	
CUIS0027	No	00940	CHLORIDE, TOTAL IN WATER MG/L	03/23/71-03/23/71	0	1	
CUIS0001	No	00945	SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	0	8	
CUIS0002	No	00945	SULFATE, TOTAL (MG/L AS SO4)	07/28/82-05/02/83	0	9	
CUIS0003	No	00945	SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	0	8	
CUIS0004	No	00945	SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	0	8	
CUIS0008	No	00945	SULFATE, TOTAL (MG/L AS SO4)	05/19/92-11/02/92	0	3	
CUIS0009	No	00945	SULFATE, TOTAL (MG/L AS SO4)	07/28/82-10/01/90	8	11	
CUIS0010	No	00945	SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	0	8	
CUIS0012	No	00945	SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	0	8	
CUIS0013	No	00945	SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	0	8	
CUIS0014	No	00945	SULFATE, TOTAL (MG/L AS SO4)	07/28/82-10/01/90	8	10	
CUIS0015	No	00945	SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	0	8	
CUIS0018	No	00945	SULFATE, TOTAL (MG/L AS SO4)	04/22/92-08/25/93	1	2	
CUIS0019	No	00945	SULFATE, TOTAL (MG/L AS SO4)	05/03/89-05/03/89	0	1	
CUIS0021	No	00945	SULFATE, TOTAL (MG/L AS SO4)	04/22/92-08/25/93	1	2	
CUIS0023	No	00945	SULFATE, TOTAL (MG/L AS SO4)	03/19/85-06/12/85	0	2	
CUIS0025	No	00945	SULFATE, TOTAL (MG/L AS SO4)	05/19/92-01/18/93	0	4	
CUIS0002	No	00951	FLUORIDE, TOTAL (MG/L AS F)	01/25/82-04/14/82	0	2	
CUIS0009	No	00951	FLUORIDE, TOTAL (MG/L AS F)	01/25/82-01/25/82	0	1	
CUIS0014	No	00951	FLUORIDE, TOTAL (MG/L AS F)	01/25/82-04/14/82	0	2	
CUIS0017	No	00951	FLUORIDE, TOTAL (MG/L AS F)	11/17/80-09/13/88	7	5	
CUIS0018	No	00951	FLUORIDE, TOTAL (MG/L AS F)	11/17/80-07/29/92	11	8	
CUIS0020	No	00951	FLUORIDE, TOTAL (MG/L AS F)	11/17/80-09/13/88	7	5	
CUIS0021	No	00951	FLUORIDE, TOTAL (MG/L AS F)	11/17/80-07/29/92	11	7	
CUIS0022	No	00951	FLUORIDE, TOTAL (MG/L AS F)	11/17/80-09/13/88	7	5	
CUIS0002	No	01002	ARSENIC, TOTAL (UG/L AS AS)	07/29/82-07/29/82	0	1	
CUIS0009	No	01002	ARSENIC, TOTAL (UG/L AS AS)	07/29/82-07/29/82	0	1	
CUIS0014	No	01002	ARSENIC, TOTAL (UG/L AS AS)	07/29/82-07/29/82	0	1	
CUIS0023	No	01002	ARSENIC, TOTAL (UG/L AS AS)	06/12/85-08/20/87	2	2	
CUIS0023	No	01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	08/20/87-08/20/87	0	1	
CUIS0023	No	01004	ARSENIC TOTAL IN FISH OR ANIMAL WET WT MG/KG	05/28/85-07/28/87	2	7	
CUIS0002	No	01012	BERYLLIUM, TOTAL (UG/L AS BE)	07/29/82-07/29/82	0	1	
CUIS0009	No	01012	BERYLLIUM, TOTAL (UG/L AS BE)	07/29/82-07/29/82	0	1	
CUIS0014	No	01012	BERYLLIUM, TOTAL (UG/L AS BE)	07/29/82-07/29/82	0	1	
CUIS0002	No	01027	CADMIUM, TOTAL (UG/L AS CD)	07/29/82-07/29/82	0	1	
CUIS0009	No	01027	CADMIUM, TOTAL (UG/L AS CD)	07/29/82-07/29/82	0	1	
CUIS0014	No	01027	CADMIUM, TOTAL (UG/L AS CD)	07/29/82-07/29/82	0	1	
CUIS0023	No	01027	CADMIUM, TOTAL (UG/L AS CD)	06/12/85-08/20/87	2	2	
CUIS0023	No	01028	CADMIUM, TOTAL IN BOTTOM DEPOSITS (MG/KG, DRY WGT)	08/20/87-08/20/87	0	1	
CUIS0023	No	01029	CHROMIUM, TOTAL IN BOTTOM DEPOSITS (MG/KG, DRY WGT)	08/20/87-08/20/87	0	1	
CUIS0002	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	07/29/82-07/29/82	0	1	
CUIS0009	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	07/29/82-07/29/82	0	1	
CUIS0014	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	07/29/82-07/29/82	0	1	
CUIS0023	No	01034	CHROMIUM, TOTAL (UG/L AS CR)	06/12/85-08/20/87	2	2	
CUIS0002	No	01042	COPPER, TOTAL (UG/L AS CU)	07/29/82-07/29/82	0	1	
CUIS0008	No	01042	COPPER, TOTAL (UG/L AS CU)	05/19/92-11/02/92	0	3	
CUIS0009	No	01042	COPPER, TOTAL (UG/L AS CU)	07/29/82-07/29/82	0	1	
CUIS0014	No	01042	COPPER, TOTAL (UG/L AS CU)	07/29/82-07/29/82	0	1	
CUIS0023	No	01042	COPPER, TOTAL (UG/L AS CU)	06/12/85-08/20/87	2	2	
CUIS0025	No	01042	COPPER, TOTAL (UG/L AS CU)	05/19/92-01/18/93	0	4	
CUIS0023	No	01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	08/20/87-08/20/87	0	1	
CUIS0002	No	01045	IRON, TOTAL (UG/L AS FE)	10/31/77-10/31/77	0	1	
CUIS0008	No	01045	IRON, TOTAL (UG/L AS FE)	05/19/92-11/02/92	0	3	
CUIS0009	No	01045	IRON, TOTAL (UG/L AS FE)	10/31/77-10/31/77	0	1	
CUIS0025	No	01045	IRON, TOTAL (UG/L AS FE)	05/19/92-01/18/93	0	4	
CUIS0002	No	01051	LEAD, TOTAL (UG/L AS PB)	07/29/82-07/29/82	0	1	
CUIS0009	No	01051	LEAD, TOTAL (UG/L AS PB)	07/29/82-07/29/82	0	1	
CUIS0014	No	01051	LEAD, TOTAL (UG/L AS PB)	07/29/82-07/29/82	0	1	
CUIS0019	No	01051	LEAD, TOTAL (UG/L AS PB)	05/03/89-05/03/89	0	1	
CUIS0023	No	01051	LEAD, TOTAL (UG/L AS PB)	06/12/85-08/20/87	2	2	
CUIS0023	No	01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	08/20/87-08/20/87	0	1	
CUIS0023	No	01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	08/20/87-08/20/87	0	1	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

**Station/Parameter Period of Record Tabulation
From 11/17/65 To 11/08/93**

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
CUIS0002	No	01059	THALLIUM, TOTAL (UG/L AS TL)	07/29/82-07/29/82	0	1	
CUIS0009	No	01059	THALLIUM, TOTAL (UG/L AS TL)	07/29/82-07/29/82	0	1	
CUIS0014	No	01059	THALLIUM, TOTAL (UG/L AS TL)	07/29/82-07/29/82	0	1	
CUIS0002	No	01067	NICKEL, TOTAL (UG/L AS NI)	07/29/82-07/29/82	0	1	
CUIS0009	No	01067	NICKEL, TOTAL (UG/L AS NI)	07/29/82-07/29/82	0	1	
CUIS0014	No	01067	NICKEL, TOTAL (UG/L AS NI)	07/29/82-07/29/82	0	1	
CUIS0023	No	01068	NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG, DRY WGT)	08/20/87-08/20/87	0	1	
CUIS0002	No	01077	SILVER, TOTAL (UG/L AS AG)	07/29/82-07/29/82	0	1	
CUIS0009	No	01077	SILVER, TOTAL (UG/L AS AG)	07/29/82-07/29/82	0	1	
CUIS0002	No	01092	ZINC, TOTAL (UG/L AS ZN)	07/29/82-07/29/82	0	1	
CUIS0014	No	01092	ZINC, TOTAL (UG/L AS ZN)	07/29/82-07/29/82	0	1	
CUIS0023	No	01092	ZINC, TOTAL (UG/L AS ZN)	06/12/85-08/20/87	2	2	
CUIS0023	No	01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	08/20/87-08/20/87	0	1	
CUIS0002	No	01097	ANTIMONY, TOTAL (UG/L AS SB)	07/29/82-07/29/82	0	1	
CUIS0009	No	01097	ANTIMONY, TOTAL (UG/L AS SB)	07/29/82-07/29/82	0	1	
CUIS0014	No	01097	ANTIMONY, TOTAL (UG/L AS SB)	07/29/82-07/29/82	0	1	
CUIS0023	No	01103	TIN IN BOTTOM DEPOSITS (MG/KG AS SN DRY WGT)	08/20/87-08/20/87	0	1	
CUIS0002	No	01147	SELENIUM, TOTAL (UG/L AS SE)	07/29/82-07/29/82	0	1	
CUIS0009	No	01147	SELENIUM, TOTAL (UG/L AS SE)	07/29/82-07/29/82	0	1	
CUIS0014	No	01147	SELENIUM, TOTAL (UG/L AS SE)	07/29/82-07/29/82	0	1	
CUIS0026	No	30344	PENTACHLORODIBENZO-P-DIOXIN, 12378-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	30345	HEXACHLORODIBENZO-P-DIOXIN, 123478-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	30346	HEXACHLORODIBENZO-P-DIOXIN, 123678-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	30347	HEXACHLORODIBENZO-P-DIOXIN, 123789-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	30348	HEPTACHLORODIBENZO-P-DIOXIN, 1234678-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	30349	TETRACHLORODIBENZOFURAN, 2378-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	30350	PENTACHLORODIBENZOFURAN, 12378-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	30351	PENTACHLORODIBENZOFURAN, 23478-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	30352	HEXACHLORODIBENZOFURAN, 123478-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	30353	HEXACHLORODIBENZOFURAN, 123678-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	30354	HEXACHLORODIBENZOFURAN, 123789-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	30355	HEXACHLORODIBENZOFURAN, 234678-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	30356	HEPTACHLORODIBENZOFURAN, 1234678-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	30357	HEPTACHLORODIBENZOFURAN, 1234789-, FISH, WET WT., PG/G	05/19/88-05/19/88	0	6	
CUIS0009	No	31501	COLIFORM, TOT, MEMBRANE FILTER, IMMEDIATE, M-ENDO MED, 35C	10/01/90-04/02/91	0	2	
CUIS0014	No	31501	COLIFORM, TOT, MEMBRANE FILTER, IMMEDIATE, M-ENDO MED, 35C	10/01/90-04/02/91	0	2	
CUIS0018	No	31501	COLIFORM, TOT, MEMBRANE FILTER, IMMEDIATE, M-ENDO MED, 35C	01/29/92-11/08/93	1	8	
CUIS0021	No	31501	COLIFORM, TOT, MEMBRANE FILTER, IMMEDIATE, M-ENDO MED, 35C	04/22/92-11/08/93	1	7	
CUIS0001	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	07/28/82-08/20/82	0	16	
CUIS0002	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	05/22/69-05/13/85	15	56	T, S
CUIS0003	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	07/28/82-08/20/82	0	15	
CUIS0004	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	07/28/82-08/20/82	0	14	
CUIS0009	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	03/20/72-05/13/85	13	45	T
CUIS0010	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	07/28/82-08/20/82	0	14	
CUIS0012	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	07/28/82-08/20/82	0	16	
CUIS0013	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	07/28/82-08/20/82	0	15	
CUIS0014	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	01/09/80-05/13/85	5	29	
CUIS0015	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	07/28/82-08/20/82	0	15	
CUIS0017	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	11/27/73-09/13/88	14	9	
CUIS0018	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	03/23/71-09/13/88	17	10	
CUIS0020	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	11/27/73-09/13/88	14	9	
CUIS0021	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	03/23/71-09/13/88	17	11	
CUIS0022	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	11/27/73-09/13/88	14	10	
CUIS0023	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	09/11/73-11/17/87	14	107	T, A, S
CUIS0027	No	31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	03/23/71-03/23/71	0	1	
CUIS0009	No	31613	FECAL COLIFORM, MEMBRANE FILTER, M-FC AGAR, 44.5C, 24HR	10/01/90-04/02/91	0	2	
CUIS0014	No	31613	FECAL COLIFORM, MEMBRANE FILTER, M-FC AGAR, 44.5C, 24HR	10/01/90-04/02/91	0	2	
CUIS0018	No	31613	FECAL COLIFORM, MEMBRANE FILTER, M-FC AGAR, 44.5C, 24HR	01/29/92-01/29/92	0	1	
CUIS0002	No	31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	05/22/69-06/24/74	5	15	
CUIS0009	No	31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	08/27/73-06/24/74	0	6	
CUIS0017	No	31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	11/27/73-11/27/73	0	1	
CUIS0020	No	31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	11/27/73-11/27/73	0	1	
CUIS0021	No	31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	11/27/73-11/27/73	0	1	
CUIS0022	No	31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	11/27/73-11/27/73	0	1	
CUIS0001	No	31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	07/28/82-08/20/82	0	16	
CUIS0002	No	31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	05/22/69-05/13/85	15	48	T
CUIS0003	No	31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	07/28/82-08/20/82	0	15	
CUIS0004	No	31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	07/28/82-08/20/82	0	14	
CUIS0009	No	31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	09/27/72-05/13/85	12	43	T
CUIS0010	No	31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	07/28/82-08/20/82	0	14	
CUIS0012	No	31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	07/28/82-08/20/82	0	16	
CUIS0013	No	31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	07/28/82-08/20/82	0	15	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation **From 11/17/65 To 11/08/93**

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
CUIS0014	No	31615	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	01/09/80-05/13/85	5	29	
CUIS0015	No	31615	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	0	15	
CUIS0017	No	31615	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	11/27/73-09/13/88	14	9	
CUIS0018	No	31615	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	01/11/78-09/13/88	10	9	
CUIS0020	No	31615	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	11/27/73-09/13/88	14	9	
CUIS0021	No	31615	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	11/27/73-09/13/88	14	10	
CUIS0022	No	31615	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	11/27/73-09/13/88	14	10	
CUIS0023	No	31615	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	19	125	A,S
CUIS0008	No	31616	FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	05/19/92-11/02/92	0	3	
CUIS0018	No	31616	FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	04/22/92-11/08/93	1	7	
CUIS0021	No	31616	FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	04/22/92-11/08/93	1	7	
CUIS0025	No	31616	FECAL COLIFORM,MEMBR FILTER,M-FC BROTH,44.5 C	05/19/92-01/18/93	0	4	
CUIS0009	No	31639	ENTEROCOCCI GROUP D,MF TRANS,M-E,EIA #/100ML	10/01/90-04/02/91	0	2	
CUIS0014	No	31639	ENTEROCOCCI GROUP D,MF TRANS,M-E,EIA #/100ML	10/01/90-04/02/91	0	2	
CUIS0023	No	32209	CHLOROPHYLL-A UG/L FLUOROMETRIC CORRECTED	03/19/85-11/17/87	2	12	
CUIS0008	No	32210	CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTED	05/19/92-11/02/92	0	3	
CUIS0025	No	32210	CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTED	05/19/92-01/18/93	0	4	
CUIS0008	No	32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	05/19/92-11/02/92	0	3	
CUIS0009	No	32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	09/06/89-09/06/89	0	1	
CUIS0017	No	32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	11/10/86-01/25/88	1	3	
CUIS0018	No	32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	11/10/86-01/11/88	1	3	
CUIS0020	No	32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	04/01/87-01/11/88	0	2	
CUIS0021	No	32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	11/10/86-01/11/88	1	3	
CUIS0022	No	32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	11/10/86-01/11/88	1	3	
CUIS0025	No	32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	05/19/92-01/18/93	0	4	
CUIS0008	No	32212	CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTED	05/19/92-05/19/92	0	1	
CUIS0025	No	32212	CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTED	05/19/92-08/18/92	0	2	
CUIS0008	No	32214	CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTED	05/19/92-11/02/92	0	3	
CUIS0025	No	32214	CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTED	05/19/92-01/18/93	0	4	
CUIS0008	No	32218	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	05/19/92-11/02/92	0	3	
CUIS0025	No	32218	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	05/19/92-11/02/92	0	3	
CUIS0008	No	32219	PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER ACID	05/19/92-11/02/92	0	3	
CUIS0025	No	32219	PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER ACID	05/19/92-01/18/93	0	4	
CUIS0002	No	32230	CHLOROPHYLL A (MG/L)	11/27/73-12/04/73	0	2	
CUIS0017	No	32230	CHLOROPHYLL A (MG/L)	11/27/73-12/04/73	0	2	
CUIS0020	No	32230	CHLOROPHYLL A (MG/L)	11/27/73-12/04/73	0	2	
CUIS0021	No	32230	CHLOROPHYLL A (MG/L)	11/27/73-12/04/73	0	2	
CUIS0022	No	32230	CHLOROPHYLL A (MG/L)	11/27/73-12/04/73	0	2	
CUIS0002	No	32231	CHLOROPHYLL B (MG/L)	11/27/73-12/04/73	0	2	
CUIS0017	No	32231	CHLOROPHYLL B (MG/L)	11/27/73-12/04/73	0	2	
CUIS0020	No	32231	CHLOROPHYLL B (MG/L)	11/27/73-12/04/73	0	2	
CUIS0021	No	32231	CHLOROPHYLL B (MG/L)	11/27/73-12/04/73	0	2	
CUIS0022	No	32231	CHLOROPHYLL B (MG/L)	11/27/73-11/27/73	0	1	
CUIS0002	No	32232	CHLOROPHYLL C (MG/L)	11/27/73-12/04/73	0	2	
CUIS0017	No	32232	CHLOROPHYLL C (MG/L)	11/27/73-12/04/73	0	2	
CUIS0020	No	32232	CHLOROPHYLL C (MG/L)	11/27/73-12/04/73	0	2	
CUIS0021	No	32232	CHLOROPHYLL C (MG/L)	11/27/73-12/04/73	0	2	
CUIS0022	No	32232	CHLOROPHYLL C (MG/L)	11/27/73-12/04/73	0	2	
CUIS0002	No	32240	TANNIN AND LIGNIN (MG/L)	05/22/69-05/23/69	0	2	
CUIS0019	No	34010	TOLUENE IN WTR SMPL GC-MS, HEXADECONE EXTR.(UG/L)	05/03/89-05/03/89	0	1	
CUIS0019	No	34020	XYLENES IN WTR SMPL GC-MS, HEXADECONE EXTR.(UG/L)	05/03/89-05/03/89	0	1	
CUIS0019	No	34030	BENZENE IN WTR SMPL GC-MS, HEXADECONE EXTR.(UG/L)	05/03/89-05/03/89	0	1	
CUIS0026	No	34395	HEXACHLOROBUTADIENE WET WGT TISM/G/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	34555	1,2,4-TRICHLOROBENZENE WET WGT TISM/G/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	34685	ENDRIN WET WGT TISM/G/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	34686	HEPTACHLOR EPOXIDE WET WGT TISM/G/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	34687	HEPTACHLOR WET WGT TISM/G/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	34688	HEXACHLOROBENZENE WET WGT TISM/G/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	34754	2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN TISWETWTPG/G	05/19/88-05/19/88	0	6	
CUIS0026	No	38824	ISOPROPALIN TISWETWGTMG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	39063	CHLORDANE-CIS ISOMER, TISSUE WET WGT (UG/G)	05/19/88-05/19/88	0	4	
CUIS0026	No	39066	CHLORDANE-TRANS ISOMER, TISSUE WET WGT (UG/G)	05/19/88-05/19/88	0	4	
CUIS0026	No	39074	BHC-ALPHA ISOMER, TISSUE UG/G WET WGT	05/19/88-05/19/88	0	4	
CUIS0026	No	39319	MONOCHLOROBIPHENYL, TOTAL, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	39322	P,P'-DDE IN TISSUE WET WGT MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	39335	DICHLOROBIPHENYL, TOTAL, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	39339	TRICHLOROBIPHENYL, TOTAL, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	39345	TETRACHLOROBIPHENYL, TOT, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	39347	PENTACHLOROBIPHENYL, TOT, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	0	4	
CUIS0023	No	39350	CHLORDANE(TECH MIX & METABS), WHOLE WATER, UG/L	06/12/85-08/20/87	2	2	
CUIS0023	No	39351	CHLORDANE(TECH MIX&METABS), SEDIMENTS, DRY WGT, UG/KG	08/20/87-08/20/87	0	1	
CUIS0026	No	39354	HEPTACHLOROBIPHENYL, TOT, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	0	4	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

Station/Parameter Period of Record Tabulation From 11/17/65 To 11/08/93

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
CUIS0026	No	39355	OCTACHLOROBIPHENYL,TOT, TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0023	No	39359	DDT SUM ANALOGS IN SEDIMENT UG/KG DRY WEIGHT	08/20/87-08/20/87	0	1	
CUIS0023	No	39360	DDD IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2	2	
CUIS0023	No	39363	DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS)	08/20/87-08/20/87	0	1	
CUIS0023	No	39364	DDD IN SHELLFISH OR ANIMAL (UG/KG WET WEIGHT)	05/28/85-07/28/87	2	7	
CUIS0023	No	39365	DDE IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2	2	
CUIS0023	No	39368	DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS)	08/20/87-08/20/87	0	1	
CUIS0023	No	39369	DDE IN SHELLFISH OR ANIMAL (UG/KG WET WEIGHT)	05/28/85-07/28/87	2	7	
CUIS0023	No	39370	DDT IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2	2	
CUIS0023	No	39374	DDT IN SHELLFISH OR ANIMAL (UG/KG WET WEIGHT)	05/28/85-07/28/87	2	7	
CUIS0023	No	39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2	2	
CUIS0023	No	39393	ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS)	08/20/87-08/20/87	0	1	
CUIS0026	No	39404	DIELDRIN IN TISSUE WET WGT (UG/G)	05/19/88-05/19/88	0	4	
CUIS0026	No	39408	NONACHLOROBIPHENYL,TOT, TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	39409	DECACHLOROBIPHENYL,TOT, TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0023	No	39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2	2	
CUIS0023	No	39481	METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.)	08/20/87-08/20/87	0	1	
CUIS0023	No	39516	PCBS IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2	2	
CUIS0023	No	39519	PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS)	08/20/87-08/20/87	0	1	
CUIS0023	No	39520	PCBS IN SHELLFISH OR ANIMAL (UG/KG WET WEIGHT)	05/28/85-07/28/87	2	7	
CUIS0023	No	39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2	2	
CUIS0023	No	39785	GAMMA-BHC(LINDANE),TISSUE,WET WEIGHT,MG/KG	05/28/85-07/28/87	2	7	
CUIS0026	No	39785	GAMMA-BHC(LINDANE),TISSUE,WET WEIGHT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0023	No	39811	CHLORDANE,GAMMA,IN BOTTOM DEPOS(UG/KG DRY SOLIDS)	08/20/87-08/20/87	0	1	
CUIS0019	No	45501	HYDROCARBON IN WATER, FREON EXT, CHROMAT, IR MG/L	05/03/89-05/03/89	0	1	
CUIS0026	No	46333	PENTACHLORONITROBENZENE (PCNB) IN TISSUE WET MG/KG	05/19/88-05/19/88	0	4	
CUIS0008	No	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/19/92-11/02/92	0	3	
CUIS0019	No	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/03/89-05/03/89	0	1	
CUIS0025	No	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/19/92-01/18/93	0	4	
CUIS0001	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0002	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/20/72-08/20/82	10	32	T,S
CUIS0003	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0004	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0009	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/20/72-10/01/90	18	31	
CUIS0010	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0012	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0013	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0014	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-10/01/90	8	17	
CUIS0015	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	0	16	
CUIS0017	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	11/27/73-09/13/88	14	3	
CUIS0018	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/23/71-07/29/92	21	7	
CUIS0020	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	11/27/73-09/13/88	14	3	
CUIS0021	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/23/71-07/29/92	21	8	
CUIS0022	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	04/08/71-09/13/88	17	5	
CUIS0027	No	70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/23/71-03/23/71	0	1	
CUIS0026	No	70977	INSTRUMENT RATIO, LAB/FIELD CONCENTRATIONS, NUMBER	05/19/88-05/19/88	0	6	
CUIS0017	No	71488	MACROINVERTEBRATES,BENTHIC,TOTAL NO/M2	04/01/87-09/13/88	1	3	
CUIS0018	No	71488	MACROINVERTEBRATES,BENTHIC,TOTAL NO/M2	04/01/87-01/11/88	0	2	
CUIS0021	No	71488	MACROINVERTEBRATES,BENTHIC,TOTAL NO/M2	03/01/87-01/11/88	0	2	
CUIS0002	No	71900	MERCURY, TOTAL (UG/L AS HG)	07/29/82-07/29/82	0	1	
CUIS0014	No	71900	MERCURY, TOTAL (UG/L AS HG)	07/29/82-07/29/82	0	1	
CUIS0023	No	71900	MERCURY, TOTAL (UG/L AS HG)	06/12/85-08/20/87	2	2	
CUIS0023	No	71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	08/20/87-08/20/87	0	1	
CUIS0023	No	71930	MERCURY,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS	05/28/85-07/28/87	2	7	
CUIS0026	No	71935	MERCURY, TOTAL IN FISH (PPM,WET WEIGHT BASIS)	05/19/88-05/19/88	0	4	
CUIS0023	No	71938	ZINC,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS	05/28/85-07/28/87	2	7	
CUIS0048	No	72000	ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL)	04/29/71-04/29/71	0	1	
CUIS0048	No	72015	DEPTH TO TOP OF SAMPLE INTERVAL (FT BELOW LSD)	04/29/71-04/29/71	0	1	
CUIS0002	No	72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	10/31/77-05/13/85	7	23	
CUIS0009	No	72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	10/31/77-04/02/91	13	29	S
CUIS0014	No	72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	01/09/80-04/02/91	11	20	
CUIS0017	No	72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	08/12/85-09/13/88	3	5	
CUIS0018	No	72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	01/11/78-11/08/93	15	17	
CUIS0020	No	72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	01/24/80-09/13/88	8	7	
CUIS0021	No	72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	01/24/80-11/08/93	13	14	
CUIS0022	No	72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	01/11/78-09/13/88	10	8	
CUIS0048	No	72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	04/29/71-04/29/71	0	1	
CUIS0026	No	76530	BIPHENYL TISSUE ,WET WGT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0019	No	78113	ETHYL BENZENE WHOLE WATER SAMPLE UG/L	05/03/89-05/03/89	0	1	
CUIS0026	No	78907	HEXACHLOROBIPHENYLS IN FISH TISSUE WET WGT. MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	78922	NONACHLOR, TRANS, TISSUE, WET WEIGHT MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	78923	NONACHLOR, CIS, TISSUE, WET WEIGHT MG/KG	05/19/88-05/19/88	0	4	

¹T=Times Series Plot, A=Annual Plot, and S=Seasonal Plot

**Station/Parameter Period of Record Tabulation
From 11/17/65 To 11/08/93**

Station	In Park	Code	Name	Start - End	Years	Obs	Plots ¹
CUIS0026	No	79026	1,2,3,4,-TETRACHLOROBENZENE IN FISH WET WGT MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	81312	POLYCHLORINATEDBIPHENYLS FISH TISSUE WET WGT MG/KG	05/19/88-05/19/88	0	4	
CUIS0023	No	81633	LEAD IN SHELLFISH TISSUE DRY WEIGHT MG/KG	05/28/85-07/28/87	2	7	
CUIS0023	No	81634	CADMIUM IN SHELLFISH TISSUE DRY WEIGHT MG/KG	05/28/85-07/28/87	2	7	
CUIS0023	No	81636	COPPER IN SHELLFISH TISSUE DRY WEIGHT MG/KG	05/28/85-07/28/87	2	7	
CUIS0026	No	81644	METHOXYCHLOR IN FISH TISSUE,UG/G WET WEIGHT	05/19/88-05/19/88	0	4	
CUIS0026	No	81645	MIREX IN FISH TISSUE WET WEIGHT UG/G	05/19/88-05/19/88	0	4	
CUIS0026	No	81652	TREFLAN IN FISH TISSUE WET WEIGHT MG/KG	05/19/88-05/19/88	0	4	
CUIS0023	No	81717	ENDRIN IN SHELLFISH TISSUE DRY WEIGHT UG/KG	05/28/85-07/28/87	2	7	
CUIS0023	No	81721	METHOXYCHLOR IN SHELLFISH TISSUE DRY WEIGHT UG/KG	05/28/85-07/28/87	2	7	
CUIS0023	No	81741	MANGANESE IN FISH TISSUE WET WEIGHT MG/KG	05/16/86-07/28/87	1	5	
CUIS0023	No	81796	CHROMIUM IN SHELLFISH TISSUE, DRY WEIGHT MG/KG	05/28/85-07/28/87	2	7	
CUIS0026	No	81807	DURSBAN IN FISH TISSUE WET WEIGHT MG/KG	05/19/88-05/19/88	0	4	
CUIS0023	No	81811	NICKEL IN SHELLFISH TISSUE WET WEIGHT MG/KG	05/16/86-07/28/87	1	5	
CUIS0026	No	81823	PENTACHLOROANISOLE(PCA)INFISH TISSUE WET WGT MG/KG	05/19/88-05/19/88	0	4	
CUIS0023	No	81863	CHLORDANE IN SHELLFISH TISSUE WET WEIGHT UG/KG	05/28/85-07/28/87	2	7	
CUIS0026	No	82029	OXYCHLORDANE IN TISSUE SAMPLE WET WEIGHT MG/KG	05/19/88-05/19/88	0	4	
CUIS0008	No	82079	TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU	05/19/92-11/02/92	0	3	
CUIS0025	No	82079	TURBIDITY,LAB NEPHELOMETRIC TURBIDITY UNITS, NTU	05/19/92-01/18/93	0	4	
CUIS0009	No	82246	NATURAL SUBSTRATE,DIVERSITY INDEX	07/13/81-07/13/81	0	1	
CUIS0017	No	82246	NATURAL SUBSTRATE,DIVERSITY INDEX	11/10/86-09/13/88	1	4	
CUIS0018	No	82246	NATURAL SUBSTRATE,DIVERSITY INDEX	11/10/86-01/11/88	1	3	
CUIS0021	No	82246	NATURAL SUBSTRATE,DIVERSITY INDEX	11/10/86-01/11/88	1	3	
CUIS0009	No	82250	NATURAL SUBSTRATE - NUMBER OF SPECIES	07/13/81-07/13/81	0	1	
CUIS0017	No	82250	NATURAL SUBSTRATE - NUMBER OF SPECIES	11/10/86-09/13/88	1	4	
CUIS0018	No	82250	NATURAL SUBSTRATE - NUMBER OF SPECIES	11/10/86-01/11/88	1	3	
CUIS0021	No	82250	NATURAL SUBSTRATE - NUMBER OF SPECIES	11/10/86-01/11/88	1	3	
CUIS0008	No	82903	DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE METERS	05/19/92-08/18/92	0	2	
CUIS0025	No	82903	DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE METERS	05/19/92-01/18/93	0	3	
CUIS0009	No	83500	SAMPLE, AREA SQUARE CENTIMETERS	07/13/81-07/13/81	0	3	
CUIS0017	No	83500	SAMPLE, AREA SQUARE CENTIMETERS	10/24/78-09/13/88	9	6	
CUIS0018	No	83500	SAMPLE, AREA SQUARE CENTIMETERS	11/10/86-01/11/88	1	3	
CUIS0026	No	84007	ANATOMY ALPHA CODE	05/19/88-05/19/88	0	6	
CUIS0026	No	85675	TRICHLOROBENZENE,1,3,5- TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	85676	TRICHLOROBENZENE,1,2,3- TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	85677	TETRACHLOROBENZENE,1,2,4,5- TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	85678	TETRACHLOROBENZENE,1,2,3,5- TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	85679	PENTACHLOROBENZENE TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	85680	DIPHENYL DISULFIDE TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	85681	OCTACHLOROSTYRENE TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	85682	NITROFEN TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	85683	PERTHANE TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	0	4	
CUIS0026	No	85684	DICOFOL (KELTHANE) TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	0	4	

¹T=Time Series Plot, A=Annual Plot, S=Seasonal Plot

Station-By-Station Results

Station Inventory for Station: CUIS0001

NPS Station ID: CUIS0001 Location: AMELIA R. 200 YDS WEST CM 30 Station Type: /TYPA/AMBNT/ESTURY/BIO RMI-Indexes: RMI-Miles: HUC: 03070204 Major Basin: SOUTH-EAST Minor Basin: NASSAU-ST MARYS RF1 Index: 03070204031 RF3 Index: 03070204002903.06 Description: SEGMENT 19.1AA BODY OF WATER' RIVER, AMELIA NEAR MOUTH OF BELLS RIVER	LAT/LON: 30.671949/ -81.469726 Depth of Water: 14 Elevation: 0 RF1 Mile Point: 1.290 RF3 Mile Point: 3.65	Agency: 21FLA FIPS State/County: 12089 FLORIDA/NASSAU STORET Station ID(s): 19010057 Within Park Boundary: No Aquifer: Water Body Id: ECO Region: Distance from RF1: 0.00 Distance from RF3: 0.06 On/Off RF1: ON On/Off RF3:
--	---	--

Parameter Inventory for Station: CUIS0001

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	16	27.75	27.881	29.4	26.9	0.68	0.825	26.97	27.025	28.7	29.05
00094 SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	16	45700.	46781.25	52000.	44300.	5825625.	2413.633	44370.	45400.	47875.	51230.
00300 OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	15	4.5	4.253	5.7	2.5	0.971	0.986	2.56	3.6	4.8	5.52
00310 BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	15	0.7	0.773	1.4	0.2	0.111	0.333	0.26	0.6	0.9	1.34
00400 PH (STANDARD UNITS)	07/28/82-08/20/82	16	7.885	7.854	8.32	6.9	0.114	0.338	7.39	7.7	8.075	8.306
00400 CONVERTED PH (STANDARD UNITS)	07/28/82-08/20/82	16	7.885	7.685	8.32	6.9	0.145	0.38	7.39	7.7	8.075	8.306
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/28/82-08/20/82	16	0.013	0.021	0.126	0.005	0.001	0.029	0.005	0.008	0.02	0.055
00480 SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	16	30.3	31.206	35.1	29.6	2.862	1.692	29.74	30.05	32.3	34.61
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	16	0.07	0.104	0.3	0.005	0.009	0.093	0.005	0.035	0.19	0.265
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	16	0.665	0.782	1.62	0.22	0.181	0.425	0.227	0.455	1.105	1.515
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	16	0.035	0.046	0.12	0.001	0.002	0.043	0.001	0.003	0.093	0.113
00665 PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	16	0.261	0.273	0.348	0.213	0.001	0.038	0.227	0.243	0.303	0.338
00680 CARBON, TOTAL ORGANIC (MG/L AS C)	07/28/82-07/29/82	4	5.	5.25	8.	3.	4.25	2.062	**	**	**	**
00945 SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	8	2384.	2397.125	2631.	2247.	14568.411	120.7	**	**	**	**
31505 COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	07/28/82-08/20/82	16	150.	282.5	1600.	1.	179090.	423.19	8.7	23.25	240.	1124.
31505 LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	07/28/82-08/20/82	16	2.172	1.98	3.204	0.	0.641	0.8	0.755	1.366	2.38	3.036
31505 GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			95.554								
31615 FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	16	14.5	52.25	240.	1.	5535.4	74.4	1.	2.75	115.	191.
31615 LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	16	1.155	1.158	2.38	0.	0.646	0.804	0.	0.401	2.047	2.275
31615 GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			14.376								
70507 PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	16	0.036	0.037	0.071	0.007	0.	0.019	0.008	0.024	0.052	0.065

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0001

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
00300 OXYGEN, DISSOLVED	Other-Lo Lim.	4.	15	5	0.33	15	5	0.33	15	5	0.33	15	5	0.33	15	5	0.33
00400 PH	Other-Hi Lim.	9.	16	0	0.00	16	0	0.00	16	0	0.00	16	0	0.00	16	0	0.00
	Other-Lo Lim.	6.5	16	0	0.00	16	0	0.00	16	0	0.00	16	0	0.00	16	0	0.00

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CUIS0001

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
							Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
31505	COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	16	1	0.06	16	1	0.06									
31615	FECAL COLIFORM, MPN	Other-Hi Lim.	200.	16	1	0.06	16	1	0.06									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0002

NPS Station ID: CUIS0002 Location: AMELIA RIVER AT CM 30 Station Type: /TYPA/AMBNT/ESTURY/BIO RMI-Indexes: RMI-Miles: HUC: 03070204 Major Basin: SOUTH-EAST Minor Basin: NASSAU-ST MARYS RF1 Index: 03070204031 RF3 Index: 03070204034700.00 Description: SEGMENT 19.1AA BODY OF WATER' RIVER, AMELIA MARKER 22	LAT/LON: 30.673059/ -81.467781 Depth of Water: 10 Elevation: 0 RF1 Mile Point: 1.290 RF3 Mile Point: 0.30	Agency: 21FLA FIPS State/County: 12089 FLORIDA/NASSAU STORET Station ID(s): 19020007 Within Park Boundary: No Aquifer: Water Body Id: ECO Region: Distance from RF1: 0.00 Distance from RF3: 0.02
		Date Created: / / On/Off RF1: ON On/Off RF3:

Parameter Inventory for Station: CUIS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	05/22/69-05/13/85	62	25.55	23.121	30.	8.	30.558	5.528	14.86	18.625	27.4	28.51
00055 VELOCITY, STREAM FT/SEC	03/29/78-05/13/85	7	1.	0.9	1.5	0.3	0.167	0.408	**	**	**	**
00070 TURBIDITY, (JACKSON CANDLE UNITS)	03/20/72-06/24/74	17	4.8	5.612	11.	1.7	6.155	2.481	3.06	3.5	7.	10.2
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	10/31/77-05/13/85	16	7.	9.125	23.	1.5	47.391	6.884	1.85	3.825	14.75	22.3
00078 TRANSPARENCY, SECCHI DISC (METERS)	09/20/76-05/13/85	20	0.845	0.914	1.9	0.6	0.097	0.312	0.601	0.685	1.	1.29
00080 COLOR (PLATINUM-COBALT UNITS)	05/22/69-06/24/74	17	50.	60.	200.	10.	2500.	50.	10.	30.	70.	160.
00081 COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	10/31/77-05/13/85	16	30.	35.	80.	10.	476.667	21.833	10.	16.25	47.5	80.
00094p SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/20/76-05/13/85	38	43550.	43165.	52000.	31000.	22432895.946	4736.338	37700.	39825.	46525.	49730.
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/20/72-05/13/85	27	39000.	37375.444	50000.	37.	98751826.487	9937.395	28160.	33000.	44000.	47360.
00299 OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	09/20/76-05/17/82	7	6.1	5.286	9.	0.	9.105	3.017	**	**	**	**
00300p OXYGEN, DISSOLVED MG/L	05/22/69-05/13/85	60	5.1	4.948	8.8	0.	4.718	2.172	1.06	3.8	6.375	7.59
00310p BOD, 5 DAY, 20 DEG C MG/L	05/22/69-05/13/85	54	1.4	2.226	16.	0.2	7.677	2.771	0.5	0.7	2.425	6.
00340 COD, .25N K2CR2O7 MG/L	05/22/69-02/12/73	7	213.	361.714	949.	47.	121656.571	348.793	**	**	**	**
00400p PH (STANDARD UNITS)	05/22/69-05/13/85	56	7.6	7.48	8.32	5.4	0.312	0.559	6.9	7.213	7.8	8.035
00400p CONVERTED PH (STANDARD UNITS)	05/22/69-05/13/85	56	7.6	6.82	8.32	5.4	0.755	0.869	6.9	7.212	7.8	8.035
00400p MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	05/22/69-05/13/85	56	0.025	0.151	3.981	0.005	0.325	0.57	0.009	0.016	0.061	0.126
00403 PH, LAB, STANDARD UNITS SU	11/27/73-05/13/85	18	7.8	7.856	8.2	7.4	0.038	0.195	7.58	7.775	8.	8.11
00403 CONVERTED PH, LAB, STANDARD UNITS	11/27/73-05/13/85	18	7.8	7.812	8.2	7.4	0.04	0.2	7.58	7.775	8.	8.11
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/27/73-05/13/85	18	0.016	0.015	0.04	0.006	0.	0.008	0.008	0.01	0.017	0.027
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	03/20/72-11/07/73	13	90.	71.923	130.	8.	2768.077	52.613	8.4	11.5	125.5	130.
00435 ACIDITY, TOTAL (MG/L AS CaCO3)	03/20/72-01/07/74	14	9.5	29.786	120.	0.	1779.104	42.179	0.	4.	50.	109.
00480 SALINITY - PARTS PER THOUSAND	05/26/81-05/13/85	26	30.7	31.188	36.	22.	7.575	2.752	28.97	30.	33.05	35.
00500 RESIDUE, TOTAL (MG/L)	05/22/69-05/23/73	11	35490.	33043.636	38560.	21750.	36020885.455	6001.74	21892.	30160.	37750.	38560.
00505 RESIDUE, TOTAL VOLATILE (MG/L)	05/22/69-05/23/73	10	5646.	5925.6	8720.	3206.	3056586.711	1748.31	3342.5	4572.5	7403.25	8690.4
00510 RESIDUE, TOTAL FIXED (MG/L)	03/20/72-05/23/73	8	28080.	26195.	32300.	15400.	38594571.429	6212.453	**	**	**	**
00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	03/20/72-05/23/73	8	33320.	31771.25	38510.	21690.	44718526.786	6687.191	**	**	**	**
00530p RESIDUE, TOTAL NONFILTRABLE (MG/L)	05/22/69-05/13/85	34	51.5	63.676	164.	9.	2060.225	45.39	10.5	21.25	99.25	126.
00535p RESIDUE, VOLATILE NONFILTRABLE (MG/L)	05/22/69-05/13/85	34	15.5	15.235	37.	1.	77.701	8.815	3.5	8.75	21.	26.
00540 RESIDUE, FIXED NONFILTRABLE (MG/L)	09/27/72-05/13/85	31	43.	52.032	145.	4.	1613.032	40.163	6.2	18.	80.	105.8
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	10/31/77-05/13/85	31	0.18	0.175	0.64	0.005	0.03	0.173	0.005	0.005	0.27	0.466
00615 NITRITE NITROGEN, TOTAL (MG/L AS N)	04/14/82-05/02/83	4	0.015	0.014	0.02	0.005	0.	0.008	**	**	**	**
00620 NITRATE NITROGEN, TOTAL (MG/L AS N)	03/20/72-03/02/81	20	0.065	0.123	0.665	0.	0.039	0.199	0.	0.003	0.1	0.591
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	10/31/77-05/13/85	32	0.93	1.124	5.19	0.005	1.084	1.041	0.235	0.48	1.265	2.348

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CUIS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/06/81-05/13/85	25	0.02	0.037	0.11	0.001	0.001	0.036	0.001	0.008	0.065	0.1
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	05/17/82-05/17/82	1	0.02	0.02	0.02	0.02	0.	0.	**	**	**	**
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	03/20/72-03/20/72	1	1.8	1.8	1.8	1.8	0.	0.	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/20/72-03/20/72	1	1.2	1.2	1.2	1.2	0.	0.	**	**	**	**
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	03/20/72-05/13/85	41	0.17	0.198	0.62	0.005	0.022	0.148	0.03	0.08	0.313	0.356
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	11/27/73-02/02/83	17	6.	6.059	9.	3.	3.934	1.983	3.	4.	7.	9.
00900	HARDNESS, TOTAL (MG/L AS CaCO3)	03/20/72-01/07/74	11	5400.	4746.	6800.	6.	3333036.	1825.66	644.8	4200.	5700.	6600.
00940	CHLORIDE, TOTAL IN WATER MG/L	03/20/72-05/02/83	18	17500.	15614.889	20800.	17.	25317989.399	5031.698	8596.7	13137.5	18347.5	20800.
00945	SULFATE, TOTAL (MG/L AS SO4)	07/28/82-05/02/83	9	2447.	2402.778	2693.	2000.	35862.944	189.375	2000.	2319.	2508.	2693.
00951	FLUORIDE, TOTAL (MG/L AS F)	01/25/82-04/14/82	2	0.745	0.745	0.77	0.72	0.001	0.035	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	07/29/82-07/29/82	1 ##	25.	25.	25.	25.	0.	0.	**	**	**	**
01012	BERYLLIUM, TOTAL (UG/L AS BE)	07/29/82-07/29/82	1 ##	12.5	12.5	12.5	12.5	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	07/29/82-07/29/82	1 ##	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	07/29/82-07/29/82	1 ##	25.	25.	25.	25.	0.	0.	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	07/29/82-07/29/82	1 ##	7.5	7.5	7.5	7.5	0.	0.	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	10/31/77-10/31/77	1	320.	320.	320.	320.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	07/29/82-07/29/82	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01059	THALLIUM, TOTAL (UG/L AS TL)	07/29/82-07/29/82	1 ##	50.	50.	50.	50.	0.	0.	**	**	**	**
01067	NICKEL, TOTAL (UG/L AS NI)	07/29/82-07/29/82	1 ##	25.	25.	25.	25.	0.	0.	**	**	**	**
01077	SILVER, TOTAL (UG/L AS AG)	07/29/82-07/29/82	1	20.	20.	20.	20.	0.	0.	**	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	07/29/82-07/29/82	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
01097	ANTIMONY, TOTAL (UG/L AS SB)	07/29/82-07/29/82	1 ##	100.	100.	100.	100.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	07/29/82-07/29/82	1	50.	50.	50.	50.	0.	0.	**	**	**	**
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	05/22/69-05/13/85	56	595.	2320.446	28000.	2.	23799683.924	4878.492	13.	132.5	2225.	5800.
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	05/22/69-05/13/85	56	2.768	2.616	4.447	0.301	0.972	0.986	1.114	2.122	3.343	3.752
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	05/22/69-05/13/85	56	2.768	2.616	4.447	0.301	0.972	0.986	1.114	2.122	3.343	3.752
31614	FECAL COLIFORM,MPN,TUBE CONFIGURATION	05/22/69-06/24/74	15	14.	225.8	2300.	1.	346777.886	588.878	1.6	4.	170.	1214.
31614	LOG FECAL COLIFORM,MPN,TUBE CONFIGURATION	05/22/69-06/24/74	15	1.146	1.35	3.362	0.	0.989	0.994	0.181	0.602	2.23	2.959
31614	GM FECAL COLIFORM,MPN,TUBE CONFIGURATION	05/22/69-06/24/74	15	1.146	1.35	3.362	0.	0.989	0.994	0.181	0.602	2.23	2.959
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	05/22/69-05/13/85	48	39.5	601.729	18000.	1.	6783144.67	2604.447	1.9	5.	307.5	1120.
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	05/22/69-05/13/85	48	1.591	1.613	4.255	0.	1.081	1.039	0.271	0.699	2.484	3.049
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	05/22/69-05/13/85	48	1.591	1.613	4.255	0.	1.081	1.039	0.271	0.699	2.484	3.049
32230	CHLOROPHYLL A (MG/L)	11/27/73-12/04/73	2	0.001	0.001	0.001	0.001	0.	0.	**	**	**	**
32231	CHLOROPHYLL B (MG/L)	11/27/73-12/04/73	2	0.	0.	0.	0.	0.	0.	**	**	**	**
32232	CHLOROPHYLL C (MG/L)	11/27/73-12/04/73	2	0.003	0.003	0.006	0.001	0.	0.004	**	**	**	**
32240	TANNIN AND LIGNIN (MG/L)	05/22/69-05/23/69	2	5.1	5.1	5.4	4.8	0.18	0.424	**	**	**	**
70507p	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/20/72-08/20/82	32	0.024	0.041	0.39	0.003	0.004	0.067	0.01	0.016	0.04	0.07
71900	MERCURY, TOTAL (UG/L AS HG)	07/29/82-07/29/82	1 ##	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**
72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	10/31/77-05/13/85	23	15.1	15.161	21.	6.	15.061	3.881	8.68	12.5	17.7	20.42

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0002

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----	-----10/01-11/30-----	-----12/01-4/09-----	-----4/10-5/31-----
00070	TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim.	50.	17	0	0.00	5	0	0.00
00076	TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim.	50.	16	0	0.00	3	0	0.00
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE	Other-Lo Lim.	4.	7	2	0.29	2	2	1.00
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	60	16	0.27	31	10	0.32
00400	PH	Other-Hi Lim.	9.	56	0	0.00	29	0	0.00
		Other-Lo Lim.	6.5	56	3	0.05	29	0	0.00
00403	PH, LAB	Other-Hi Lim.	9.	18	0	0.00	3	0	0.00
		Other-Lo Lim.	6.5	18	0	0.00	3	0	0.00
01002	ARSENIC, TOTAL	Marine Acute	69.	1	0	0.00	1	0	0.00
01027	CADMIUM, TOTAL	Marine Acute	43.	1	0	0.00	1	0	0.00
01042	COPPER, TOTAL	Marine Acute	2.9	0 &	0	0.00	0	0.00	
01051	LEAD, TOTAL	Marine Acute	220.	1	0	0.00	1	0	0.00
01059	THALLIUM, TOTAL	Marine Acute	2130.	1	0	0.00	1	0	0.00
01067	NICKEL, TOTAL	Marine Acute	75.	1	0	0.00	1	0	0.00

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CUIS0002


Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
01077 SILVER, TOTAL	Marine Acute	0.12	1	1	1.00	1	1	1.00									
01092 ZINC, TOTAL	Marine Acute	95.	1	0	0.00	1	0	0.00									
01097 ANTIMONY, TOTAL	Marine Acute	1500.	1	0	0.00	1	0	0.00									
01147 SELENIUM, TOTAL	Marine Acute	300.	1	0	0.00	1	0	0.00									
31505 COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	56	21	0.38	29	10	0.34	5	2	0.40	13	6	0.46	9	3	0.33
31614 FECAL COLIFORM, MPN, TUBE CONFIGURATION	Other-Hi Lim.	200.	15	3	0.20	4	0	0.00	4	0	0.00	4	1	0.25	3	2	0.67
31615 FECAL COLIFORM, MPN	Other-Hi Lim.	200.	48	15	0.31	23	5	0.22	5	0	0.00	12	6	0.50	8	4	0.50
71900 MERCURY, TOTAL	Marine Acute	2.1	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station: CUIS0002 Parameter Code: 00094

SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @


(X 1000)



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 00300


OXYGEN, DISSOLVED



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 00310


BOD, 5 DAY, 20 DEG C



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 00400


PH (STANDARD UNITS)



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 00530


RESIDUE, TOTAL NONFILTRABLE (MG/L)



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 00535


RESIDUE, VOLATILE NONFILTRABLE (MG/L)



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 00665


PHOSPHORUS, TOTAL (MG/L AS P)



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 31505


LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 31615


LOG FECAL COLIFORM,MPN,EC MED,44.5C <TU



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 70507

PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/



AMELIA RIVER AT CM 30

Seasonal Analysis for Season #1: 6/01 to 9/30 - Station CUIS0002

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	05/22/69-05/13/85	31	27.4	27.397	30.	25.3	1.464	1.21	25.64	26.6	28.1	29.08
00300p	OXYGEN, DISSOLVED MG/L	05/22/69-05/13/85	31	4.6	4.465	6.5	1.	1.896	1.377	2.56	3.5	5.5	6.1
00310p	BOD, 5 DAY, 20 DEG C MG/L	05/22/69-05/13/85	24	1.	1.071	2.4	0.2	0.362	0.602	0.3	0.525	1.6	1.8
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	05/22/69-05/13/85	8	70.5	85.	164.	12.	3044.286	55.175	**	**	**	**
00535p	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	05/22/69-05/13/85	8	20.	20.375	37.	5.	92.554	9.62	**	**	**	**
00620p	NITRATE NITROGEN, TOTAL (MG/L AS N)	03/20/72-03/02/81	4	0.028	0.021	0.03	0.	0.	0.014	**	**	**	**
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	05/22/69-05/13/85	29	350.	1094.172	7900.	2.	2635761.433	1623.503	13.	71.5	1650.	2400.
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	05/22/69-05/13/85	29	2.544	2.446	3.898	0.301	0.884	0.94	1.114	1.78	3.217	3.38
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			279.244								
70507p	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/20/72-08/20/82	19	0.028	0.032	0.073	0.007	0.	0.018	0.01	0.019	0.041	0.063

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #2: 10/01 to 11/30 - Station CUIS0002

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	05/22/69-05/13/85	6	20.75	21.5	25.5	20.	4.4	2.098	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	05/22/69-05/13/85	6	5.05	4.25	7.5	0.3	11.187	3.345	**	**	**	**
00310p	BOD, 5 DAY, 20 DEG C MG/L	05/22/69-05/13/85	6	2.3	2.917	9.	0.6	9.666	3.109	**	**	**	**
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	05/22/69-05/13/85	5	10.	51.2	129.	9.	3399.2	58.303	**	**	**	**
00535p	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	05/22/69-05/13/85	5	5.	10.8	23.	3.	89.2	9.445	**	**	**	**
00620p	NITRATE NITROGEN, TOTAL (MG/L AS N)	03/20/72-03/02/81	4	0.065	0.058	0.1	0.003	0.002	0.041	**	**	**	**
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	05/22/69-05/13/85	5	490.	3688.6	13000.	4.	31305916.8	5595.169	**	**	**	**
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	05/22/69-05/13/85	5	2.69	2.557	4.114	0.602	2.075	1.44	**	**	**	**
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			360.843								
70507p	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/20/72-08/20/82	5	0.02	0.018	0.035	0.003	0.	0.012	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #3: 12/01 to 4/09 - Station CUIS0002

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	05/22/69-05/13/85	16	15.25	15.188	21.	8.	9.759	3.124	10.1	13.125	17.3	19.6
00300p	OXYGEN, DISSOLVED MG/L	05/22/69-05/13/85	14	7.3	6.543	8.8	0.	5.275	2.297	2.45	4.975	7.925	8.7
00310p	BOD, 5 DAY, 20 DEG C MG/L	05/22/69-05/13/85	15	2.3	2.907	8.8	0.7	5.438	2.332	0.88	1.2	3.5	7.12
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	05/22/69-05/13/85	12	58.5	57.417	117.	11.	1158.083	34.031	11.	31.25	86.5	111.9
00535p	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	05/22/69-05/13/85	12	19.	15.667	31.	1.	92.606	9.623	1.	5.5	22.5	28.9
00620p	NITRATE NITROGEN, TOTAL (MG/L AS N)	03/20/72-03/02/81	10	0.095	0.214	0.665	0.003	0.064	0.252	0.003	0.053	0.468	0.66
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	05/22/69-05/13/85	13	790.	3277.692	28000.	110.	57129769.231	7558.424	118.	195.	2350.	18760.
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	05/22/69-05/13/85	13	2.898	2.933	4.447	2.041	0.472	0.687	2.07	2.289	3.332	4.144
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			856.14								
70507p	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/20/72-08/20/82	6	0.024	0.083	0.39	0.01	0.023	0.151	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #4: 4/10 to 5/31 - Station CUIS0002

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	05/22/69-05/13/85	9	24.1	23.578	26.1	17.5	7.539	2.746	17.5	22.25	25.5	26.1
00300p	OXYGEN, DISSOLVED MG/L	05/22/69-05/13/85	9	5.2	4.6	7.5	0.3	6.263	2.502	0.3	2.65	6.	7.5
00310p	BOD, 5 DAY, 20 DEG C MG/L	05/22/69-05/13/85	9	1.2	3.711	16.	0.5	26.551	5.153	0.5	0.85	5.25	16.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	05/22/69-05/13/85	9	33.	60.	123.	19.	1916.75	43.781	19.	20.5	105.	123.
00535p	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	05/22/69-05/13/85	9	13.	12.556	19.	4.	20.528	4.531	4.	10.	16.	19.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot


Seasonal Analysis for Season #4: 4/10 to 5/31 - Station CUIS0002

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00620p NITRATE NITROGEN, TOTAL (MG/L AS N)	03/20/72-03/02/81	2	0.	0.	0.	0.	0.	0.	**	**	**	**
31505p COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	05/22/69-05/13/85	9	790.	4129.	17000.	2.	41260317.	6423.419	2.	94.5	8950.	17000.
31505p LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	05/22/69-05/13/85	9	2.898	2.74	4.23	0.301	1.558	1.248	0.301	1.918	3.902	4.23
31505p GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			549.174								
70507p PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/20/72-08/20/82	2	0.05	0.05	0.088	0.011	0.003	0.054	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Station: CUIS0002 Parameter Code: 00300


OXYGEN, DISSOLVED



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 00310


BOD, 5 DAY, 20 DEG C



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 00530


RESIDUE, TOTAL NONFILTRABLE (MG/L)



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 00535


RESIDUE, VOLATILE NONFILTRABLE (MG/L)



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 00620


NITRATE NITROGEN, TOTAL (MG/L AS N)



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 31505


LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C



AMELIA RIVER AT CM 30

Station: CUIS0002 Parameter Code: 70507

PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/



AMELIA RIVER AT CM 30

Station Inventory for Station: CUIS0003

NPS Station ID: CUIS0003 Location: AMELIA R. 200 YDS EAST CM 30 Station Type: /TYPA/AMBNT/ESTURY/BIO RMI-Indexes: RMI-Miles: HUC: 03070204 Major Basin: SOUTH-EAST Minor Basin: NASSAU-ST MARYS RF1 Index: 03070204031 RF3 Index: 03070204034700.00 Description: SEGMENT 19.1AA BODY OF WATER' RIVER, AMELIA NEAR MARINE WELCOME STATION	LAT/LON: 30.673337/ -81.466392 Depth of Water: 14 Elevation: 0 RF1 Mile Point: 1.540 RF3 Mile Point: 2.05	Agency: 21FLA FIPS State/County: 12089 FLORIDA/NASSAU STORET Station ID(s): 19010058 Within Park Boundary: No Aquifer: Water Body Id: ECO Region: Distance from RF1: 0.00 Distance from RF3: 0.09 On/Off RF1: ON On/Off RF3:
--	---	--

Parameter Inventory for Station: CUIS0003

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	16	27.6	27.794	29.3	26.8	0.723	0.85	26.87	27.	28.575	29.23
00094 SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	16	45950.	47231.25	51700.	44700.	5199625.	2280.269	45120.	45500.	48675.	51420.
00300 OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	16	4.7	4.388	6.3	2.5	1.251	1.118	2.5	3.375	4.9	5.74
00310 BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	16	0.95	0.975	1.8	0.4	0.171	0.414	0.47	0.625	1.275	1.73
00400 PH (STANDARD UNITS)	07/28/82-08/20/82	16	7.9	7.865	8.3	6.9	0.112	0.335	7.39	7.7	8.092	8.265
00400 CONVERTED PH (STANDARD UNITS)	07/28/82-08/20/82	16	7.9	7.693	8.3	6.9	0.144	0.379	7.39	7.7	8.092	8.265
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/28/82-08/20/82	16	0.013	0.02	0.126	0.005	0.001	0.029	0.005	0.008	0.02	0.055
00480 SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	16	30.6	31.556	34.9	29.8	3.167	1.78	29.94	30.05	32.85	34.83
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	16	0.2	0.204	0.59	0.005	0.028	0.166	0.005	0.058	0.268	0.499
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	16	0.695	0.778	1.55	0.27	0.155	0.394	0.319	0.453	1.133	1.389
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	16	0.03	0.037	0.11	0.001	0.001	0.037	0.001	0.006	0.058	0.103
00665 PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	16	0.286	0.276	0.339	0.175	0.002	0.049	0.177	0.247	0.308	0.338
00680 CARBON, TOTAL ORGANIC (MG/L AS C)	07/28/82-07/29/82	4	6.	5.	6.	2.	4.	2.	**	**	**	**
00945 SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	8	2415.5	2436.125	2755.	2195.	36370.411	190.71	**	**	**	**
31505 COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	07/28/82-08/20/82	15	920.	1214.067	2400.	2.	927716.924	963.181	30.2	170.	2400.	2400.
31505 LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	07/28/82-08/20/82	15	2.964	2.743	3.38	0.301	0.717	0.847	1.135	2.23	3.38	3.38
31505 GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			553.337								
31615 FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	15	49.	336.2	2400.	2.	391104.743	625.384	7.4	13.	350.	1512.
31615 LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	15	1.69	1.886	3.38	0.301	0.728	0.853	0.745	1.114	2.544	3.13
31615 GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			76.86								
70507 PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	16	0.034	0.038	0.07	0.012	0.	0.017	0.016	0.027	0.049	0.069

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0003

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
00300 OXYGEN, DISSOLVED	Other-Lo Lim.	4.	16	4	0.25	16	4	0.25									
00400 PH	Other-Hi Lim.	9.	16	0	0.00	16	0	0.00									
	Other-Lo Lim.	6.5	16	0	0.00	16	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CUIS0003

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
							Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
31505	COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	15	6	0.40	15	6	0.40									
31615	FECAL COLIFORM, MPN	Other-Hi Lim.	200.	15	6	0.40	15	6	0.40									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0004

NPS Station ID: CUIS0004
 Location: BELLS RIVER AT MOUTH
 Station Type: /TYPA/AMBNT/ESTURY/BIO
 RMI-Indexes:
 RMI-Miles:
 HUC: 03070204
 Major Basin: SOUTH-EAST
 Minor Basin: NASSAU-ST MARYS
 RF1 Index: 03070204031
 RF3 Index: 03070204002901.47

LAT/LON: 30.673615/ -81.477782

Agency: 21FLA
 FIPS State/County: 12089 FLORIDA/NASSAU
 STORET Station ID(s): 19010056
 Within Park Boundary: No

Date Created: 10/23/82

Depth of Water: 54
 Elevation: 0

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.11

On/Off RF1: OFF
 On/Off RF3:

Description:
 SEGMENT 19.1AA BODY OF WATER' RIVER, BELLS MOUTH OF BELLS RIVER 100 YDS OFF SOUTHERN POINT OF LITTLE TIGER
 ISLAND BEARING 210 MAGNETIC

Parameter Inventory for Station: CUIS0004

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	16	27.9	27.95	29.4	26.8	0.801	0.895	26.87	27.025	28.825	29.33
00094 SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	16	45650.	46275.	51600.	44100.	4850000.	2202.272	44100.	44925.	46825.	51180.
00300 OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	16	4.8	4.275	6.2	2.5	1.289	1.135	2.57	2.875	4.875	5.5
00310 BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	16	0.8	0.863	1.8	0.2	0.24	0.49	0.2	0.55	1.15	1.8
00400 PH (STANDARD UNITS)	07/28/82-08/20/82	16	7.885	7.827	8.32	6.8	0.136	0.369	7.29	7.625	7.988	8.32
00400 CONVERTED PH (STANDARD UNITS)	07/28/82-08/20/82	16	7.885	7.625	8.32	6.8	0.179	0.424	7.29	7.625	7.988	8.32
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/28/82-08/20/82	16	0.013	0.024	0.158	0.005	0.001	0.037	0.005	0.01	0.024	0.07
00480 SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	16	30.3	31.038	35.2	29.6	2.972	1.724	29.6	30.	31.9	34.92
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	16 ##	0.028	0.063	0.25	0.005	0.006	0.078	0.005	0.005	0.098	0.229
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	16	0.815	0.948	2.08	0.38	0.266	0.516	0.401	0.538	1.225	1.996
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	16	0.03	0.048	0.13	0.001	0.002	0.045	0.001	0.009	0.095	0.123
00665 PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	16	0.276	0.287	0.398	0.209	0.003	0.051	0.23	0.247	0.319	0.371
00680 CARBON, TOTAL ORGANIC (MG/L AS C)	07/28/82-07/29/82	4	6.	7.	11.	5.	8.	2.828	**	**	**	**
00945 SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	8	2384.	2421.875	2569.	2257.	9948.411	99.742	**	**	**	**
31505 COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	07/28/82-08/20/82	14	49.	116.643	540.	1.	21461.786	146.498	7.5	18.75	170.	410.
31505 LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	07/28/82-08/20/82	14	1.69	1.705	2.732	0.	0.482	0.694	0.573	1.27	2.23	2.59
31505 GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			50.657								
31615 FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	14	13.	39.	170.	1.	2712.923	52.086	1.5	4.75	54.25	150.
31615 LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	14	1.113	1.187	2.23	0.	0.449	0.67	0.151	0.675	1.729	2.172
31615 GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			15.377								
70507 PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	16	0.036	0.04	0.085	0.002	0.	0.021	0.013	0.029	0.058	0.075

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0004

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
00300 OXYGEN, DISSOLVED	Other-Lo Lim.	4.	16	5	0.31	16	5	0.31	16	5	0.31	16	5	0.31	16	5	0.31
00400 PH	Other-Hi Lim.	9.	16	0	0.00	16	0	0.00	16	0	0.00	16	0	0.00	16	0	0.00
	Other-Lo Lim.	6.5	16	0	0.00	16	0	0.00	16	0	0.00	16	0	0.00	16	0	0.00

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CUIS0004

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
							Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
31505	COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	14	0	0.00	14	0	0.00									
31615	FECAL COLIFORM, MPN	Other-Hi Lim.	200.	14	0	0.00	14	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0005

NPS Station ID: CUIS0005
Location: AMELIA R 1/4 MILE NORTH OF ITTRA
Station Type: /TYPA/AMBNT/ESTURY/BIO
RMI-Indexes:
RMI-Miles:
HUC: 03070204
Major Basin: SOUTH-EAST
Minor Basin: NASSAU-ST MARYS
RF1 Index: 03070204031
RF3 Index: 03070204023100.00
Description:
SEGMENT 19.1AA BODY OF WATER: RIVER, AMELIA
EFFLUENT OUTFALL INTENSIVE SURVEY STATION NO 19

LAT/LON: 30.673892/ -81.466309

Depth of Water: 0
Elevation: 0

RF1 Mile Point: 1.540
RF3 Mile Point: 0.42

Agency: 21FLA
FIPS State/County: 12089 FLORIDA/NASSAU
STORET Station ID(s): 19010033
Within Park Boundary: No

Aquifer:
Water Body Id:
ECO Region:
Distance from RF1: 0.00
Distance from RF3: 0.02

Date Created: / /

On/Off RF1: ON
On/Off RF3:

Parameter Inventory for Station: CUIS0005

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/26/75-03/26/75	1	17.2	17.2	17.2	17.2	0.	0.	**	**	**
00061	FLOW, STREAM, INSTANTANEOUS CFS	03/26/75-03/26/75	1	2.	2.	2.	2.	0.	0.	**	**	**
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/26/75-03/26/75	1	30000.	30000.	30000.	30000.	0.	0.	**	**	**
00300	OXYGEN, DISSOLVED MG/L	03/26/75-03/26/75	1	8.2	8.2	8.2	8.2	0.	0.	**	**	**
00310	BOD, 5 DAY, 20 DEG C MG/L	03/26/75-03/26/75	1	2.6	2.6	2.6	2.6	0.	0.	**	**	**
00400	PH (STANDARD UNITS)	03/26/75-03/26/75	1	7.92	7.92	7.92	7.92	0.	0.	**	**	**
00400	CONVERTED PH (STANDARD UNITS)	03/26/75-03/26/75	1	7.92	7.92	7.92	7.92	0.	0.	**	**	**
00400	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/26/75-03/26/75	1	0.012	0.012	0.012	0.012	0.	0.	**	**	**
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-03/26/75	1	0.41	0.41	0.41	0.41	0.	0.	**	**	**
00940	CHLORIDE, TOTAL IN WATER MG/L	03/26/75-03/26/75	1	16700.	16700.	16700.	16700.	0.	0.	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0005

Parameter		Std. Type	Std. Value	Total	Exceed	Prop.	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
				Obs	Standard	Exceeding	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	1	0	0.00							1	0	0.00			
00400	PH	Other-Hi Lim.	9.	1	0	0.00							1	0	0.00			
		Other-Lo Lim.	6.5	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0006

NPS Station ID: CUIS0006 Location: BELLS RIVER 1/4 MI ABOVE CONFLUE Station Type: /TYPA/AMBNT/ESTURY/BIO RMI-Indexes: RMI-Miles: HUC: 03070204 Major Basin: SOUTH-EAST Minor Basin: NASSAU-ST MARYS RF1 Index: 03070204028 RF3 Index: 03070204034700.00 Description: SEGMENT 19.1AA BODY OF WATER: RIVER, BELLS INTENSIVE SURVEY STATION 21	LAT/LON: 30.678726/ -81.480170 Depth of Water: 0 Elevation: 0 RF1 Mile Point: 0.010 RF3 Mile Point: 0.63	Agency: 21FLA FIPS State/County: 12089 FLORIDA/NASSAU STORET Station ID(s): 19010035 Within Park Boundary: No Aquifer: Water Body Id: ECO Region: Distance from RF1: 0.00 Distance from RF3: 0.06
---	--	---

Date Created: / /

On/Off RF1: ON
On/Off RF3:

BELLS RIVER 1/4 MILE ABOVE CONFLUENCE WITH LANCEFORD CREEK

Parameter Inventory for Station: CUIS0006

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/26/75-03/26/75	1	17.5	17.5	17.5	17.5	0.	0.	**	**	**	**
00061 FLOW, STREAM, INSTANTANEOUS CFS	03/26/75-03/26/75	1	2.	2.	2.	2.	0.	0.	**	**	**	**
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/26/75-03/26/75	1	29000.	29000.	29000.	29000.	0.	0.	**	**	**	**
00300 OXYGEN, DISSOLVED MG/L	03/26/75-03/26/75	1	7.6	7.6	7.6	7.6	0.	0.	**	**	**	**
00310 BOD, 5 DAY, 20 DEG C MG/L	03/26/75-03/26/75	1	1.5	1.5	1.5	1.5	0.	0.	**	**	**	**
00400 PH (STANDARD UNITS)	03/26/75-03/26/75	1	7.75	7.75	7.75	7.75	0.	0.	**	**	**	**
00400 CONVERTED PH (STANDARD UNITS)	03/26/75-03/26/75	1	7.75	7.75	7.75	7.75	0.	0.	**	**	**	**
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/26/75-03/26/75	1	0.018	0.018	0.018	0.018	0.	0.	**	**	**	**
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-03/26/75	1	0.67	0.67	0.67	0.67	0.	0.	**	**	**	**
00940 CHLORIDE, TOTAL IN WATER MG/L	03/26/75-03/26/75	1	17200.	17200.	17200.	17200.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0006

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
00300 OXYGEN, DISSOLVED	Other-Lo Lim.	4.	1	0	0.00	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00400 PH	Other-Hi Lim.	9.	1	0	0.00							1	0	0.00			
	Other-Lo Lim.	6.5	1	0	0.00							1	0	0.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0007

NPS Station ID: CUIS0007
Location: FERNANDINA BEA CITY SERV CO EFFL
Station Type: /MUN/PTRTMT/OUTFL/LAKE/OCEAN
RMI-Indexes:
RMI-Miles:
HUC: 03070204
Major Basin: SOUTH-EAST
Minor Basin: NASSAU-ST MARYS
RF1 Index: 03070204028
RF3 Index: 03070204000300.51
Description:
SEGMENT 19.1AA

LAT/LON: 30.679170/ -81.536115

Depth of Water: 0
Elevation: 0

RF1 Mile Point: 3.260
RF3 Mile Point: 6.45

FERNANDINA BEACH CITY SERVICE CO EFFLUENT NASSAU COUNTY

Agency: 21FLA
FIPS State/County: 12089 FLORIDA/NASSAU
STORET Station ID(s): 19011014
Within Park Boundary: No

Aquifer:
Water Body Id:
ECO Region:
Distance from RF1: 0.00
Distance from RF3: 0.04

On/Off RF1: OFF
On/Off RF3:

Date Created: / /

Parameter Inventory for Station: CUIS0007

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00070 TURBIDITY, (JACKSON CANDLE UNITS)	07/07/71-11/06/72	2	2530.	2530.	4100.	960.	4929800.	2220.315	**	**	**	**
00500 RESIDUE, TOTAL (MG/L)	07/07/71-07/07/71	1	99720.	99720.	99720.	99720.	0.	0.	**	**	**	**
00505 RESIDUE, TOTAL VOLATILE (MG/L)	07/07/71-11/06/72	2	48240.	48240.	55000.	41480.	91395200.	9560.084	**	**	**	**
00510 RESIDUE, TOTAL FIXED (MG/L)	07/07/71-11/06/72	2	75305.	75305.	105900.	44710.	1872108050.	43267.864	**	**	**	**
00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	07/07/71-07/07/71	1	99080.	99080.	99080.	99080.	0.	0.	**	**	**	**
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	07/07/71-11/06/72	2	16410.	16410.	32180.	640.	497385800.	22302.148	**	**	**	**
00546 RESIDUE, SETTLEABLE (MG/L)	07/07/71-07/07/71	1	3.	3.	3.	3.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0007

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
00070 TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim.	50.	2	2	1.00	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
						1	1	1.00	1	1	1.00						

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0008

NPS Station ID: CUIS0008	LAT/LON: 30.682504/ -81.480004	Agency: 21FLSJWM	Date Created: 08/01/92
Location: BELLS RIVER 200 M N OF MOUTH		FIPS State/County: 12089 FLORIDA/NASSAU	
Station Type: /TYPA/AMBNT/ESTURY		STORET Station ID(s): SM028	
RMI-Indexes:		Within Park Boundary: No	
RMI-Miles:			
HUC: 03070205	Depth of Water: 0	Aquifer:	
Major Basin:	Elevation: 0	Water Body Id:	
Minor Basin:		ECO Region:	
RF1 Index: 03070205	RF1 Mile Point: 0.000	Distance from RF1: 0.80	On/Off RF1:
RF3 Index: 03070204002603.36	RF3 Mile Point: 6.56	Distance from RF3: 0.07	On/Off RF3:
Description:			

Parameter Inventory for Station: CUIS0008

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	05/19/92-11/02/92	3	26.2	26.167	29.8	22.5	13.323	3.65	**	**	**	**
00078 TRANSPARENCY, SECCHI DISC (METERS)	05/19/92-08/18/92	2	0.75	0.75	1.	0.5	0.125	0.354	**	**	**	**
00080 COLOR (PLATINUM-COBALT UNITS)	05/19/92-11/02/92	3	20.	30.	50.	20.	300.	17.321	**	**	**	**
00094 SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	05/19/92-11/02/92	2	43800.	43800.	45700.	41900.	7220000.	2687.006	**	**	**	**
00299 OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	05/19/92-11/02/92	3	5.2	5.5	6.2	5.1	0.37	0.608	**	**	**	**
00400 PH (STANDARD UNITS)	05/19/92-11/02/92	3	7.2	7.167	7.3	7.	0.023	0.153	**	**	**	**
00400 CONVERTED PH (STANDARD UNITS)	05/19/92-11/02/92	3	7.2	7.148	7.3	7.	0.024	0.154	**	**	**	**
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	05/19/92-11/02/92	3	0.063	0.071	0.1	0.05	0.001	0.026	**	**	**	**
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	05/19/92-11/02/92	3	107.	107.333	109.	106.	2.333	1.528	**	**	**	**
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	05/19/92-11/02/92	3	40.	34.	41.	21.	127.	11.269	**	**	**	**
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	05/19/92-11/02/92	3	0.14	0.15	0.19	0.12	0.001	0.036	**	**	**	**
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	05/19/92-11/02/92	3	0.7	0.597	0.75	0.34	0.05	0.224	**	**	**	**
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	05/19/92-11/02/92	3 ##	0.02	0.035	0.07	0.015	0.001	0.03	**	**	**	**
00665 PHOSPHORUS, TOTAL (MG/L AS P)	05/19/92-11/02/92	2	0.071	0.071	0.073	0.068	0.	0.004	**	**	**	**
00680 CARBON, TOTAL ORGANIC (MG/L AS C)	05/19/92-11/02/92	3	6.4	6.7	8.2	5.5	1.89	1.375	**	**	**	**
00916 CALCIUM, TOTAL (MG/L AS Ca)	05/19/92-11/02/92	3	364.	348.667	366.	316.	801.333	28.308	**	**	**	**
00927 MAGNESIUM, TOTAL (MG/L AS MG)	05/19/92-11/02/92	3	1100.	1063.667	1120.	971.	6540.333	80.872	**	**	**	**
00929 SODIUM, TOTAL (MG/L AS Na)	05/19/92-11/02/92	2	8985.	8985.	9270.	8700.	162450.	403.051	**	**	**	**
00937 POTASSIUM, TOTAL MG/L AS K)	05/19/92-11/02/92	3	336.	331.333	350.	308.	457.333	21.385	**	**	**	**
00940 CHLORIDE, TOTAL IN WATER MG/L	05/19/92-11/02/92	3	17000.	17000.	18000.	16000.	1000000.	1000.	**	**	**	**
00945 SULFATE, TOTAL (MG/L AS SO4)	05/19/92-11/02/92	3	2200.	2266.667	2400.	2200.	13333.333	115.47	**	**	**	**
01042 COPPER, TOTAL (UG/L AS CU)	05/19/92-11/02/92	3 ##	5.	5.	7.5	2.5	6.25	2.5	**	**	**	**
01045 IRON, TOTAL (UG/L AS FE)	05/19/92-11/02/92	3	146.	346.333	754.	139.	124656.333	353.067	**	**	**	**
31616 FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	05/19/92-11/02/92	3	4.	11.	27.	2.	193.	13.892	**	**	**	**
31616 LOG FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	05/19/92-11/02/92	3	0.602	0.778	1.431	0.301	0.343	0.585	**	**	**	**
31616 GM FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	05/19/92-11/02/92	3	GEOMETRIC MEAN =	6.								
32210 CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTED	05/19/92-11/02/92	3	5.12	5.52	6.84	4.6	1.374	1.172	**	**	**	**
32211 CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	05/19/92-11/02/92	3	4.01	3.12	5.35	0.	7.75	2.784	**	**	**	**
32212 CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTED	05/19/92-05/19/92	1	3.52	3.52	3.52	3.52	0.	0.	**	**	**	**
32214 CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTED	05/19/92-11/02/92	3	1.69	1.88	3.06	0.89	1.204	1.097	**	**	**	**
32218 PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	05/19/92-11/02/92	3	2.14	5.747	13.5	1.6	45.159	6.72	**	**	**	**
32219 PHEOPHYTIN RATIO(OD 663)/SPECTRO,BEFORE/AFTER ACID	05/19/92-11/02/92	3	1.5	1.26	1.5	0.78	0.173	0.416	**	**	**	**
70300 RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), MG/L	05/19/92-11/02/92	3	30900.	31033.333	32900.	29300.	3253333.333	1803.7	**	**	**	**
82079 TURBIDITY, LAB NEPHELOMETRIC TURBIDITY UNITS, NTU	05/19/92-11/02/92	3	5.5	7.333	14.	2.5	35.583	5.965	**	**	**	**
82903 DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE METERS	05/19/92-08/18/92	2	4.65	4.65	5.8	3.5	2.645	1.626	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0008

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00299 OXYGEN, DISSOLVED, ANALYSIS BY PROBE	Other-Lo Lim.	4.	3	0	0.00	1	0	0.00	1	0	0.00				1	0	0.00
00400 PH	Other-Hi Lim.	9.	3	0	0.00	1	0	0.00	1	0	0.00				1	0	0.00
	Other-Lo Lim.	6.5	3	0	0.00	1	0	0.00	1	0	0.00				1	0	0.00
01042 COPPER, TOTAL	Marine Acute	2.9	1 &	0	0.00				1	0	0.00						
31616 FECAL COLIFORM, MEMBRANE FILTER, BROTH	Other-Hi Lim.	200.	3	0	0.00	1	0	0.00	1	0	0.00				1	0	0.00
82079 TURBIDITY, LAB	Other-Hi Lim.	50.	3	0	0.00	1	0	0.00	1	0	0.00				1	0	0.00

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0009

NPS Station ID: CUIS0009
 Location: AMELIA RIVER AT CONTAINER EFF
 Station Type: /TYPA/AMBNT/ESTURY/BIO
 RMI-Indexes:
 RMI-Miles:
 HUC: 03070204
 Major Basin: SOUTH-EAST
 Minor Basin: NASSAU-ST MARYS
 RF1 Index: 03070204031
 RF3 Index: 03070204036000.00
 Description:
 SEGMENT 19.1AA BODY OF WATER' RIVER, AMELIA
 PIER PILINGS

LAT/LON: 30.683059/ -81.460560

Depth of Water: 6
 Elevation: 0
 RF1 Mile Point: 2.310
 RF3 Mile Point: 4.49

Agency: 21FLA
 FIPS State/County: 12089 FLORIDA/NASSAU
 STORET Station ID(s): 19020006
 Within Park Boundary: No

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.38

Date Created: / /

On/Off RF1: ON
 On/Off RF3:

Parameter Inventory for Station: CUIS0009

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/20/72-04/02/91	64	26.35	24.091	33.	9.	33.706	5.806	15.15	20.55	28.	30.
00055 VELOCITY, STREAM FT/SEC	03/26/75-04/02/91	12	1.	0.842	1.5	0.2	0.161	0.401	0.26	0.5	1.	1.47
00076p TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	03/20/72-04/02/91	36	16.5	26.572	200.	3.8	1290.245	35.92	4.98	8.2	26.25	58.9
00078 TRANSPARENCY, SECCHI DISC (METERS)	09/20/76-04/02/91	28	0.31	0.345	0.9	0.1	0.038	0.196	0.1	0.2	0.4	0.62
00081p COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	03/20/72-04/02/91	33	60.	124.242	1000.	10.	35331.439	187.967	20.	40.	100.	360.
00094p SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/20/76-04/02/91	46	41200.	39665.	52300.	22500.	61062607.778	7814.257	26400.	34500.	45800.	48320.
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/20/72-04/02/91	30	38000.	36243.333	70000.	700.	157254954.023	12540.134	23200.	30500.	43000.	48710.
00299 OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	04/04/77-04/02/91	9	6.5	6.467	8.3	3.4	2.245	1.498	3.4	5.55	7.65	8.3
00300p OXYGEN, DISSOLVED MG/L	03/20/72-04/02/91	63	5.3	5.094	8.8	0.	4.448	2.109	1.36	4.1	6.2	7.76
00310p BOD, 5 DAY, 20 DEG C MG/L	03/20/72-04/02/91	52	1.6	13.615	380.	0.1	2808.58	52.996	0.6	0.925	6.225	21.7
00340 COD, .25N K2CR2O7 MG/L	03/20/72-04/28/83	3	392.	335.667	499.	116.	39052.333	197.617	**	**	**	**
00400p PH (STANDARD UNITS)	03/20/72-04/02/91	58	7.55	7.369	8.35	5.9	0.418	0.646	6.2	6.85	7.9	8.023
00400p CONVERTED PH (STANDARD UNITS)	03/20/72-04/02/91	58	7.547	6.848	8.35	5.9	0.694	0.833	6.2	6.85	7.9	8.023
00400p MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/20/72-04/02/91	58	0.028	0.142	1.259	0.004	0.068	0.26	0.009	0.013	0.144	0.631
00403 PH, LAB, STANDARD UNITS SU	01/07/74-04/02/91	21	7.8	7.605	8.4	6.	0.337	0.581	6.46	7.35	8.	8.08
00403 CONVERTED PH, LAB, STANDARD UNITS	01/07/74-04/02/91	21	7.8	7.031	8.4	6.	0.684	0.827	6.46	7.35	8.	8.08
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	01/07/74-04/02/91	21	0.016	0.093	1.	0.004	0.054	0.233	0.008	0.01	0.047	0.417
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	03/20/72-04/02/91	14	98.	163.571	1300.	4.	109797.495	331.357	6.5	16.25	129.75	725.5
00435 ACIDITY, TOTAL (MG/L AS CaCO3)	03/20/72-01/07/74	13	11.	21.385	121.	0.	1125.256	33.545	0.4	3.5	20.5	95.8
00480 SALINITY - PARTS PER THOUSAND	05/26/81-04/02/91	28	30.3	29.275	36.	10.	33.223	5.764	20.7	27.65	32.75	35.
00500 RESIDUE, TOTAL (MG/L)	03/20/72-05/23/73	8	32335.5	29819.625	38881.	14894.	69007256.268	8307.061	**	**	**	**
00505 RESIDUE, TOTAL VOLATILE (MG/L)	03/20/72-05/23/73	8	4793.5	4497.875	6526.	2477.	1951014.411	1396.787	**	**	**	**
00510 RESIDUE, TOTAL FIXED (MG/L)	03/20/72-05/23/73	8	27128.5	25322.875	32393.	12417.	52996732.125	7279.885	**	**	**	**
00530p RESIDUE, TOTAL NONFILTRABLE (MG/L)	03/20/72-04/02/91	35	90.	99.	316.	14.	4833.706	69.525	21.	57.	116.	188.6
00535p RESIDUE, VOLATILE NONFILTRABLE (MG/L)	03/20/72-04/02/91	35	23.	32.029	202.	3.	1473.029	38.38	5.	15.	35.	67.4
00540p RESIDUE, FIXED NONFILTRABLE (MG/L)	03/20/72-04/02/91	35	60.	66.971	300.	0.	2977.499	54.566	11.6	23.	97.	114.
00610p NITROGEN, AMMONIA, TOTAL (MG/L AS N)	10/31/77-04/02/91	37	0.17	0.414	3.22	0.005	0.488	0.698	0.005	0.065	0.43	1.108
00615 NITRITE NITROGEN, TOTAL (MG/L AS N)	04/14/82-05/02/83	5	0.015	0.016	0.03	0.005	0.	0.009	**	**	**	**
00620 NITRATE NITROGEN, TOTAL (MG/L AS N)	03/20/72-03/02/81	20	0.015	0.109	0.64	0.	0.04	0.2	0.	0.003	0.1	0.591
00625p NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-04/02/91	39	1.06	1.618	11.76	0.05	4.185	2.046	0.39	0.57	1.71	3.26
00630 NITRITE PLUS NITRATE, TOTAL I DET. (MG/L AS N)	05/26/81-04/02/91	30	0.013	0.03	0.12	0.001	0.001	0.035	0.001	0.005	0.06	0.079
00665p PHOSPHORUS, TOTAL (MG/L AS P)	03/20/72-04/02/91	47	0.22	1.067	40.	0.02	33.693	5.805	0.05	0.08	0.33	0.502
00666 PHOSPHORUS, DISSOLVED (MG/L AS P)	03/20/72-03/20/72	1	1.8	1.8	1.8	1.8	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CUIS0009

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	03/20/72-03/20/72	1	1.2	1.2	1.2	0.	0.	**	**	**	**
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	03/29/78-02/02/83	13	8.	18.077	56.	366.91	19.155	4.4	5.5	35.5	52.8
00900	HARDNESS, TOTAL (MG/L AS CaCO3)	03/20/72-01/07/74	10	5250.	5026.	6800.	1320648.889	1149.195	3029.	4400.	5637.5	6695.
00940	CHLORIDE, TOTAL IN WATER MG/L	03/20/72-10/01/90	18	15500.	14893.833	21400.	5758.	4422.79	7370.8	12148.5	18350.	21040.
00945	SULFATE, TOTAL (MG/L AS SO4)	07/28/82-10/01/90	11	2384.	2239.727	2569.	1400.	392.552	1440.	2198.	2508.	2569.
00951	FLUORIDE, TOTAL (MG/L AS F)	01/25/82-01/25/82	1	0.74	0.74	0.74	0.	0.	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	07/29/82-07/29/82	1 ##	25.	25.	25.	0.	0.	**	**	**	**
01012	BERYLLIUM, TOTAL (UG/L AS BE)	07/29/82-07/29/82	1 ##	12.5	12.5	12.5	0.	0.	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	07/29/82-07/29/82	1 ##	0.05	0.05	0.05	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	07/29/82-07/29/82	1 ##	25.	25.	25.	0.	0.	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	07/29/82-07/29/82	1 ##	7.5	7.5	7.5	0.	0.	**	**	**	**
01045	IRON, TOTAL (UG/L AS FE)	10/31/77-10/31/77	1	1130.	1130.	1130.	0.	0.	**	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	07/29/82-07/29/82	1 ##	5.	5.	5.	0.	0.	**	**	**	**
01059	THALLIUM, TOTAL (UG/L AS TL)	07/29/82-07/29/82	1 ##	50.	50.	50.	0.	0.	**	**	**	**
01067	NICKEL, TOTAL (UG/L AS NI)	07/29/82-07/29/82	1 ##	25.	25.	25.	0.	0.	**	**	**	**
01077	SILVER, TOTAL (UG/L AS AG)	07/29/82-07/29/82	1 ##	7.5	7.5	7.5	0.	0.	**	**	**	**
01097	ANTIMONY, TOTAL (UG/L AS SB)	07/29/82-07/29/82	1 ##	100.	100.	100.	0.	0.	**	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	07/29/82-07/29/82	1 ##	10.	10.	10.	0.	0.	**	**	**	**
31501	COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,35C	10/01/90-04/02/91	2	1100.	1100.	1500.	320000.	565.685	**	**	**	**
31501	LOG COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,3	10/01/90-04/02/91	2	3.011	3.011	3.176	2.845	0.055	0.234	**	**	**
31501	GM COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,3	10/01/90-04/02/91	2	1100.	1100.	1500.	320000.	565.685	**	**	**	**
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	03/20/72-05/13/85	45	1300.	3082.911	54000.	67559061.446	8219.432	60.6	405.	2400.	4900.
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	03/20/72-05/13/85	45	3.114	2.965	4.732	0.699	0.556	0.746	1.746	2.603	3.69
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	03/20/72-05/13/85	45	3.114	2.965	4.732	0.699	0.556	0.746	1.746	2.603	3.69
31613	FECAL COLIFORM, MEMBR FILTER, M-FC AGAR, 44.5C, 24HR	10/01/90-04/02/91	2	720.	720.	1200.	240.	460800.	678.823	**	**	**
31613	LOG FECAL COLIFORM, MEMBR FILTER, M-FC AGAR, 44.5C, 24	10/01/90-04/02/91	2	2.73	2.73	3.079	2.38	0.244	0.494	**	**	**
31613	GM FECAL COLIFORM, MEMBR FILTER, M-FC AGAR, 44.5C, 24H	10/01/90-04/02/91	2	2.73	2.73	3.079	2.38	0.244	0.494	**	**	**
31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	08/27/73-06/24/74	6	51.5	67.833	170.	23.	2996.567	54.741	**	**	**
31614	LOG FECAL COLIFORM, MPN, TUBE CONFIGURATION	08/27/73-06/24/74	6	1.682	1.728	2.23	1.362	0.103	0.321	**	**	**
31614	GM FECAL COLIFORM, MPN, TUBE CONFIGURATION	08/27/73-06/24/74	6	1.682	1.728	2.23	1.362	0.103	0.321	**	**	**
31615p	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	09/27/72-05/13/85	43	170.	1498.372	24000.	4.	19311485.239	4394.484	7.4	33.	920.
31615p	LOG FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	09/27/72-05/13/85	43	2.23	2.246	4.38	0.602	0.905	0.951	0.836	1.519	2.964
31615p	GM FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	09/27/72-05/13/85	43	2.23	2.246	4.38	0.602	0.905	0.951	0.836	1.519	2.964
31639	ENTEROCOCCI GROUP D, MF TRANS, M-E, EIA #/100ML	10/01/90-04/02/91	2	1165.	1165.	2000.	330.	1394450.	1180.868	**	**	**
31639	LOG ENTEROCOCCI GROUP D, MF TRANS, M-E, EIA #/100ML	10/01/90-04/02/91	2	2.91	2.91	3.301	2.519	0.306	0.553	**	**	**
31639	GM ENTEROCOCCI GROUP D, MF TRANS, M-E, EIA #/100ML	10/01/90-04/02/91	2	2.91	2.91	3.301	2.519	0.306	0.553	**	**	**
32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	09/06/89-09/06/89	1	3.2	3.2	3.2	0.	0.	**	**	**	**
70507	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/20/72-10/01/90	31	0.04	0.056	0.39	0.01	0.004	0.067	0.017	0.025	0.07
72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	10/31/77-04/02/91	29	4.	5.517	35.	1.6	37.51	6.125	2.	2.5	6.8
82246	NATURAL SUBSTRATE, DIVERSITY INDEX	07/13/81-07/13/81	1	3.098	3.098	3.098	3.098	0.	0.	**	**	**
82250	NATURAL SUBSTRATE - NUMBER OF SPECIES	07/13/81-07/13/81	1	19.	19.	19.	19.	0.	0.	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0009

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----	-----10/01-11/30-----	-----12/01-4/09-----	-----4/10-5/31-----
00076	TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim.	50.	36	4	0.11	7	1	0.14
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE	Other-Lo Lim.	4.	9	1	0.11	2	1	0.50
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	63	15	0.24	30	9	0.30
00400	PH	Other-Hi Lim.	9.	58	0	0.00	28	0	0.00
		Other-Lo Lim.	6.5	58	7	0.12	28	0	0.00
00403	PH, LAB	Other-Hi Lim.	9.	21	0	0.00	3	0	0.00
		Other-Lo Lim.	6.5	21	2	0.10	3	0	0.00
01002	ARSENIC, TOTAL	Marine Acute	69.	1	0	0.00	1	0	0.00
01027	CADMIUM, TOTAL	Marine Acute	43.	1	0	0.00	1	0	0.00
01042	COPPER, TOTAL	Marine Acute	2.9	0 &	0	0.00	0	0	0.00
01051	LEAD, TOTAL	Marine Acute	220.	1	0	0.00	1	0	0.00
01059	THALLIUM, TOTAL	Marine Acute	2130.	1	0	0.00	1	0	0.00

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter


EPA Water Quality Criteria Analysis for Station: CUIS0009

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
01067 NICKEL, TOTAL	Marine Acute	75.	1	0	0.00	1	0	0.00									
01077 SILVER, TOTAL	Marine Acute	0.12	0 &	0	0.00												
01097 ANTIMONY, TOTAL	Marine Acute	1500.	1	0	0.00	1	0	0.00									
01147 SELENIUM, TOTAL	Marine Acute	300.	1	0	0.00	1	0	0.00									
31501 COLIFORM, TOTAL, MEMBRANE FILTER, IMMED.	Other-Hi Lim.	1000.	2	1	0.50				1	1	1.00	1	0	0.00			
31505 COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	45	24	0.53	20	12	0.60	4	2	0.50	13	7	0.54	8	3	0.38
31613 FECAL COLIFORM, MEMBRANE FILTER, AGAR	Other-Hi Lim.	200.	2	2	1.00				1	1	1.00	1	1	1.00			
31614 FECAL COLIFORM, MPN, TUBE CONFIGURATION	Other-Hi Lim.	200.	6	0	0.00	2	0	0.00	2	0	0.00	2	0	0.00			
31615 FECAL COLIFORM, MPN	Other-Hi Lim.	200.	43	21	0.49	20	12	0.60	4	0	0.00	12	8	0.67	7	1	0.14

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station: CUIS0009 Parameter Code: 00076


TURBIDITY, HACH TURBIDIMETER (FORMAZIN T



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00081

COLOR, APPARENT (UNFILTERED SAMPLE) PLAT-




AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00094

SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @


(X 1000)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00300


OXYGEN, DISSOLVED



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00310


BOD, 5 DAY, 20 DEG C



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00400


PH (STANDARD UNITS)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00530


RESIDUE, TOTAL NONFILTRABLE (MG/L)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00535


RESIDUE, VOLATILE NONFILTRABLE (MG/L)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00540


RESIDUE, FIXED NONFILTRABLE (MG/L)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00610


NITROGEN, AMMONIA, TOTAL (MG/L AS N)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00625


NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00665


PHOSPHORUS, TOTAL (MG/L AS P)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 31505


LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 31615

LOG FECAL COLIFORM,MPN,EC MED,44.5C <TU



AMELIA RIVER AT CONTAINER EFF

Seasonal Analysis for Season #1: 6/01 to 9/30 - Station CUIS0009

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/20/72-04/02/91	30	27.7	27.803	33.	25.2	2.691	1.64	25.62	26.875	28.525	29.95
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	03/20/72-04/02/91	7	20.	19.529	52.	4.	277.589	16.661	**	**	**	**
00078p	TRANSPARENCY, SECCHI DISC (METERS)	09/20/76-04/02/91	5	0.38	0.308	0.41	0.1	0.018	0.133	**	**	**	**
00081p	COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	03/20/72-04/02/91	7	40.	101.429	400.	10.	19980.952	141.354	**	**	**	**
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/20/76-04/02/91	26	44900.	44061.154	52300.	31010.	24240898.615	4923.505	37000.	41500.	46925.	50780.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/20/72-04/02/91	5	39000.	38180.	48900.	28000.	61162000.	7820.614	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	03/20/72-04/02/91	30	4.95	4.49	6.2	0.	2.09	1.446	2.57	3.7	5.525	5.99
00310p	BOD, 5 DAY, 20 DEG C MG/L	03/20/72-04/02/91	22	0.9	5.814	57.	0.1	219.217	14.806	0.29	0.6	1.325	34.15
00400p	PH (STANDARD UNITS)	03/20/72-04/02/91	28	7.7	7.624	8.35	6.59	0.229	0.478	6.88	7.345	7.9	8.332
00400p	CONVERTED PH (STANDARD UNITS)	03/20/72-04/02/91	28	7.7	7.35	8.35	6.59	0.306	0.553	6.88	7.345	7.9	8.332
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/20/72-04/02/91	28	0.02	0.045	0.257	0.004	0.004	0.061	0.005	0.013	0.046	0.133
00403p	PH, LAB, STANDARD UNITS SU	01/07/74-04/02/91	3	7.8	7.833	8.	7.7	0.023	0.153	**	**	**	**
00403p	CONVERTED PH, LAB, STANDARD UNITS	01/07/74-04/02/91	3	7.8	7.816	8.	7.7	0.024	0.154	**	**	**	**
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	01/07/74-04/02/91	3	0.016	0.015	0.02	0.01	0.	0.005	**	**	**	**
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	03/20/72-04/02/91	7	113.	95.571	150.	21.	2375.286	48.737	**	**	**	**
00535p	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	03/20/72-04/02/91	7	30.	27.429	46.	9.	163.286	12.778	**	**	**	**
00540p	RESIDUE, FIXED NONFILTRABLE (MG/L)	03/20/72-04/02/91	7	85.	68.143	120.	12.	2149.143	46.359	**	**	**	**
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	10/31/77-04/02/91	19	0.11	0.174	0.62	0.005	0.033	0.182	0.005	0.03	0.3	0.55
00620p	NITRATE NITROGEN, TOTAL (MG/L AS N)	03/20/72-03/02/81	3	0.	0.017	0.05	0.	0.001	0.029	**	**	**	**
00625p	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-04/02/91	19	0.79	0.923	1.79	0.33	0.194	0.44	0.39	0.57	1.34	1.54
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	03/20/72-04/02/91	20	0.287	0.272	0.49	0.049	0.015	0.121	0.053	0.192	0.362	0.455
72016p	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	10/31/77-04/02/91	9	3.3	3.878	7.5	1.6	4.247	2.061	1.6	2.	5.6	7.5

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #2: 10/01 to 11/30 - Station CUIS0009

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/20/72-04/02/91	6	26.	25.	28.5	20.5	9.5	3.082	**	**	**	**
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	03/20/72-04/02/91	5	13.	12.84	19.	5.4	34.068	5.837	**	**	**	**
00078p	TRANSPARENCY, SECCHI DISC (METERS)	09/20/76-04/02/91	2	0.15	0.15	0.2	0.1	0.005	0.071	**	**	**	**
00081p	COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	03/20/72-04/02/91	5	60.	56.	80.	20.	680.	26.077	**	**	**	**
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/20/76-04/02/91	2	31400.	31400.	38800.	24000.	109520000.	10465.18	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/20/72-04/02/91	5	43000.	41080.	47000.	32000.	31932000.	5650.841	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	03/20/72-04/02/91	6	2.5	3.367	7.3	0.7	7.899	2.81	**	**	**	**
00310p	BOD, 5 DAY, 20 DEG C MG/L	03/20/72-04/02/91	5	5.	8.5	22.	0.4	80.33	8.963	**	**	**	**
00400p	PH (STANDARD UNITS)	03/20/72-04/02/91	6	7.2	7.158	7.93	6.2	0.595	0.771	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	03/20/72-04/02/91	6	6.96	6.707	7.93	6.2	0.839	0.916	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/20/72-04/02/91	6	0.11	0.196	0.631	0.012	0.06	0.245	**	**	**	**
00403p	PH, LAB, STANDARD UNITS SU	01/07/74-04/02/91	2	7.6	7.6	8.	7.2	0.32	0.566	**	**	**	**
00403p	CONVERTED PH, LAB, STANDARD UNITS	01/07/74-04/02/91	2	7.437	7.437	8.	7.2	0.373	0.611	**	**	**	**
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	01/07/74-04/02/91	2	0.037	0.037	0.063	0.01	0.001	0.038	**	**	**	**
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	03/20/72-04/02/91	5	96.	81.6	110.	14.	1490.8	38.611	**	**	**	**
00535p	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	03/20/72-04/02/91	5	16.	17.	35.	3.	186.5	13.657	**	**	**	**
00540p	RESIDUE, FIXED NONFILTRABLE (MG/L)	03/20/72-04/02/91	5	74.	64.6	107.	9.	1337.3	36.569	**	**	**	**
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	10/31/77-04/02/91	2##	0.183	0.183	0.36	0.005	0.063	0.251	**	**	**	**
00620p	NITRATE NITROGEN, TOTAL (MG/L AS N)	03/20/72-03/02/81	4	0.06	0.056	0.1	0.003	0.002	0.04	**	**	**	**
00625p	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-04/02/91	2	0.29	0.29	0.53	0.05	0.115	0.339	**	**	**	**
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	03/20/72-04/02/91	4	0.095	0.135	0.27	0.08	0.008	0.091	**	**	**	**
72016p	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	10/31/77-04/02/91	3	7.	5.6	7.8	2.	9.88	3.143	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #3: 12/01 to 4/09 - Station CUIS0009

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/20/72-04/02/91	17	17.	16.824	31.	9.	27.568	5.251	9.8	13.45	19.25	24.6
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	03/20/72-04/02/91	14	19.	24.343	75.	3.8	389.953	19.747	5.4	7.75	35.25	61.5
00078p	TRANSPARENCY, SECCHI DISC (METERS)	09/20/76-04/02/91	12	0.36	0.393	0.8	0.17	0.039	0.199	0.17	0.213	0.575	0.74
00081p	COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	03/20/72-04/02/91	12	55.	133.333	400.	40.	16278.788	127.588	40.	50.	265.	370.
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/20/76-04/02/91	10	32000.	32360.	43900.	22500.	55333777.778	7438.668	22650.	24750.	39000.	43410.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/20/72-04/02/91	13	39000.	37176.923	70000.	8800.	201825256.41	14206.522	14480.	29250.	43000.	60360.
00300p	OXYGEN, DISSOLVED MG/L	03/20/72-04/02/91	16	7.2	6.856	8.8	4.6	2.221	1.49	4.81	5.2	8.175	8.8
00310p	BOD, 5 DAY, 20 DEG C MG/L	03/20/72-04/02/91	16	3.65	6.106	21.	1.	40.121	6.334	1.28	1.5	8.2	19.6
00400p	PH (STANDARD UNITS)	03/20/72-04/02/91	15	6.7	6.895	8.05	5.9	0.573	0.757	5.99	6.1	7.6	8.032
00400p	CONVERTED PH (STANDARD UNITS)	03/20/72-04/02/91	15	6.7	6.445	8.05	5.9	0.79	0.889	5.99	6.1	7.6	8.032
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/20/72-04/02/91	15	0.2	0.359	1.259	0.009	0.168	0.41	0.009	0.025	0.794	1.038
00403p	PH, LAB, STANDARD UNITS SU	01/07/74-04/02/91	9	7.8	7.4	8.	6.	0.577	0.76	6.	6.7	7.9	8.
00403p	CONVERTED PH, LAB, STANDARD UNITS	01/07/74-04/02/91	9	7.8	6.733	8.	6.	1.078	1.038	6.	6.7	7.9	8.
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	01/07/74-04/02/91	9	0.016	0.185	1.	0.01	0.119	0.345	0.01	0.013	0.29	1.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	03/20/72-04/02/91	13	65.	85.	305.	18.	6285.333	79.28	19.2	29.	101.	253.8
00535p	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	03/20/72-04/02/91	13	23.	26.462	71.	4.	468.269	21.64	4.4	7.5	37.	68.6
00540p	RESIDUE, FIXED NONFILTRABLE (MG/L)	03/20/72-04/02/91	13	38.	58.538	300.	0.	6131.769	78.306	4.4	14.5	66.5	222.4
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	10/31/77-04/02/91	9	0.18	0.541	3.22	0.005	1.031	1.016	0.005	0.093	0.425	3.22
00620p	NITRATE NITROGEN, TOTAL (MG/L AS N)	03/20/72-03/02/81	10	0.06	0.191	0.64	0.003	0.068	0.261	0.003	0.003	0.468	0.637
00625p	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-04/02/91	10	1.3	2.057	6.23	0.37	3.954	1.988	0.372	0.495	3.56	6.053
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	03/20/72-04/02/91	14	0.138	3.074	40.	0.02	113.001	10.63	0.035	0.065	0.56	20.31
72016p	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	10/31/77-04/02/91	10	3.75	6.88	35.	2.	99.033	9.952	2.1	3.	5.	32.15

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot


Seasonal Analysis for Season #4: 4/10 to 5/31 - Station CUIS0009

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/20/72-04/02/91	11	24.	24.7	32.6	17.4	23.652	4.863	17.72	20.7	30.	32.08
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	03/20/72-04/02/91	10	11.5	41.49	200.	7.5	3855.805	62.095	7.55	9.2	57.5	189.5
00078p	TRANSPARENCY, SECCHI DISC (METERS)	09/20/76-04/02/91	9	0.3	0.347	0.9	0.1	0.052	0.229	0.1	0.205	0.39	0.9
00081p	COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	03/20/72-04/02/91	9	80.	167.778	1000.	20.	97994.444	313.041	20.	45.	90.	1000.
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/20/76-04/02/91	8	37050.	36575.	46900.	27000.	40736428.571	6382.51	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	03/20/72-04/02/91	7	31000.	29671.429	50000.	700.	219455714.286	14814.038	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	03/20/72-04/02/91	11	5.8	5.118	8.7	0.	6.38	2.526	0.16	5.2	6.2	8.32
00310p	BOD, 5 DAY, 20 DEG C MG/L	03/20/72-04/02/91	9	3.2	48.878	380.	1.	15518.479	124.573	1.	1.55	23.5	380.
00400p	PH (STANDARD UNITS)	03/20/72-04/02/91	9	7.6	7.511	7.9	6.7	0.124	0.352	6.7	7.4	7.75	7.9
00400p	CONVERTED PH (STANDARD UNITS)	03/20/72-04/02/91	9	7.6	7.34	7.9	6.7	0.157	0.396	6.7	7.4	7.75	7.9
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/20/72-04/02/91	9	0.025	0.046	0.2	0.013	0.003	0.059	0.013	0.018	0.041	0.2
00403p	PH, LAB, STANDARD UNITS SU	01/07/74-04/02/91	7	7.8	7.771	8.4	7.1	0.172	0.415	**	**	**	**
00403p	CONVERTED PH, LAB, STANDARD UNITS	01/07/74-04/02/91	7	7.8	7.603	8.4	7.1	0.205	0.453	**	**	**	**
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	01/07/74-04/02/91	7	0.016	0.025	0.079	0.004	0.001	0.026	**	**	**	**
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	03/20/72-04/02/91	10	106.5	128.3	316.	57.	6219.789	78.866	58.	67.75	158.	305.
00535p	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	03/20/72-04/02/91	10	21.	50.	202.	12.	4203.111	64.831	12.4	16.75	55.75	195.4
00540p	RESIDUE, FIXED NONFILTRABLE (MG/L)	03/20/72-04/02/91	10	83.5	78.3	114.	34.	796.011	28.214	34.6	51.25	101.	113.9
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	10/31/77-04/02/91	7	0.67	0.967	2.69	0.08	0.86	0.927	**	**	**	**
00620p	NITRATE NITROGEN, TOTAL (MG/L AS N)	03/20/72-03/02/81	3	0.	0.001	0.003	0.	0.	0.001	**	**	**	**
00625p	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-04/02/91	8	1.92	3.053	11.76	0.98	12.677	3.56	**	**	**	**
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	03/20/72-04/02/91	9	0.1	0.127	0.364	0.02	0.012	0.111	0.02	0.045	0.191	0.364
72016p	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	10/31/77-04/02/91	7	6.5	5.643	11.	2.	10.393	3.224	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Station: CUIS0009 Parameter Code: 00076


TURBIDITY, HACH TURBIDIMETER (FORMAZIN T



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00078


TRANSPARENCY, SECCHI DISC (METERS)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00081

COLOR, APPARENT (UNFILTERED SAMPLE) PLAT-




AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00094

SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @

(X 1000)




AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00095

SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)


(X 1000)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00300


OXYGEN, DISSOLVED



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00310


BOD, 5 DAY, 20 DEG C



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00400


MICRO EQ/LITER OF H+ COMPUTED FROM PH



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00403


MICRO EQ/LITER OF H+ COMPUTED FROM PH



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00530


RESIDUE, TOTAL NONFILTRABLE (MG/L)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00535


RESIDUE, VOLATILE NONFILTRABLE (MG/L)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00540


RESIDUE, FIXED NONFILTRABLE (MG/L)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00610


NITROGEN, AMMONIA, TOTAL (MG/L AS N)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00620


NITRATE NITROGEN, TOTAL (MG/L AS N)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00625


NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 00665


PHOSPHORUS, TOTAL (MG/L AS P)



AMELIA RIVER AT CONTAINER EFF

Station: CUIS0009 Parameter Code: 72016

DEPTH TO BOTTOM OF SAMPLE INTERVAL <FT



AMELIA RIVER AT CONTAINER EFF

Station Inventory for Station: CUIS0010

NPS Station ID: CUIS0010 Location: AMELIA R. 200 YDS WEST CCA DOCK Station Type: /TYPA/AMBNT/ESTURY/BIO RMI-Indexes: RMI-Miles: HUC: 03070204 Major Basin: SOUTH-EAST Minor Basin: NASSAU-ST MARYS RF1 Index: 03070204031 RF3 Index: 03070204036700.00 Description: SEGMENT 19.1AA BODY OF WATER' RIVER, AMELIA ST. JOSEPHS CREEK	LAT/LON: 30.683337/ -81.462226 Depth of Water: 18 Elevation: 0 RF1 Mile Point: 2.590 RF3 Mile Point: 0.00	Agency: 21FLA FIPS State/County: 12089 FLORIDA/NASSAU STORET Station ID(s): 19010054 Within Park Boundary: No Aquifer: Water Body Id: ECO Region: Distance from RF1: 0.00 Distance from RF3: 0.22 On/Off RF1: ON On/Off RF3:
---	---	--

Parameter Inventory for Station: CUIS0010

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	16	27.55	27.631	28.7	26.3	0.54	0.735	26.72	27.1	28.325	28.7
00094 SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	16	46250.	47468.75	52200.	43200.	8432958.333	2903.956	44320.	45725.	50450.	52200.
00300 OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	16	4.95	4.644	6.6	2.6	1.252	1.119	2.95	3.55	5.225	6.39
00310 BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	16	0.75	0.738	1.4	0.2	0.133	0.365	0.27	0.425	0.975	1.4
00400 PH (STANDARD UNITS)	07/28/82-08/20/82	16	7.935	7.902	8.35	6.9	0.126	0.354	7.39	7.723	8.192	8.35
00400 CONVERTED PH (STANDARD UNITS)	07/28/82-08/20/82	16	7.934	7.712	8.35	6.9	0.164	0.405	7.39	7.722	8.192	8.35
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/28/82-08/20/82	16	0.012	0.019	0.126	0.004	0.001	0.029	0.004	0.006	0.019	0.055
00480 SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	16	31.3	31.894	35.2	28.8	4.65	2.156	29.5	30.25	34.5	35.2
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	16	0.03	0.065	0.25	0.005	0.006	0.076	0.005	0.005	0.098	0.222
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	16	0.74	0.754	1.25	0.29	0.102	0.319	0.311	0.44	1.073	1.138
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	16	0.008	0.03	0.11	0.001	0.002	0.041	0.001	0.001	0.063	0.11
00665 PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	16	0.271	0.266	0.357	0.172	0.002	0.042	0.206	0.232	0.289	0.324
00680 CARBON, TOTAL ORGANIC (MG/L AS C)	07/29/82-07/29/82	2	5.5	5.5	8.	3.	12.5	3.536	**	**	**	**
00945 SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	8	2353.	2420.25	2817.	2247.	42403.643	205.921	**	**	**	**
31505 COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	07/28/82-08/20/82	14	41.	346.857	2400.	7.	399959.209	632.423	7.5	8.	540.	1470.
31505 LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	07/28/82-08/20/82	14	1.604	1.823	3.38	0.845	0.828	0.91	0.874	0.903	2.732	3.056
31505 GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			66.604								
31615 FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	14	10.5	70.571	540.	1.	22246.418	149.152	1.	4.	56.5	390.
31615 LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	14	1.009	1.115	2.732	0.	0.718	0.847	0.	0.524	1.742	2.556
31615 GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			13.022								
70507 PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	16	0.027	0.032	0.077	0.001	0.001	0.023	0.009	0.015	0.05	0.071

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0010

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
00300 OXYGEN, DISSOLVED	Other-Lo Lim.	4.	16	5	0.31	16	5	0.31	16	5	0.31	16	5	0.31	16	5	0.31
00400 PH	Other-Hi Lim.	9.	16	0	0.00	16	0	0.00	16	0	0.00	16	0	0.00	16	0	0.00
	Other-Lo Lim.	6.5	16	0	0.00	16	0	0.00	16	0	0.00	16	0	0.00	16	0	0.00

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CUIS0010

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
31505 COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	14	1	0.07	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
31615 FECAL COLIFORM, MPN	Other-Hi Lim.	200.	14	2	0.14	14	2	0.14									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0011

NPS Station ID: CUIS0011
Location: AMELIA RIVER
Station Type: /TYPA/AMBNT/STREAM/BIO
RMI-Indexes:
RMI-Miles:
HUC: 03070204
Major Basin: SOUTHEAST
Minor Basin: ST MARYS RIVER
RF1 Index: 03070204
RF3 Index: 03070201004101.75
Description:
THIS STATION WAS USED AS A TEST SITE FOR THE 1991
OF THE DISCHARGE)

LAT/LON: 30.683809/ -81.467838

Depth of Water: 0
Elevation: 0

RF1 Mile Point: 0.000
RF3 Mile Point: 2.40

Agency: 21FLA
FIPS State/County: 12089 FLORIDA/NASSAU
STORET Station ID(s): 19010069
Within Park Boundary: No

Aquifer:
Water Body Id:
ECO Region:
Distance from RF1: 0.00
Distance from RF3: 0.08

Date Created: 09/30/95

On/Off RF1:
On/Off RF3:

Parameter Inventory for Station: CUIS0011

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0012

NPS Station ID: CUIS0012 Location: AMELIA R. 300 YDS WEST CCA DOCK Station Type: /TYPA/AMBNT/ESTURY/BIO RMI-Indexes: RMI-Miles: HUC: 03070204 Major Basin: SOUTH-EAST Minor Basin: NASSAU-ST MARYS RF1 Index: 03070204031 RF3 Index: 03070204034700.00 Description: SEGMENT 19.1AA BODY OF WATER' RIVER, AMELIA ST JOSEPHS CREEK	LAT/LON: 30.683893/ -81.463615 Depth of Water: 18 Elevation: 0 RF1 Mile Point: 2.590 RF3 Mile Point: 0.30 NORTH AMELIA RIVER 300 YDS OFF CONTAINER CORP. DOCK ON A LINE TO	Agency: 21FLA FIPS State/County: 12089 FLORIDA/NASSAU STORET Station ID(s): 19010055 Within Park Boundary: No Aquifer: Water Body Id: ECO Region: Distance from RF1: 0.00 Distance from RF3: 0.11 Date Created: 10/23/82 On/Off RF1: ON On/Off RF3:
--	---	--

Parameter Inventory for Station: CUIS0012

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	16	27.6	27.6	28.7	26.6	0.428	0.654	26.88	27.	28.225	28.56
00094 SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	16	46950.	47906.25	52100.	45000.	6321958.333	2514.35	45350.	45925.	50700.	51960.
00300 OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	16	5.	4.688	6.6	2.7	1.315	1.147	2.91	3.425	5.4	6.18
00310 BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	16	0.85	0.9	1.7	0.2	0.161	0.402	0.34	0.625	1.175	1.63
00400 PH (STANDARD UNITS)	07/28/82-08/20/82	16	7.935	7.899	8.4	7.	0.135	0.367	7.21	7.725	8.153	8.365
00400 CONVERTED PH (STANDARD UNITS)	07/28/82-08/20/82	16	7.934	7.718	8.4	7.	0.17	0.412	7.21	7.725	8.153	8.365
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/28/82-08/20/82	16	0.012	0.019	0.1	0.004	0.001	0.024	0.004	0.007	0.019	0.065
00480 SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	16	32.1	32.281	35.4	30.	3.674	1.917	30.14	30.45	34.2	35.19
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	16 ##	0.005	0.071	0.5	0.005	0.017	0.131	0.005	0.005	0.09	0.318
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	16	0.83	0.881	1.83	0.24	0.18	0.425	0.338	0.595	1.12	1.627
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	16 ##	0.005	0.032	0.12	0.001	0.002	0.047	0.001	0.001	0.083	0.113
00665 PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	16	0.272	0.293	0.469	0.216	0.005	0.069	0.216	0.251	0.348	0.406
00680 CARBON, TOTAL ORGANIC (MG/L AS C)	07/29/82-07/29/82	2	17.	17.	31.	3.	392.	19.799	**	**	**	**
00945 SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	8	2508.	2507.	2817.	2195.	38690.	196.698	**	**	**	**
31505 COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	07/28/82-08/20/82	16	33.	145.688	920.	2.	57773.429	240.361	6.2	11.75	235.	521.
31505 LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	07/28/82-08/20/82	16	1.519	1.634	2.964	0.301	0.54	0.735	0.722	1.068	2.371	2.67
31505 GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			43.052								
31615 FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	16	8.	36.563	350.	1.	7324.663	85.584	1.	1.25	45.	139.3
31615 LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	16	0.903	0.919	2.544	0.	0.583	0.764	0.	0.075	1.647	1.946
31615 GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			8.29								
70507 PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	16	0.031	0.036	0.086	0.001	0.001	0.025	0.005	0.015	0.065	0.073

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0012

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
00300 OXYGEN, DISSOLVED	Other-Lo Lim.	4.	16	4	0.25	16	4	0.25									
00400 PH	Other-Hi Lim.	9.	16	0	0.00	16	0	0.00									
	Other-Lo Lim.	6.5	16	0	0.00	16	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CUIS0012

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
							Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
31505	COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	16	0	0.00	16	0	0.00									
31615	FECAL COLIFORM, MPN	Other-Hi Lim.	200.	16	1	0.06	16	1	0.06									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0013

NPS Station ID: CUIS0013 Location: AMELIA R. 200 YDS WEST CM 26 Station Type: /TYPA/AMBNT/ESTURY/BIO RMI-Indexes: RMI-Miles: HUC: 03070204 Major Basin: SOUTH-EAST Minor Basin: NASSAU-ST MARYS RF1 Index: 03070204031 RF3 Index: 03070204036700.00 Description: SEGMENT 19.1AA BODY OF WATER' RIVER, AMELIA NEAR TIGER ISLAND	LAT/LON: 30.695559/ -81.464448 Depth of Water: 26 Elevation: 0 RF1 Mile Point: 3.300 RF3 Mile Point: 0.00	Agency: 21FLA FIPS State/County: 12089 FLORIDA/NASSAU STORET Station ID(s): 19010053 Within Park Boundary: No Aquifer: Water Body Id: ECO Region: Distance from RF1: 0.00 Distance from RF3: 0.10
--	---	---

Date Created: 10/23/82

On/Off RF1: ON
On/Off RF3:

NORTH AMELIA RIVER 200 YDS FROM MARKER 26 BEARING 250 DEG MAGNETIC

Parameter Inventory for Station: CUIS0013

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	16	27.15	27.331	28.5	26.1	0.522	0.723	26.38	26.825	28.	28.5
00094 SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	16	49050.	48893.75	52800.	44200.	9879291.667	3143.134	44340.	45775.	52150.	52590.
00300 OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	16	5.2	5.063	6.9	2.9	0.929	0.964	3.25	4.575	5.6	6.2
00310 BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	16	0.7	0.847	2.3	0.05	0.312	0.558	0.225	0.525	1.075	1.88
00400 PH (STANDARD UNITS)	07/28/82-08/20/82	16	7.95	7.968	8.45	7.2	0.101	0.318	7.55	7.725	8.253	8.38
00400 CONVERTED PH (STANDARD UNITS)	07/28/82-08/20/82	16	7.947	7.844	8.45	7.2	0.117	0.342	7.55	7.725	8.253	8.38
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/28/82-08/20/82	16	0.011	0.014	0.063	0.004	0.	0.014	0.004	0.006	0.019	0.033
00480 SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	16	32.7	32.675	35.6	28.8	5.637	2.374	28.8	30.6	35.15	35.46
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	16	0.05	0.076	0.26	0.005	0.007	0.083	0.005	0.005	0.118	0.239
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	16	0.73	0.755	1.38	0.22	0.097	0.312	0.297	0.577	0.958	1.282
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	16 ##	0.005	0.025	0.11	0.001	0.001	0.037	0.001	0.001	0.038	0.11
00665 PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	16	0.25	0.249	0.368	0.151	0.003	0.053	0.176	0.209	0.268	0.339
00680 CARBON, TOTAL ORGANIC (MG/L AS C)	07/28/82-07/29/82	4	4.5	5.125	11.	0.5	19.063	4.366	**	**	**	**
00945 SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	8	2508.	2553.375	2879.	2257.	59171.982	243.253	**	**	**	**
31505 COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	07/28/82-08/20/82	15	31.	136.	540.	4.	32049.143	179.023	5.2	8.	350.	426.
31505 LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	07/28/82-08/20/82	15	1.491	1.598	2.732	0.602	0.602	0.776	0.708	0.903	2.544	2.619
31505 GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			39.641								
31615 FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	15	7.	37.	240.	1.	4445.571	66.675	1.	1.	33.	174.
31615 LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	15	0.845	0.959	2.38	0.	0.615	0.784	0.	0.	1.519	2.22
31615 GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			9.108								
70507 PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	16	0.02	0.022	0.067	0.001	0.	0.02	0.001	0.004	0.035	0.057

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0013

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
00300 OXYGEN, DISSOLVED	Other-Lo Lim.	4.	16	2	0.13	16	2	0.13									
00400 PH	Other-Hi Lim.	9.	16	0	0.00	16	0	0.00									
	Other-Lo Lim.	6.5	16	0	0.00	16	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CUIS0013

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
							Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
31505	COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	15	0	0.00	15	0	0.00									
31615	FECAL COLIFORM, MPN	Other-Hi Lim.	200.	15	1	0.07	15	1	0.07									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0014

NPS Station ID: CUIS0014
 Location: AMELIA RIVER AT CM 26
 Station Type: /TYPA/AMBNT/STREAM/BIO
 RMI-Indexes:
 RMI-Miles:
 HUC: 03070204
 Major Basin: SOUTH-EAST
 Minor Basin: NASSAU-ST MARYS
 RF1 Index: 03070204031
 RF3 Index: 03070204034700.00

LAT/LON: 30.696670/ -81.463615

Agency: 21FLA
 FIPS State/County: 12089 FLORIDA/NASSAU
 STORET Station ID(s): 19020010
 Within Park Boundary: No

Date Created: 07/18/81

Depth of Water: 20
 Elevation: 0

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 0.40
 Distance from RF3: 0.07

On/Off RF1: ON
 On/Off RF3:

Description:
 SEGMENT 19.1AA BODY OF WATER' RIV'R, AMELIA ISLAND. CUMBERLAND SOUND

AMELIA RIVER AT MARKER 26 NORTHWEST OF EGANS CREEK NEAR LITTLE TIGER

Parameter Inventory for Station: CUIS0014

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	01/09/80-04/02/91	39	25.8	23.785	29.	10.5	28.358	5.325	13.8	22.5	27.3	28.3
00055 VELOCITY, STREAM FT/SEC	01/25/82-04/02/91	8	1.5	1.344	2.	0.25	0.481	0.694	**	**	**	**
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	01/09/80-04/02/91	14	7.5	9.071	21.	2.	41.341	6.43	2.5	3.775	12.25	20.5
00078 TRANSPARENCY, SECCHI DISC (METERS)	01/09/80-04/02/91	16	1.05	1.103	1.7	0.6	0.119	0.344	0.67	0.87	1.405	1.63
00081 COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	01/09/80-04/02/91	14	35.	38.571	80.	15.	440.11	20.979	15.	20.	50.	80.
00094p SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	01/09/80-04/02/91	37	45000.	44507.568	52900.	31500.	34942918.919	5911.254	34800.	40750.	49500.	52240.
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	05/26/81-04/02/91	9	35000.	38800.	50400.	26000.	79912500.	8939.379	26000.	31750.	47850.	50400.
00299 OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	06/28/81-04/02/91	6	6.25	6.45	8.	5.1	1.563	1.25	**	**	**	**
00300p OXYGEN, DISSOLVED MG/L	01/09/80-04/02/91	39	5.7	6.031	8.9	2.9	2.258	1.503	4.	5.	7.1	8.4
00310p BOD, 5 DAY, 20 DEG C MG/L	01/09/80-04/02/91	32	0.85	0.984	2.8	0.1	0.472	0.687	0.2	0.525	1.175	2.25
00400p PH (STANDARD UNITS)	03/02/81-04/02/91	35	7.75	7.799	8.33	7.1	0.08	0.284	7.44	7.6	8.	8.242
00400p CONVERTED PH (STANDARD UNITS)	03/02/81-04/02/91	35	7.75	7.707	8.33	7.1	0.089	0.299	7.44	7.6	8.	8.242
00400p MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/02/81-04/02/91	35	0.018	0.02	0.079	0.005	0.	0.015	0.006	0.01	0.025	0.037
00403 PH, LAB, STANDARD UNITS SU	01/09/80-04/02/91	13	7.9	7.877	8.1	7.5	0.037	0.192	7.54	7.75	8.05	8.1
00403 CONVERTED PH, LAB, STANDARD UNITS	01/09/80-04/02/91	13	7.9	7.835	8.1	7.5	0.039	0.197	7.54	7.75	8.05	8.1
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	01/09/80-04/02/91	13	0.013	0.015	0.032	0.008	0.	0.007	0.008	0.009	0.018	0.029
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	10/01/90-04/02/91	2	125.5	125.5	139.	112.	364.5	19.092	**	**	**	**
00480 SALINITY - PARTS PER THOUSAND	05/26/81-04/02/91	26	32.3	31.865	37.	22.5	11.691	3.419	27.13	30.	34.85	35.39
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	01/09/80-04/02/91	13	74.	73.538	144.	17.	1864.769	43.183	20.6	27.5	109.	138.8
00535 RESIDUE, VOLATILE NONFILTRABLE (MG/L)	01/09/80-04/02/91	13	14.	13.154	26.	4.	53.474	7.313	4.	4.5	19.	24.
00540 RESIDUE, FIXED NONFILTRABLE (MG/L)	01/09/80-04/02/91	13	60.	59.615	123.	13.	1365.256	36.949	16.6	23.	92.5	115.8
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	01/09/80-04/02/91	30	0.075	0.112	0.62	0.005	0.017	0.131	0.005	0.014	0.183	0.259
00615 NITRITE NITROGEN, TOTAL (MG/L AS N)	04/14/82-05/02/83	4	0.008	0.009	0.02	0.001	0.	0.008	**	**	**	**
00620 NITRATE NITROGEN, TOTAL (MG/L AS N)	01/09/80-03/02/81	2	0.125	0.125	0.13	0.12	0.	0.007	**	**	**	**
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	01/09/80-04/02/91	30	0.665	0.824	1.98	0.08	0.251	0.501	0.291	0.448	1.168	1.648
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	05/26/81-04/02/91	28 ##	0.007	0.024	0.11	0.001	0.001	0.032	0.001	0.002	0.048	0.073
00665 PHOSPHORUS, TOTAL (MG/L AS P)	01/09/80-04/02/91	30	0.2	0.187	0.348	0.01	0.01	0.102	0.05	0.084	0.27	0.323
00680 CARBON, TOTAL ORGANIC (MG/L AS C)	03/02/81-02/02/83	10	3.5	4.	7.	2.	3.111	1.764	2.	2.75	6.	6.9
00940 CHLORIDE,TOTAL IN WATER MG/L	05/02/83-10/01/90	2	18255.5	18255.5	21000.	15511.	15064560.5	3881.309	**	**	**	**
00945 SULFATE, TOTAL (MG/L AS SO4)	07/28/82-10/01/90	10	2539.	2594.1	3300.	2257.	104311.433	322.973	2257.	2352.25	2786.	3257.9
00951 FLUORIDE, TOTAL (MG/L AS F)	01/25/82-04/14/82	2	0.765	0.765	0.8	0.73	0.002	0.049	**	**	**	**
01002 ARSENIC, TOTAL (UG/L AS AS)	07/29/82-07/29/82	1 ##	25.	25.	25.	25.	0.	0.	**	**	**	**
01012 BERYLLIUM, TOTAL (UG/L AS BE)	07/29/82-07/29/82	1 ##	12.5	12.5	12.5	12.5	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CUIS0014

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01027	CADMIUM, TOTAL (UG/L AS CD)	07/29/82-07/29/82	1 ##	0.05	0.05	0.05	0.05	0.	0.	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	07/29/82-07/29/82	1 ##	25.	25.	25.	25.	0.	0.	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	07/29/82-07/29/82	1 ##	7.5	7.5	7.5	7.5	0.	0.	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	07/29/82-07/29/82	1 ##	5.	5.	5.	5.	0.	0.	**	**	**
01059	THALLIUM, TOTAL (UG/L AS TL)	07/29/82-07/29/82	1 ##	50.	50.	50.	50.	0.	0.	**	**	**
01067	NICKEL, TOTAL (UG/L AS NI)	07/29/82-07/29/82	1 ##	25.	25.	25.	25.	0.	0.	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	07/29/82-07/29/82	1	14.	14.	14.	14.	0.	0.	**	**	**
01097	ANTIMONY, TOTAL (UG/L AS SB)	07/29/82-07/29/82	1 ##	100.	100.	100.	100.	0.	0.	**	**	**
01147	SELENIUM, TOTAL (UG/L AS SE)	07/29/82-07/29/82	1 ##	10.	10.	10.	10.	0.	0.	**	**	**
31501	COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,35C	10/01/90-04/02/91	2	100.	100.	190.	10.	16200.	127.279	**	**	**
31501	LOG COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,	10/01/90-04/02/91	2	1.639	1.639	2.279	1.	0.818	0.904	**	**	**
31501	GM COLIFORM,TOT, MEMBRANE FILTER,IMMED.M-ENDO MED,3	GEOMETRIC MEAN =			43.589							
31505	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	01/09/80-05/13/85	29	79.	340.31	3300.	2.	466269.65	682.839	8.	26.5	285.
31505	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	01/09/80-05/13/85	29	1.898	1.932	3.519	0.301	0.622	0.789	0.903	1.41	2.449
31505	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			85.429							1100.
31613	FECAL COLIFORM,MEMBR FILTER,M-FC AGAR,44.5C,24HR	10/01/90-04/02/91	2	65.	65.	120.	10.	6050.	77.782	**	**	**
31613	LOG FECAL COLIFORM,MEMBR FILTER,M-FC AGAR,44.5C,24	10/01/90-04/02/91	2	1.54	1.54	2.079	1.	0.582	0.763	**	**	**
31613	GM FECAL COLIFORM,MEMBR FILTER,M-FC AGAR,44.5C,24H	GEOMETRIC MEAN =			34.641							
31615	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	01/09/80-05/13/85	29	11.	79.517	540.	1.	21861.401	147.856	1.	1.5	79.5
31615	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	01/09/80-05/13/85	29	1.041	1.108	2.732	0.	0.819	0.905	0.	0.151	1.866
31615	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			12.809							350.
31639	ENTEROCOCCI GROUP D,MF TRANS,M-E,EIA #/100ML	10/01/90-04/02/91	2 ##	5.75	5.75	10.	1.5	36.125	6.01	**	**	**
31639	LOG ENTEROCOCCI GROUP D,MF TRANS,M-E,EIA #/100ML	10/01/90-04/02/91	2 ##	0.588	0.588	1.	0.176	0.339	0.583	**	**	**
31639	GM ENTEROCOCCI GROUP D,MF TRANS,M-E,EIA #/100ML	GEOMETRIC MEAN =			3.873							**
70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-10/01/90	17	0.02	0.026	0.065	0.001	0.	0.022	0.002	0.007	0.045
71900	MERCURY, TOTAL (UG/L AS HG)	07/29/82-07/29/82	1 ##	0.1	0.1	0.1	0.1	0.	0.	**	**	**
72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	01/09/80-04/02/91	20	19.45	20.61	35.	12.	29.982	5.476	15.12	17.025	23.375

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0014

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00076	TURBIDITY, HACH TURBIDIMETER	50.	14	0	0.00	3	0	0.00	1	0	0.00	5	0	0.00	5	0	0.00
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE	4.	6	0	0.00	2	0	0.00	1	0	0.00	1	0	0.00	2	0	0.00
00300	OXYGEN, DISSOLVED	4.	39	4	0.10	25	4	0.16	2	0	0.00	7	0	0.00	5	0	0.00
00400	PH	9.	35	0	0.00	25	0	0.00	2	0	0.00	5	0	0.00	3	0	0.00
	Other-Lo Lim.	6.5	35	0	0.00	25	0	0.00	2	0	0.00	5	0	0.00	3	0	0.00
00403	PH, LAB	9.	13	0	0.00	3	0	0.00	1	0	0.00	4	0	0.00	5	0	0.00
	Other-Lo Lim.	6.5	13	0	0.00	3	0	0.00	1	0	0.00	4	0	0.00	5	0	0.00
00615	NITRITE NITROGEN, TOTAL AS N	1.	4	0	0.00							1	0	0.00	3	0	0.00
00620	NITRATE NITROGEN, TOTAL AS N	10.	2	0	0.00							2	0	0.00			
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	10.	28	0	0.00	19	0	0.00	1	0	0.00	3	0	0.00	5	0	0.00
00940	CHLORIDE,TOTAL IN WATER	860.	2	2	1.00				1	1	1.00				1	1	1.00
	Drinking Water	250.	2	2	1.00				1	1	1.00				1	1	1.00
00945	SULFATE, TOTAL (AS SO4)	250.	10	10	1.00	8	8	1.00	1	1	1.00				1	1	1.00
00951	FLUORIDE, TOTAL AS F	4.	2	0	0.00							1	0	0.00	1	0	0.00
01002	ARSENIC, TOTAL	360.	1	0	0.00	1	0	0.00									
	Drinking Water	50.	1	0	0.00	1	0	0.00									
01012	BERYLLIUM, TOTAL	130.	1	0	0.00	1	0	0.00									
	Drinking Water	4.	0 &	0	0.00												
01027	CADMIUM, TOTAL	3.9	1	0	0.00	1	0	0.00									
	Drinking Water	5.	1	0	0.00	1	0	0.00									
01034	CHROMIUM, TOTAL	100.	1	0	0.00	1	0	0.00									
01042	COPPER, TOTAL	18.	1	0	0.00	1	0	0.00									
	Drinking Water	1300.	1	0	0.00	1	0	0.00									
01051	LEAD, TOTAL	82.	1	0	0.00	1	0	0.00									
	Drinking Water	15.	1	0	0.00	1	0	0.00									
01059	THALLIUM, TOTAL	1400.	1	0	0.00	1	0	0.00									
	Drinking Water	2.	0 &	0	0.00												

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CUIS0014


Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
01067	NICKEL, TOTAL	Fresh Acute 1400.	1	0	0.00	1	0	0.00									
		Drinking Water 100.	1	0	0.00	1	0	0.00									
01092	ZINC, TOTAL	Fresh Acute 120.	1	0	0.00	1	0	0.00									
		Drinking Water 5000.	1	0	0.00	1	0	0.00									
01097	ANTIMONY, TOTAL	Fresh Acute 88.	0 &	0	0.00												
		Drinking Water 6.	0 &	0	0.00												
01147	SELENIUM, TOTAL	Fresh Acute 20.	1	0	0.00	1	0	0.00									
		Drinking Water 50.	1	0	0.00	1	0	0.00									
31501	COLIFORM, TOTAL, MEMBRANE FILTER, IMMED.	Other-Hi Lim. 1000.	2	0	0.00				1	0	0.00	1	0	0.00			
31505	COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim. 1000.	29	3	0.10	19	1	0.05				5	1	0.20	5	1	0.20
31613	FECAL COLIFORM, MEMBRANE FILTER, AGAR	Other-Hi Lim. 200.	2	0	0.00				1	0	0.00	1	0	0.00			
31615	FECAL COLIFORM, MPN	Other-Hi Lim. 200.	29	5	0.17	19	4	0.21				5	1	0.20	5	0	0.00
71900	MERCURY, TOTAL	Fresh Acute 2.4	1	0	0.00	1	0	0.00									
		Drinking Water 2.	1	0	0.00	1	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station: CUIS0014 Parameter Code: 00094

SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @


(X 1000)



AMELIA RIVER AT CM 26

Station: CUIS0014 Parameter Code: 00300


OXYGEN, DISSOLVED



AMELIA RIVER AT CM 26

Station: CUIS0014 Parameter Code: 00310


BOD, 5 DAY, 20 DEG C



AMELIA RIVER AT CM 26

Station: CUIS0014 Parameter Code: 00400

PH (STANDARD UNITS)



AMELIA RIVER AT CM 26

Station Inventory for Station: CUIS0015

NPS Station ID: CUIS0015
 Location: AMELIA R. 200 YDS 070 FM MKR 26
 Station Type: /TYPA/AMBNT/ESTURY/BIO
 RMI-Indexes:
 RMI-Miles:
 HUC: 03070204
 Major Basin: SOUTH-EAST
 Minor Basin: NASSAU-ST MARYS
 RF1 Index: 03070204031
 RF3 Index: 03070204034700.00

LAT/LON: 30.696948/ -81.462782

Depth of Water: 22
 Elevation: 0

RF1 Mile Point: 3.650
 RF3 Mile Point: 0.30

Agency: 21FLA
 FIPS State/County: 12089 FLORIDA/NASSAU
 STORET Station ID(s): 19010052
 Within Park Boundary: No

Date Created: 10/23/82

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.05

On/Off RF1: ON
 On/Off RF3:

Description:
 SEGMENT 19.1AA BODY OF WATER' RIVER, AMELIA
 LOCATED SOUTH OF FORT CLINCH BOAT RAMP

NORTH AMELIA RIVER 200 YDS FROM MARKER 26 070 DEGREES MAGNETIC

Parameter Inventory for Station: CUIS0015

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	07/28/82-08/20/82	16	27.3	27.444	28.6	26.4	0.449	0.67	26.61	27.	28.1	28.53
00094 SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	07/28/82-08/20/82	16	47950.	48562.5	52500.	44800.	7699833.333	2774.857	45150.	45925.	51500.	52080.
00300 OXYGEN, DISSOLVED MG/L	07/28/82-08/20/82	15	4.8	4.673	6.3	3.1	0.828	0.91	3.28	3.7	5.2	5.88
00310 BOD, 5 DAY, 20 DEG C MG/L	07/28/82-08/20/82	15	0.7	0.88	2.6	0.3	0.362	0.601	0.3	0.5	1.2	1.94
00400 PH (STANDARD UNITS)	07/28/82-08/20/82	16	8.	7.928	8.35	7.1	0.086	0.293	7.52	7.8	8.168	8.259
00400 CONVERTED PH (STANDARD UNITS)	07/28/82-08/20/82	16	8.	7.805	8.35	7.1	0.102	0.319	7.52	7.8	8.168	8.259
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	07/28/82-08/20/82	16	0.01	0.016	0.079	0.004	0.	0.018	0.006	0.007	0.016	0.038
00480 SALINITY - PARTS PER THOUSAND	07/28/82-08/20/82	16	31.9	32.175	35.	28.8	4.149	2.037	29.64	30.4	34.	35.
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	07/28/82-08/20/82	15	0.07	0.097	0.29	0.005	0.009	0.093	0.005	0.005	0.16	0.278
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	07/28/82-08/20/82	16	0.88	1.048	2.	0.28	0.33	0.574	0.392	0.635	1.733	1.937
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	07/28/82-08/20/82	16 ##	0.008	0.028	0.11	0.001	0.001	0.039	0.001	0.001	0.05	0.11
00665 PHOSPHORUS, TOTAL (MG/L AS P)	07/28/82-08/20/82	16	0.264	0.265	0.368	0.159	0.003	0.056	0.166	0.242	0.294	0.353
00680 CARBON, TOTAL ORGANIC (MG/L AS C)	07/28/82-07/29/82	3	6.	5.667	9.	2.	12.333	3.512	**	**	**	**
00945 SULFATE, TOTAL (MG/L AS SO4)	07/28/82-07/29/82	8	2570.	2561.125	2879.	2257.	48964.125	221.278	**	**	**	**
31505 COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	07/28/82-08/20/82	15	170.	514.533	2400.	6.	555276.981	745.169	7.2	17.	540.	1920.
31505 LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	07/28/82-08/20/82	15	2.23	2.072	3.38	0.778	0.834	0.913	0.853	1.23	2.732	3.275
31505 GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			118.021								
31615 FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	15	23.	166.2	1600.	1.	167629.457	409.426	1.6	6.	130.	850.
31615 LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	07/28/82-08/20/82	15	1.362	1.412	3.204	0.	0.752	0.867	0.181	0.778	2.114	2.808
31615 GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			25.847								
70507 PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	07/28/82-08/20/82	16	0.031	0.035	0.075	0.003	0.	0.021	0.006	0.02	0.055	0.067

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0015

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
00300 OXYGEN, DISSOLVED	Other-Lo Lim.	4.	15	4	0.27	15	4	0.27									
00400 PH	Other-Hi Lim.	9.	16	0	0.00	16	0	0.00									
	Other-Lo Lim.	6.5	16	0	0.00	16	0	0.00									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Station: CUIS0015

Parameter		Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
							Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
31505	COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	15	3	0.20	15	3	0.20									
31615	FECAL COLIFORM, MPN	Other-Hi Lim.	200.	15	3	0.20	15	3	0.20									

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0016

NPS Station ID: CUIS0016
Location: AMELIA R WASTE DITCH-CCA PLT
Station Type: /TYPA/IND/TREATD/OUTFL/STREAM
RMI-Indexes: 0319100 000030 00030
RMI-Miles: 0001.30 0001.00 000.20
HUC: 03070204
Major Basin: SOUTHEAST
Minor Basin: ST MARYS RIVER
RF1 Index: 03070204031
RF3 Index: 03070204000516.92
Description:

LAT/LON: 30.700004/ -81.466670

Depth of Water: 0
Elevation: 0

RF1 Mile Point: 3.650
RF3 Mile Point: 17.17

Agency: 1113S050
FIPS State/County: 12089 FLORIDA/NASSAU
STORET Station ID(s): 649025
Within Park Boundary: No

Aquifer:
Water Body Id:
ECO Region:
Distance from RF1: 0.00
Distance from RF3: 0.22

Date Created: / /

On/Off RF1: ON
On/Off RF3:

Parameter Inventory for Station: CUIS0016

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data at this Station Suitable for Statistical Analysis *****												

Station Inventory for Station: CUIS0017

NPS Station ID: CUIS0017
 Location: CENTER ST MARYS R AT FORT CLINCH
 Station Type: /TYPA/AMBNT/ESTURY/BIO
 RMI-Indexes:
 RMI-Miles:
 HUC: 03070203
 Major Basin: SOUTH-EAST
 Minor Basin: NASSAU-ST MARYS
 RF1 Index: 03070203027
 RF3 Index: 03070204002900.28
 Description:
 SEGMENT 19.1AA BODY OF WATER: RIVER, ST MARYS
 FORT CLINCH

LAT/LON: 30.709726/ -81.457226

Depth of Water: 0
 Elevation: 0

RF1 Mile Point: 55.040
 RF3 Mile Point: 0.79

Agency: 21FLA
 FIPS State/County: 12089 FLORIDA/NASSAU
 STORET Station ID(s): 19010025
 Within Park Boundary: No

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.28

Date Created: / /

On/Off RF1: OFF
 On/Off RF3:

Parameter Inventory for Station: CUIS0017

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/27/73-09/13/88	12	20.6	20.367	29.4	9.	40.862	6.392	10.05	14.775	26.45	28.68
00055 VELOCITY, STREAM FT/SEC	11/10/86-09/13/88	3	1.	1.5	2.5	1.	0.75	0.866	**	**	**	**
00061 FLOW, STREAM, INSTANTANEOUS CFS	03/26/75-03/26/75	1	1.	1.	1.	1.	0.	0.	**	**	**	**
00070 TURBIDITY, (JACKSON CANDLE UNITS)	11/27/73-12/04/73	2	4.6	4.6	5.1	4.1	0.5	0.707	**	**	**	**
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	06/12/79-09/13/88	8	8.	12.663	45.	1.	198.968	14.106	**	**	**	**
00078 TRANSPARENCY, SECCHI DISC (METERS)	06/12/79-09/13/88	7	0.9	1.184	2.81	0.28	0.636	0.798	**	**	**	**
00081 COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	06/12/79-09/13/88	9	30.	46.667	160.	10.	2000.	44.721	10.	25.	50.	160.
00094 SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	01/24/80-09/13/88	7	37700.	38049.	51743.	29500.	47365540.333	6882.263	**	**	**	**
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/27/73-09/13/88	11	43000.	40812.091	51000.	31000.	37690568.091	6139.264	31700.	35200.	45100.	50106.6
00299 OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	08/12/85-09/13/88	4	7.95	7.775	10.2	5.	4.589	2.142	**	**	**	**
00300 OXYGEN, DISSOLVED MG/L	11/27/73-09/13/88	12	7.35	7.258	9.8	4.4	2.454	1.566	4.58	6.25	8.325	9.59
00310 BOD, 5 DAY, 20 DEG C MG/L	11/27/73-09/13/88	12	1.1	1.317	3.3	0.1	0.945	0.972	0.19	0.9	1.375	3.27
00400 PH (STANDARD UNITS)	11/27/73-09/13/88	8	7.85	7.438	8.3	5.5	0.946	0.972	**	**	**	**
00400 CONVERTED PH (STANDARD UNITS)	11/27/73-09/13/88	8	7.847	6.349	8.3	5.5	2.298	1.516	**	**	**	**
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/27/73-09/13/88	8	0.014	0.447	3.162	0.005	1.215	1.102	**	**	**	**
00403 PH, LAB, STANDARD UNITS SU	11/27/73-09/13/88	11	8.	8.018	8.4	7.5	0.056	0.236	7.56	7.9	8.2	8.36
00403 CONVERTED PH, LAB, STANDARD UNITS	11/27/73-09/13/88	11	8.	7.953	8.4	7.5	0.06	0.246	7.56	7.9	8.2	8.36
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/27/73-09/13/88	11	0.01	0.011	0.032	0.004	0.	0.008	0.004	0.006	0.013	0.028
00480 SALINITY - PARTS PER THOUSAND	11/17/80-01/11/88	5	30.	30.2	35.	24.	20.2	4.494	**	**	**	**
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/27/73-09/13/88	10	21.	37.2	133.	12.	1328.178	36.444	12.1	17.5	44.75	125.3
00535 RESIDUE, VOLATILE NONFILTRABLE (MG/L)	11/27/73-09/13/88	10	7.	7.5	23.	2.	36.944	6.078	2.1	3.	9.25	21.7
00540 RESIDUE, FIXED NONFILTRABLE (MG/L)	11/27/73-09/13/88	10	16.5	29.7	110.	9.	942.9	30.707	9.2	11.75	37.	103.6
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	01/24/80-09/13/88	7 ##	0.03	0.073	0.33	0.03	0.013	0.113	**	**	**	**
00620 NITRATE NITROGEN, TOTAL (MG/L AS N)	06/12/79-01/24/80	2	0.035	0.035	0.04	0.03	0.	0.007	**	**	**	**
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-09/13/88	10	0.49	0.492	0.95	0.05	0.07	0.264	0.061	0.342	0.68	0.932
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	11/17/80-09/13/88	7 ##	0.025	0.031	0.1	0.01	0.001	0.031	**	**	**	**
00665 PHOSPHORUS, TOTAL (MG/L AS P)	11/27/73-09/13/88	10	0.083	0.087	0.184	0.005	0.004	0.06	0.006	0.04	0.127	0.183
00680 CARBON, TOTAL ORGANIC (MG/L AS C)	11/27/73-12/04/73	2	6.5	6.5	8.	5.	4.5	2.121	**	**	**	**
00940 CHLORIDE,TOTAL IN WATER MG/L	11/27/73-09/13/88	7	18907.	19131.857	21400.	17372.	1938359.143	1392.25	**	**	**	**
00951 FLUORIDE, TOTAL (MG/L AS F)	11/17/80-09/13/88	5	0.81	0.822	0.94	0.73	0.006	0.079	**	**	**	**
31505 COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	11/27/73-09/13/88	9	40.	680.222	3500.	1.	1625875.444	1275.098	1.	4.5	1235.	3500.
31505 LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	11/27/73-09/13/88	9	1.602	1.703	3.544	0.	1.547	1.244	0.	0.573	2.887	3.544
31505 GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			50.445								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CUIS0017

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
31614	FECAL COLIFORM,MPN,TUBE CONFIGURATION	11/27/73-11/27/73	1	2.	2.	2.	0.	0.	**	**	**	**
31614	LOG FECAL COLIFORM,MPN,TUBE CONFIGURATION	11/27/73-11/27/73	1	0.301	0.301	0.301	0.	0.	**	**	**	**
31614	GM FECAL COLIFORM,MPN,TUBE CONFIGURATION	GEOMETRIC MEAN =		2.								
31615	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	11/27/73-09/13/88	9	11.5	192.167	1400.	1.	212702.	461.196	1.	146.5	1400.
31615	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	11/27/73-09/13/88	9	1.061	1.067	3.146	0.	1.291	1.136	0.	1.897	3.146
31615	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =		11.665								
32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	11/10/86-01/25/88	3	2.4	2.67	3.74	1.87	0.929	0.964	**	**	**
32230	CHLOROPHYLL A (MG/L)	11/27/73-12/04/73	2	0.001	0.001	0.001	0.001	0.	0.	**	**	**
32231	CHLOROPHYLL B (MG/L)	11/27/73-12/04/73	2	0.	0.	0.	0.	0.	0.	**	**	**
32232	CHLOROPHYLL C (MG/L)	11/27/73-12/04/73	2	0.001	0.001	0.001	0.001	0.	0.	**	**	**
70507	PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	11/27/73-09/13/88	3	0.022	0.021	0.025	0.015	0.	0.005	**	**	**
71488	MACROINVERTEBRATES,BENTHIC,TOTAL NO/M2	04/01/87-09/13/88	3	139.	1776.667	5087.	104.	8219036.333	2866.886	**	**	**
72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	08/12/85-09/13/88	5	27.	27.	45.	4.	231.5	15.215	**	**	**
82246	NATURAL SUBSTRATE,DIVERSITY INDEX	11/10/86-09/13/88	4	3.301	3.372	4.24	2.646	0.439	0.662	**	**	**
82250	NATURAL SUBSTRATE - NUMBER OF SPECIES	11/10/86-09/13/88	4	15.	18.75	38.	7.	195.583	13.985	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0017

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00070	TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim. 50.	2	0	0.00				1	0	0.00	1	0	0.00			
00076	TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim. 50.	8	0	0.00	4	0	0.00	1	0	0.00	3	0	0.00			
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE	Other-Lo Lim. 4.	4	0	0.00	2	0	0.00				2	0	0.00			
00300	OXYGEN, DISSOLVED	Other-Lo Lim. 4.	12	0	0.00	4	0	0.00	3	0	0.00	5	0	0.00			
00400	PH	Other-Hi Lim. 9.	8	0	0.00	2	0	0.00	2	0	0.00	4	0	0.00			
		Other-Lo Lim. 6.5	8	2	0.25	2	0	0.00	2	1	0.50	4	1	0.25			
00403	PH, LAB	Other-Hi Lim. 9.	11	0	0.00	4	0	0.00	3	0	0.00	4	0	0.00			
		Other-Lo Lim. 6.5	11	0	0.00	4	0	0.00	3	0	0.00	4	0	0.00			
31505	COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim. 1000.	9	2	0.22	4	0	0.00	2	1	0.50	3	1	0.33			
31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	Other-Hi Lim. 200.	1	0	0.00				1	0	0.00						
31615	FECAL COLIFORM, MPN	Other-Hi Lim. 200.	9	2	0.22	4	0	0.00	2	1	0.50	3	1	0.33			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0018

NPS Station ID: CUIS0018
 Location: ST MARYS RIV #9 AT MARKER #13
 Station Type: /TYPA/AMBNT/LAKE/BIO
 RMI-Indexes:
 RMI-Miles:
 HUC: 03070204
 Major Basin: SOUTH-EAST
 Minor Basin: NASSAU-ST MARYS
 RF1 Index: 03070204027
 RF3 Index: 03070204097600.00
 Description:
 SEGMENT 19.1AA BODY OF WATER: RIVER, ST MARYS

LAT/LON: 30.717227/ -81.549171

Depth of Water: 0
 Elevation: 0

RF1 Mile Point: 2.480
 RF3 Mile Point: 0.00

Agency: 21FLA
 FIPS State/County: 12089 FLORIDA/NASSAU
 STORET Station ID(s): 19010012
 Within Park Boundary: No

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.02

Date Created: / /

On/Off RF1: ON
 On/Off RF3:

ST MARYS # 9 ST MARYS RIVER AT MARKER # 13

Parameter Inventory for Station: CUIS0018

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/23/71-11/08/93	22	22.75	20.668	30.	9.5	37.912	6.157	11.45	15.375	25.3	29.1
00055 VELOCITY, STREAM FT/SEC	08/12/85-11/08/93	11	1.	1.1	2.5	0.5	0.28	0.529	0.52	1.	1.	2.3
00070 TURBIDITY, (JACKSON CANDLE UNITS)	03/23/71-04/08/71	2	7.85	7.85	12.	3.7	34.445	5.869	**	**	**	**
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	01/11/78-11/08/93	18	6.	7.161	29.	2.	35.758	5.98	2.	3.675	8.1	12.17
00078 TRANSPARENCY, SECCHI DISC (METERS)	10/11/76-11/08/93	18	0.85	0.821	1.3	0.4	0.055	0.234	0.49	0.65	1.	1.12
00080 COLOR (PLATINUM-COBALT UNITS)	03/23/71-04/08/71	2	90.	90.	100.	80.	200.	14.142	**	**	**	**
00081 COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	01/11/78-11/08/93	19	80.	118.947	480.	30.	14665.497	121.101	40.	50.	120.	400.
00094 SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	10/11/76-11/08/93	16	29000.	28855.563	50000.	7100.	141770729.729	11906.751	11517.	19100.	38525.	45015.3
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	01/11/78-11/08/93	18	35550.	30455.5	44900.	6900.	114367756.265	10694.286	9645.	22900.	37075.	41840.
00299 OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	10/11/76-08/25/93	7	5.4	5.7	8.9	3.8	2.933	1.713	**	**	**	**
00300 OXYGEN, DISSOLVED MG/L	03/23/71-11/08/93	21	6.3	6.238	8.9	2.2	2.587	1.609	3.76	5.4	7.6	8.42
00310 BOD, 5 DAY, 20 DEG C MG/L	04/08/71-11/08/93	19	0.9	1.032	2.3	0.2	0.288	0.537	0.4	0.8	1.4	2.
00340 COD, .25N K2CR2O7 MG/L	03/23/71-04/08/71	2	249.	249.	260.	238.	242.	15.556	**	**	**	**
00400 PH (STANDARD UNITS)	03/23/71-11/08/93	18	7.37	7.168	7.9	5.8	0.358	0.598	6.07	6.9	7.583	7.72
00400 CONVERTED PH (STANDARD UNITS)	03/23/71-11/08/93	18	7.369	6.664	7.9	5.8	0.627	0.792	6.07	6.9	7.582	7.72
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/23/71-11/08/93	18	0.043	0.217	1.585	0.013	0.175	0.419	0.019	0.026	0.126	0.873
00403 PH, LAB, STANDARD UNITS SU	01/11/78-11/08/93	19	7.6	7.495	8.1	6.4	0.202	0.449	6.4	7.3	7.7	7.9
00403 CONVERTED PH, LAB, STANDARD UNITS	01/11/78-11/08/93	19	7.6	7.177	8.1	6.4	0.309	0.555	6.4	7.3	7.7	7.9
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	01/11/78-11/08/93	19	0.025	0.067	0.398	0.008	0.014	0.118	0.013	0.02	0.05	0.398
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	03/23/71-11/08/93	8	92.	156.125	670.	52.	43505.839	208.581	**	**	**	**
00435 ACIDITY, TOTAL (MG/L AS CaCO3)	03/23/71-04/08/71	2	18.5	18.5	21.	16.	12.5	3.536	**	**	**	**
00480 SALINITY - PARTS PER THOUSAND	11/17/80-11/08/93	11	24.	21.973	35.	6.5	71.728	8.469	6.8	17.	27.	33.6
00500 RESIDUE, TOTAL (MG/L)	03/23/71-04/08/71	2	24405.	24405.	28250.	20560.	29568050.	5437.651	**	**	**	**
00505 RESIDUE, TOTAL VOLATILE (MG/L)	03/23/71-04/08/71	2	6216.5	6216.5	7206.	5227.	1958220.5	1399.364	**	**	**	**
00510 RESIDUE, TOTAL FIXED (MG/L)	03/23/71-04/08/71	2	18185.	18185.	21040.	15330.	16302050.	4037.58	**	**	**	**
00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	03/23/71-04/08/71	2	24340.	24340.	28170.	20510.	29337800.	5416.438	**	**	**	**
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	03/23/71-11/08/93	20	24.	28.85	77.	9.	388.661	19.714	10.1	12.25	35.75	66.3
00535 RESIDUE, VOLATILE NONFILTRABLE (MG/L)	03/23/71-11/08/93	20	5.5	7.	22.	2.	27.474	5.242	2.	4.	9.75	16.4
00540 RESIDUE, FIXED NONFILTRABLE (MG/L)	03/23/71-11/08/93	20	16.	21.85	56.	7.	240.555	15.51	8.	9.	25.75	54.7
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	01/11/78-11/08/93	18	0.047	0.123	1.02	0.005	0.06	0.246	0.01	0.03	0.07	0.516
00620 NITRATE NITROGEN, TOTAL (MG/L AS N)	03/23/71-01/24/80	5	0.04	0.033	0.08	0.	0.001	0.033	**	**	**	**
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	01/11/78-11/08/93	17	0.84	0.863	1.8	0.27	0.144	0.38	0.295	0.615	1.155	1.336
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	11/17/80-11/08/93	14 ##	0.025	0.039	0.11	0.015	0.001	0.029	0.015	0.019	0.053	0.095
00650 PHOSPHATE, TOTAL (MG/L AS PO4)	03/23/71-04/08/71	2	0.255	0.255	0.31	0.2	0.006	0.078	**	**	**	**
00660 PHOSPHATE, ORTHO (MG/L AS PO4)	03/23/71-04/08/71	2	0.08	0.08	0.1	0.06	0.001	0.028	**	**	**	**
00665 PHOSPHORUS, TOTAL (MG/L AS P)	03/23/71-11/08/93	18	0.075	0.161	0.903	0.015	0.047	0.217	0.02	0.061	0.163	0.494

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CUIS0018

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00900	HARDNESS, TOTAL (MG/L AS CaCO3)	03/23/71-04/08/71	2	2650.	2650.	3200.	2100.	605000.	777.817	**	**	**
00940	CHLORIDE, TOTAL IN WATER MG/L	03/23/71-08/25/93	9	14650.	12748.556	19100.	2274.	29768057.278	5456.011	2274.	8279.5	16834.
00945	SULFATE, TOTAL (MG/L AS SO4)	04/22/92-08/25/93	2	1750.	1750.	2300.	1200.	605000.	777.817	**	**	**
00951	FLUORIDE, TOTAL (MG/L AS F)	11/17/80-07/29/92	8	0.645	0.594	0.84	0.19	0.042	0.204	**	**	**
31501	COLIFORM, TOT, MEMBRANE FILTER, IMMED. M-ENDO MED, 35C	01/29/92-11/08/93	8	40.	110.5	470.	4.	26876.286	163.94	**	**	**
31501	LOG COLIFORM, TOT, MEMBRANE FILTER, IMMED. M-ENDO MED, 3	01/29/92-11/08/93	8	1.602	1.617	2.672	0.602	0.462	0.68	**	**	**
31501	GM COLIFORM, TOT, MEMBRANE FILTER, IMMED. M-ENDO MED, 3	01/29/92-11/08/93	8	1.602	1.617	2.672	0.602	0.462	0.68	**	**	**
31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	03/23/71-09/13/88	10	245.	3003.5	24000.	9.	55563147.167	7454.069	10.2	76.5	1850.
31505	LOG COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 3150	03/23/71-09/13/88	10	2.388	2.501	4.38	0.954	1.013	1.006	0.991	1.814	3.221
31505	GM COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506	03/23/71-09/13/88	10	2.388	2.501	4.38	0.954	1.013	1.006	0.991	1.814	3.221
31613	FECAL COLIFORM, MEMBR FILTER, M-FC AGAR, 44.5C, 24HR	01/29/92-01/29/92	1	10.	10.	10.	10.	0.	0.	**	**	**
31613	LOG FECAL COLIFORM, MEMBR FILTER, M-FC AGAR, 44.5C, 24	01/29/92-01/29/92	1	1.	1.	1.	1.	0.	0.	**	**	**
31613	GM FECAL COLIFORM, MEMBR FILTER, M-FC AGAR, 44.5C, 24H	01/29/92-01/29/92	1	1.	1.	1.	1.	0.	0.	**	**	**
31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	01/11/78-09/13/88	9	220.	695.111	4900.	17.	2501489.361	1581.61	17.	70.	335.
31615	LOG FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	01/11/78-09/13/88	9	2.342	2.25	3.69	1.23	0.468	0.684	1.23	1.845	2.517
31615	GM FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	01/11/78-09/13/88	9	2.342	2.25	3.69	1.23	0.468	0.684	1.23	1.845	2.517
31616	FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	04/22/92-11/08/93	7	12.	43.5	180.	0.5	4612.417	67.915	**	**	**
31616	LOG FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	04/22/92-11/08/93	7	1.079	1.014	2.255	-0.301	0.812	0.901	**	**	**
31616	GM FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	04/22/92-11/08/93	7	1.079	1.014	2.255	-0.301	0.812	0.901	**	**	**
32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	11/10/86-01/11/88	3	2.4	2.073	2.67	1.15	0.658	0.811	**	**	**
70507	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/23/71-07/29/92	7 ##	0.02	0.025	0.067	0.005	0.	0.02	**	**	**
71488	MACROINVERTEBRATES, BENTHIC, TOTAL NO/M2	04/01/87-01/11/88	2	1310.	1310.	1550.	1070.	115200.	339.411	**	**	**
72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	01/11/78-11/08/93	17	14.8	14.676	25.	7.	24.129	4.912	7.	11.8	19.25
82246	NATURAL SUBSTRATE, DIVERSITY INDEX	11/10/86-01/11/88	3	2.48	2.058	2.815	0.88	1.069	1.034	**	**	**
82250	NATURAL SUBSTRATE - NUMBER OF SPECIES	11/10/86-01/11/88	3	11.	16.667	34.	5.	234.333	15.308	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0018

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00070	TURBIDITY, JACKSON CANDLE UNITS	50.	2	0	0.00							2	0	0.00			
00076	TURBIDITY, HACH TURBIDIMETER	50.	18	0	0.00	6	0	0.00	3	0	0.00	6	0	0.00	3	0	0.00
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE	4.	7	1	0.14	4	1	0.25	1	0	0.00	2	0	0.00			
00300	OXYGEN, DISSOLVED	4.	21	2	0.10	6	2	0.33	4	0	0.00	8	0	0.00	3	0	0.00
00400	PH	9.	18	0	0.00	4	0	0.00	5	0	0.00	6	0	0.00	3	0	0.00
		6.5	18	3	0.17	4	2	0.50	5	1	0.20	6	0	0.00	3	0	0.00
00403	PH, LAB	9.	19	0	0.00	6	0	0.00	4	0	0.00	6	0	0.00	3	0	0.00
		6.5	19	2	0.11	6	2	0.33	4	0	0.00	6	0	0.00	3	0	0.00
00620	NITRATE NITROGEN, TOTAL AS N	10.	5	0	0.00	1	0	0.00				4	0	0.00			
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	10.	14	0	0.00	4	0	0.00	4	0	0.00	4	0	0.00	2	0	0.00
00940	CHLORIDE, TOTAL IN WATER	860.	9	9	1.00	2	2	1.00	1	1	1.00	5	5	1.00	1	1	1.00
		250.	9	9	1.00	2	2	1.00	1	1	1.00	5	5	1.00	1	1	1.00
00945	SULFATE, TOTAL (AS SO4)	250.	2	2	1.00	1	1	1.00							1	1	1.00
00951	FLUORIDE, TOTAL AS F	4.	8	0	0.00	2	0	0.00	2	0	0.00	3	0	0.00	1	0	0.00
31501	COLIFORM, TOTAL, MEMBRANE FILTER, IMMED.	1000.	8	0	0.00	2	0	0.00	2	0	0.00	2	0	0.00	2	0	0.00
31505	COLIFORM, TOTAL, MPN, CONF. TEST, 35C	1000.	10	3	0.30	4	0	0.00	1	0	0.00	5	3	0.60			
31613	FECAL COLIFORM, MEMBRANE FILTER, AGAR	200.	1	0	0.00							1	0	0.00			
31615	FECAL COLIFORM, MPN	200.	9	5	0.56	4	1	0.25	1	0	0.00	4	4	1.00			
31616	FECAL COLIFORM, MEMBRANE FILTER, BROTH	200.	7	0	0.00	2	0	0.00	2	0	0.00	1	0	0.00	2	0	0.00

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0019

NPS Station ID: CUIS0019 LAT/LON: 30.719920/ -81.549337

Location: SAINT MARY'S RIVER NEAR NPS VISITOR CENTER DOCK

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070204

Major Basin: SOUTHEAST

Minor Basin: ST. MARYS-NASSAU RIVER

RF1 Index: 03070204

RF3 Index: 03070201004101.75

Description:

THE SITE IS LOCATED ON THE SAINT MARYS FLORIDA 7.5 MINUTE SERIES (TOPOGRAPHIC) QUADRANGLE. THE DATA COME FROM A REPORT ENTITLED: UNDERGROUND STORAGE TANK INITIAL SITE CHARACTERIZATION CUMBERLAND ISLAND NATIONAL SEASHORE TECHNICAL REPORT NPS/NRWRD/NRTR-90/01 AUGUST 1989 BY GARY ROSENLIB OF THE WATER RESOURCES DIVISION NATIONAL PARK SERVICE. THERE WAS ONE SURFACE WATER SAMPLE COLLECTED FROM THE SAINT MARYS RIVER DOWNSTREAM FROM THE VISITOR CENTER DOCK AT HIGH TIDE AT THE WATER'S EDGE. IN ADDITION GROUND WATER SOIL AND DRINKING WATER SAMPLING WAS CONDUCTED. FOR MORE INFORMATION CONTACT JENNY BJORK - RESOURCES MANAGEMENT SPECIALIST AT CUMBERLAND ISLAND NATIONAL SEASHORE. THE SITE IS THE RESPONSIBILITY OF CUMBERLAND ISLAND NATIONAL SEASHORE P.O. BOX 806 SAINT MARYS GEORGIA 31558 PH.(912) 882-43335. DATA PROCESSED AND UPLOADED TO STORET BY JILL MINTER NPS WRD FORT COLLINS COLORADO. PH.(970)225-3514.

Agency: 11NPSWRD

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): CUIS_SM-1

Within Park Boundary: No

Date Created: 08/24/96

Depth of Water: 0

Elevation: 0

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.08

On/Off RF1:

On/Off RF3:

Parameter Inventory for Station: CUIS0019

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00403 PH, LAB, STANDARD UNITS SU	05/03/89-05/03/89	1	7.7	7.7	7.7	7.7	0.	0.	**	**	**	**
00403 CONVERTED PH, LAB, STANDARD UNITS	05/03/89-05/03/89	1	7.7	7.7	7.7	7.7	0.	0.	**	**	**	**
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	05/03/89-05/03/89	1	0.02	0.02	0.02	0.02	0.	0.	**	**	**	**
00915 CALCIUM, DISSOLVED (MG/L AS CA)	05/03/89-05/03/89	1	374.	374.	374.	374.	0.	0.	**	**	**	**
00930 SODIUM, DISSOLVED (MG/L AS NA)	05/03/89-05/03/89	1	11000.	11000.	11000.	11000.	0.	0.	**	**	**	**
00940 CHLORIDE,TOTAL IN WATER MG/L	05/03/89-05/03/89	1	18400.	18400.	18400.	18400.	0.	0.	**	**	**	**
00945 SULFATE, TOTAL (MG/L AS SO4)	05/03/89-05/03/89	1	2700.	2700.	2700.	2700.	0.	0.	**	**	**	**
01051 LEAD, TOTAL (UG/L AS PB)	05/03/89-05/03/89	1 ##	0.005	0.005	0.005	0.005	0.	0.	**	**	**	**
34010 TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L)	05/03/89-05/03/89	1 ##	2.5	2.5	2.5	2.5	0.	0.	**	**	**	**
34020 XYLENES IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L)	05/03/89-05/03/89	1 ##	2.5	2.5	2.5	2.5	0.	0.	**	**	**	**
34030 BENZENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.(UG/L)	05/03/89-05/03/89	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
45501 HYDROCARBON IN WATER, FREON EXT, CHROMAT, IR MG/L	05/03/89-05/03/89	1 ##	5.	5.	5.	5.	0.	0.	**	**	**	**
70300 RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	05/03/89-05/03/89	1	35800.	35800.	35800.	35800.	0.	0.	**	**	**	**
78113 ETHYL BENZENE WHOLE WATER SAMPLE UG/L	05/03/89-05/03/89	1 ##	2.5	2.5	2.5	2.5	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0019

Parameter	Std. Type	Std. Value	Total		Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
			Obs	Exceed Standard		Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00403 PH, LAB	Other-Hi Lim.	9.	1	0	0.00										1	0	0.00
	Other-Lo Lim.	6.5	1	0	0.00										1	0	0.00
01051 LEAD, TOTAL	Marine Acute	220.	1	0	0.00										1	0	0.00
34010 TOLUENE IN WTR SMPLE GC-MS, HEXADECONE E	Marine Acute	6300.	1	0	0.00										1	0	0.00

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0020

NPS Station ID: CUIS0020
 Location: ST MARYS R MIDDLE AT JOLLY R
 Station Type: /TYPA/AMBNT/ESTURY/BIO
 RMI-Indexes:
 RMI-Miles:
 HUC: 03070204
 Major Basin: SOUTH-EAST
 Minor Basin: NASSAU-ST MARYS
 RF1 Index: 03070204029
 RF3 Index: 03070204036200.00

LAT/LON: 30.722226/ -81.489170

Depth of Water: 0
 Elevation: 0

RF1 Mile Point: 1.170
 RF3 Mile Point: 0.37

Agency: 21FLA
 FIPS State/County: 12089 FLORIDA/NASSAU
 STORET Station ID(s): 19010024
 Within Park Boundary: No

Date Created: / /

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 9.00
 Distance from RF3: 0.14

On/Off RF1: ON
 On/Off RF3:

Description:
 SEGMENT 19.1AA BODY OF WATER: RIVER, ST MARYS ST MARYS RIVER MID-CHANNEL
 OFF CONFLUENCE WITH JOLLY RIVER

Parameter Inventory for Station: CUIS0020

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	11/27/73-09/13/88	10	21.	20.43	28.8	9.	39.927	6.319	9.45	15.	26.25	28.62
00055 VELOCITY, STREAM FT/SEC	11/10/86-09/13/88	4	1.	0.875	1.	0.5	0.063	0.25	**	**	**	**
00070 TURBIDITY, (JACKSON CANDLE UNITS)	11/27/73-12/04/73	2	4.2	4.2	4.7	3.7	0.5	0.707	**	**	**	**
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	06/12/79-09/13/88	8	9.	11.425	33.	1.	112.016	10.584	**	**	**	**
00078 TRANSPARENCY, SECCHI DISC (METERS)	01/24/80-09/13/88	6	1.05	1.295	2.77	0.8	0.542	0.736	**	**	**	**
00081 COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	06/12/79-09/13/88	9	40.	59.444	240.	15.	4677.778	68.394	15.	35.	45.	240.
00094 SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	01/24/80-09/13/88	7	35900.	36850.	50950.	29500.	50194166.667	7084.784	**	**	**	**
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/27/73-09/13/88	10	41550.	40153.3	51000.	25800.	52042142.233	7214.024	26430.	36300.	44908.25	50423.3
00299 OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	08/12/85-09/13/88	4	7.9	7.4	9.9	3.9	6.34	2.518	**	**	**	**
00300 OXYGEN, DISSOLVED MG/L	11/27/73-09/13/88	11	6.9	6.982	9.7	3.5	2.472	1.572	4.02	6.2	7.9	9.36
00310 BOD, 5 DAY, 20 DEG C MG/L	11/27/73-09/13/88	11	1.2	1.173	2.7	0.4	0.482	0.694	0.4	0.5	1.6	2.48
00400 PH (STANDARD UNITS)	11/27/73-09/13/88	7	7.5	7.093	8.	5.4	0.909	0.953	**	**	**	**
00400 CONVERTED PH (STANDARD UNITS)	11/27/73-09/13/88	7	7.5	6.175	8.	5.4	1.893	1.376	**	**	**	**
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/27/73-09/13/88	7	0.032	0.669	3.981	0.01	2.164	1.471	**	**	**	**
00403 PH, LAB, STANDARD UNITS SU	11/27/73-09/13/88	11	8.	7.945	8.4	7.2	0.101	0.317	7.32	7.8	8.1	8.38
00403 CONVERTED PH, LAB, STANDARD UNITS	11/27/73-09/13/88	11	8.	7.816	8.4	7.2	0.119	0.345	7.32	7.8	8.1	8.38
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/27/73-09/13/88	11	0.01	0.015	0.063	0.004	0.	0.016	0.004	0.008	0.016	0.054
00480 SALINITY - PARTS PER THOUSAND	11/17/80-01/11/88	5	30.	27.44	34.	16.	52.268	7.23	**	**	**	**
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	11/27/73-09/13/88	10	23.	44.4	168.	3.	2651.378	51.492	3.8	16.25	54.25	161.5
00535 RESIDUE, VOLATILE NONFILTRABLE (MG/L)	11/27/73-09/13/88	10	7.	9.8	34.	1.	98.844	9.942	1.1	3.5	14.25	32.4
00540 RESIDUE, FIXED NONFILTRABLE (MG/L)	11/27/73-09/13/88	10	19.	34.6	134.	2.	1754.711	41.889	2.5	10.75	43.	129.1
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	01/24/80-09/13/88	6 ##	0.03	0.098	0.4	0.03	0.022	0.149	**	**	**	**
00620 NITRATE NITROGEN, TOTAL (MG/L AS N)	06/12/79-01/24/80	2	0.08	0.08	0.11	0.05	0.002	0.042	**	**	**	**
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	06/12/79-09/13/88	9	0.49	0.447	0.67	0.21	0.022	0.149	0.21	0.31	0.548	0.67
00630 NITRITE PLUS NITRATE, TOTAL I DET. (MG/L AS N)	11/17/80-09/13/88	7	0.025	0.034	0.07	0.01	0.001	0.023	**	**	**	**
00665 PHOSPHORUS, TOTAL (MG/L AS P)	12/04/73-09/13/88	10	0.093	0.12	0.3	0.005	0.006	0.078	0.013	0.087	0.158	0.288
00680 CARBON, TOTAL ORGANIC (MG/L AS C)	11/27/73-12/04/73	2	3.5	3.5	5.	2.	4.5	2.121	**	**	**	**
00940 CHLORIDE,TOTAL IN WATER MG/L	11/27/73-09/13/88	6	18565.5	18207.667	19500.	15905.	1979851.467	1407.072	**	**	**	**
00951 FLUORIDE, TOTAL (MG/L AS F)	11/17/80-09/13/88	5	0.82	0.832	0.97	0.74	0.007	0.086	**	**	**	**
31505 COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	11/27/73-09/13/88	9	48.	428.	3000.	22.	952495.25	975.959	22.	31.5	315.	3000.
31505 LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	11/27/73-09/13/88	9	1.681	1.955	3.477	1.342	0.502	0.708	1.342	1.482	2.418	3.477
31505 GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			90.115								
31614 FECAL COLIFORM,MPN,TUBE CONFIGURATION	11/27/73-11/27/73	1	2.	2.	2.	2.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CUIS0020

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
31614 LOG FECAL COLIFORM,MPN,TUBE CONFIGURATION	11/27/73-11/27/73	1	0.301	0.301	0.301	0.301	0.	0.	**	**	**	**
31614 GM FECAL COLIFORM,MPN,TUBE CONFIGURATION	GEOMETRIC MEAN =			2.								
31615 FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	11/27/73-09/13/88	9	8.	78.	500.	1.	26286.75	162.132	1.	3.	79.5	500.
31615 LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	11/27/73-09/13/88	9	0.903	1.16	2.699	0.	0.747	0.864	0.	0.452	1.866	2.699
31615 GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			14.458								
32211 CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	04/01/87-01/11/88	2	2.085	2.085	2.67	1.5	0.684	0.827	**	**	**	**
32230 CHLOROPHYLL A (MG/L)	11/27/73-12/04/73	2	0.	0.	0.001	0.	0.	0.	**	**	**	**
32231 CHLOROPHYLL B (MG/L)	11/27/73-12/04/73	2	0.	0.	0.	0.	0.	0.	**	**	**	**
32232 CHLOROPHYLL C (MG/L)	11/27/73-12/04/73	2	0.	0.	0.	0.	0.	0.	**	**	**	**
70507 PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	11/27/73-09/13/88	3	0.035	0.062	0.135	0.015	0.004	0.064	**	**	**	**
72016 DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	01/24/80-09/13/88	7	16.	17.329	27.	5.	54.122	7.357	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0020

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00070 TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim.	50.	2	0	0.00				1	0	0.00	1	0	0.00			
00076 TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim.	50.	8	0	0.00	4	0	0.00	1	0	0.00	3	0	0.00			
00299 OXYGEN, DISSOLVED, ANALYSIS BY PROBE	Other-Lo Lim.	4.	4	1	0.25	2	1	0.50				2	0	0.00			
00300 OXYGEN, DISSOLVED	Other-Lo Lim.	4.	11	1	0.09	4	1	0.25	3	0	0.00	4	0	0.00			
00400 PH	Other-Hi Lim.	9.	7	0	0.00	2	0	0.00	2	0	0.00	3	0	0.00			
	Other-Lo Lim.	6.5	7	2	0.29	2	0	0.00	2	1	0.50	3	1	0.33			
00403 PH, LAB	Other-Hi Lim.	9.	11	0	0.00	4	0	0.00	3	0	0.00	4	0	0.00			
	Other-Lo Lim.	6.5	11	0	0.00	4	0	0.00	3	0	0.00	4	0	0.00			
31505 COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	9	1	0.11	4	0	0.00	2	0	0.00	3	1	0.33			
31614 FECAL COLIFORM, MPN, TUBE CONFIGURATION	Other-Hi Lim.	200.	1	0	0.00				1	0	0.00						
31615 FECAL COLIFORM, MPN	Other-Hi Lim.	200.	9	1	0.11	4	0	0.00	2	0	0.00	3	1	0.33			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0021

NPS Station ID: CUIS0021
 Location: ST MARYS RIV #10
 Station Type: /TYPA/AMBNT/LAKE/BIO
 RMI-Indexes:
 RMI-Miles:
 HUC: 03070204
 Major Basin: SOUTH-EAST
 Minor Basin: NASSAU-ST MARYS
 RF1 Index: 03070204002
 RF3 Index: 03070204002700.85

LAT/LON: 30.722226/ -81.514727

Depth of Water: 0
 Elevation: 0

RF1 Mile Point: 0.650
 RF3 Mile Point: 2.26

Agency: 21FLA
 FIPS State/County: 12089 FLORIDA/NASSAU
 STORET Station ID(s): 19010013
 Within Park Boundary: No

Date Created: / /

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.08

On/Off RF1: ON
 On/Off RF3:

Description:
 SEGMENT 19.1AA BODY OF WATER: RIVER, ST MARYS ST MARYS RIVER # 10 ST MARYS RIVER MIDWAY BETWEEN CUMBERLAND SOUND
 NORTH RIVER NASSAU COUNTY

Parameter Inventory for Station: CUIS0021

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/23/71-11/08/93	23	21.	20.648	30.5	10.	34.566	5.879	12.08	16.1	26.	29.32
00055 VELOCITY, STREAM FT/SEC	11/10/86-11/08/93	10	1.	1.04	2.	0.5	0.187	0.433	0.51	0.75	1.125	1.95
00061 FLOW, STREAM, INSTANTANEOUS CFS	03/26/75-03/26/75	1	1.	1.	1.	1.	0.	0.	**	**	**	**
00070 TURBIDITY, (JACKSON CANDLE UNITS)	03/23/71-12/04/73	4	4.8	5.225	8.9	2.4	7.389	2.718	**	**	**	**
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	01/11/78-11/08/93	16	6.8	10.75	35.	1.7	99.607	9.98	1.91	4.45	17.05	30.8
00078 TRANSPARENCY, SECCHI DISC (METERS)	10/11/76-11/08/93	16	0.8	0.806	1.54	0.35	0.093	0.305	0.35	0.663	0.975	1.302
00080 COLOR (PLATINUM-COBALT UNITS)	03/23/71-04/08/71	2	87.5	87.5	100.	75.	312.5	17.678	**	**	**	**
00081 COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	01/11/78-11/08/93	17	50.	70.294	280.	15.	4626.471	68.018	19.	40.	60.	216.
00094 SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	10/11/76-11/08/93	14	35600.	36172.357	50000.	21300.	77965605.478	8829.813	22650.	28875.	43250.	48556.5
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/27/73-11/08/93	19	39000.	37786.368	50500.	18070.	70613111.69	8403.161	19700.	33000.	42671.	47500.
00299 OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	10/11/76-11/08/93	8	6.15	6.325	9.5	3.8	3.348	1.83	**	**	**	**
00300 OXYGEN, DISSOLVED MG/L	03/23/71-11/08/93	22	6.45	6.75	9.5	2.9	2.411	1.553	4.91	5.875	8.	9.02
00310 BOD, 5 DAY, 20 DEG C MG/L	04/08/71-11/08/93	20	1.2	1.465	5.	0.1	1.094	1.046	0.61	0.825	1.675	2.68
00340 COD, .25N K2CR2O7 MG/L	03/23/71-04/08/71	2	249.	249.	260.	238.	242.	15.556	**	**	**	**
00400 PH (STANDARD UNITS)	03/23/71-11/08/93	18	7.62	7.413	8.65	5.5	0.579	0.761	6.13	7.125	7.825	8.155
00400 CONVERTED PH (STANDARD UNITS)	03/23/71-11/08/93	18	7.62	6.586	8.65	5.5	1.303	1.141	6.13	7.125	7.825	8.155
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/23/71-11/08/93	18	0.024	0.259	3.162	0.002	0.551	0.742	0.007	0.015	0.1	0.884
00403 PH, LAB, STANDARD UNITS SU	11/27/73-11/08/93	19	7.8	7.847	8.4	6.8	0.103	0.32	7.6	7.8	8.	8.3
00403 CONVERTED PH, LAB, STANDARD UNITS	11/27/73-11/08/93	19	7.8	7.674	8.4	6.8	0.134	0.367	7.6	7.8	8.	8.3
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/27/73-11/08/93	19	0.016	0.021	0.158	0.004	0.001	0.034	0.005	0.01	0.016	0.025
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	03/23/71-11/08/93	8	105.5	206.	960.	71.	93082.857	305.095	**	**	**	**
00435 ACIDITY, TOTAL (MG/L AS CaCO3)	03/23/71-04/08/71	2	18.5	18.5	20.	17.	4.5	2.121	**	**	**	**
00480 SALINITY - PARTS PER THOUSAND	11/17/80-11/08/93	10	29.5	27.76	35.	11.	45.287	6.73	12.3	24.75	31.4	34.76
00500 RESIDUE, TOTAL (MG/L)	03/23/71-04/08/71	2	34005.	34005.	36650.	31360.	13992050.	3740.595	**	**	**	**
00505 RESIDUE, TOTAL VOLATILE (MG/L)	03/23/71-04/08/71	2	10651.5	10651.5	13240.	8063.	13400664.5	3660.692	**	**	**	**
00510 RESIDUE, TOTAL FIXED (MG/L)	03/23/71-04/08/71	2	23350.	23350.	23400.	23300.	5000.	70.711	**	**	**	**
00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	03/23/71-04/08/71	2	33955.	33955.	36620.	31290.	14204450.	3768.879	**	**	**	**
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	03/23/71-11/08/93	20	30.	34.3	92.	3.	616.958	24.839	5.4	14.25	45.5	85.1
00535 RESIDUE, VOLATILE NONFILTRABLE (MG/L)	03/23/71-11/08/93	20	7.	8.15	26.	0.	36.345	6.029	3.	4.	10.5	19.3
00540 RESIDUE, FIXED NONFILTRABLE (MG/L)	03/23/71-11/08/93	20	22.	26.15	74.	1.	408.239	20.205	3.1	10.5	37.	69.
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	01/11/78-11/08/93	17	0.048	0.127	1.02	0.005	0.062	0.25	0.009	0.012	0.111	0.532
00620 NITRATE NITROGEN, TOTAL (MG/L AS N)	03/23/71-01/24/80	5	0.01	0.025	0.06	0.	0.001	0.028	**	**	**	**
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/26/75-11/08/93	17	0.56	0.657	1.28	0.28	0.073	0.27	0.36	0.5	0.818	1.168

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CUIS0021

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	11/17/80-11/08/93	13 ##	0.015	0.029	0.11	0.01	0.001	0.029	0.01	0.01	0.038	0.09
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	03/23/71-04/08/71	2	0.245	0.245	0.29	0.2	0.004	0.064	**	**	**	**
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	03/23/71-04/08/71	2	0.07	0.07	0.08	0.06	0.	0.014	**	**	**	**
00665	PHOSPHORUS, TOTAL (MG/L AS P)	03/23/71-11/08/93	18	0.088	0.101	0.23	0.01	0.005	0.073	0.019	0.023	0.158	0.226
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	11/27/73-12/04/73	4	5.5	5.5	7.	4.	3.	1.732	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CaCO3)	03/23/71-04/08/71	2	3725.	3725.	5100.	2350.	3781250.	1944.544	**	**	**	**
00940	CHLORIDE, TOTAL IN WATER MG/L	03/23/71-08/25/93	12	16855.	18135.917	29100.	14600.	16587473.72	4072.772	14711.3	15196.25	20375.	26580.
00945	SULFATE, TOTAL (MG/L AS SO4)	04/22/92-08/25/93	2	2200.	2200.	2500.	1900.	180000.	424.264	**	**	**	**
00951	FLUORIDE, TOTAL (MG/L AS F)	11/17/80-07/29/92	7	0.74	0.774	0.89	0.71	0.006	0.078	**	**	**	**
31501	COLIFORM, TOT, MEMBRANE FILTER, IMMED. M-ENDO MED, 35C	04/22/92-11/08/93	7	60.	126.429	540.	10.	34872.619	186.742	**	**	**	**
31501	LOG COLIFORM, TOT, MEMBRANE FILTER, IMMED. M-ENDO MED,	04/22/92-11/08/93	7	1.778	1.753	2.732	1.	0.375	0.613	**	**	**	**
31501	GM COLIFORM, TOT, MEMBRANE FILTER, IMMED. M-ENDO MED, 3				56.609								
31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	03/23/71-09/13/88	11	270.	827.545	5000.	6.	2299541.473	1516.424	10.4	40.	490.	4440.
31505	LOG COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 3150	03/23/71-09/13/88	11	2.431	2.306	3.699	0.778	0.708	0.841	0.912	1.602	2.69	3.628
31505	GM COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506				202.375								
31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	11/27/73-11/27/73	1	2.	2.	2.	2.	0.	0.	**	**	**	**
31614	LOG FECAL COLIFORM, MPN, TUBE CONFIGURATION	11/27/73-11/27/73	1	0.301	0.301	0.301	0.301	0.	0.	**	**	**	**
31614	GM FECAL COLIFORM, MPN, TUBE CONFIGURATION				2.								
31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	11/27/73-09/13/88	10	36.5	302.1	1700.	2.	355017.656	595.834	3.3	18.75	311.75	1640.
31615	LOG FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	11/27/73-09/13/88	10	1.56	1.681	3.23	0.301	0.745	0.863	0.389	1.27	2.028	3.212
31615	GM FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)				47.921								
31616	FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	04/22/92-11/08/93	7	8.	23.929	100.	0.5	1264.869	35.565	**	**	**	**
31616	LOG FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	04/22/92-11/08/93	7	0.903	0.868	2.	-0.301	0.657	0.811	**	**	**	**
31616	GM FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C				7.387								
32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	11/10/86-01/11/88	3	3.56	3.157	4.31	1.6	1.958	1.399	**	**	**	**
32230	CHLOROPHYLL A (MG/L)	11/27/73-12/04/73	2	0.	0.	0.001	0.	0.	0.	**	**	**	**
32231	CHLOROPHYLL B (MG/L)	11/27/73-12/04/73	2	0.	0.	0.	0.	0.	0.	**	**	**	**
32232	CHLOROPHYLL C (MG/L)	11/27/73-12/04/73	2	0.	0.	0.001	0.	0.	0.	**	**	**	**
70507	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/23/71-07/29/92	8	0.02	0.023	0.039	0.01	0.	0.009	**	**	**	**
71488	MACROINVERTEBRATES, BENTHIC, TOTAL NO/M2	03/01/87-01/11/88	2	2953.	2953.	5157.	749.	9715232.	3116.927	**	**	**	**
72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	01/24/80-11/08/93	14	19.5	18.379	26.	9.	19.106	4.371	10.5	15.5	21.075	24.
82246	NATURAL SUBSTRATE, DIVERSITY INDEX	11/10/86-01/11/88	3	3.65	3.68	4.19	3.2	0.246	0.496	**	**	**	**
82250	NATURAL SUBSTRATE - NUMBER OF SPECIES	11/10/86-01/11/88	3	24.	23.333	27.	19.	16.333	4.041	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0021

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----			
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	
00070	TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim.	50.	4	0	0.00				1	0	0.00	3	0	0.00			
00076	TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim.	50.	16	0	0.00	6	0	0.00	3	0	0.00	5	0	0.00	2	0	0.00
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE	Other-Lo Lim.	4.	8	1	0.13	4	1	0.25	2	0	0.00	2	0	0.00			
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	22	1	0.05	6	1	0.17	5	0	0.00	9	0	0.00	2	0	0.00
00400	PH	Other-Hi Lim.	9.	18	0	0.00	4	0	0.00	5	0	0.00	7	0	0.00	2	0	0.00
00403	PH, LAB	Other-Lo Lim.	6.5	18	3	0.17	4	1	0.25	5	1	0.20	7	1	0.14	2	0	0.00
		Other-Hi Lim.	9.	19	0	0.00	6	0	0.00	5	0	0.00	6	0	0.00	2	0	0.00
		Other-Lo Lim.	6.5	19	0	0.00	6	0	0.00	5	0	0.00	6	0	0.00	2	0	0.00
00620	NITRATE NITROGEN, TOTAL AS N	Drinking Water	10.	5	0	0.00	1	0	0.00				4	0	0.00			
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	13	0	0.00	4	0	0.00	4	0	0.00	3	0	0.00	2	0	0.00
00940	CHLORIDE, TOTAL IN WATER	Fresh Acute	860.	12	12	1.00	2	2	1.00	2	2	1.00	7	7	1.00	1	1	1.00
		Drinking Water	250.	12	12	1.00	2	2	1.00	2	2	1.00	7	7	1.00	1	1	1.00
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	2	2	1.00	1	1	1.00							1	1	1.00
00951	FLUORIDE, TOTAL AS F	Drinking Water	4.	7	0	0.00	2	0	0.00	2	0	0.00	2	0	0.00	1	0	0.00
31501	COLIFORM, TOTAL, MEMBRANE FILTER, IMMED.	Other-Hi Lim.	1000.	7	0	0.00	2	0	0.00	2	0	0.00	1	0	0.00	2	0	0.00
31505	COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	11	2	0.18	4	0	0.00	2	0	0.00	5	2	0.40			
31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	Other-Hi Lim.	200.	1	0	0.00				1	0	0.00						
31615	FECAL COLIFORM, MPN	Other-Hi Lim.	200.	10	2	0.20	4	0	0.00	2	0	0.00	4	2	0.50			
31616	FECAL COLIFORM, MEMBRANE FILTER, BROTH	Other-Hi Lim.	200.	7	0	0.00	2	0	0.00	2	0	0.00	1	0	0.00	2	0	0.00

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0022

NPS Station ID: CUIS0022
 Location: ST MARYS RIV #8 N OF ROSES BLUFF
 Station Type: /TYPA/AMBNT/LAKE/BIO
 RMI-Indexes:
 RMI-Miles:
 HUC: 03070204
 Major Basin: SOUTH-EAST
 Minor Basin: NASSAU-ST MARYS
 RF1 Index: 03070204004
 RF3 Index: 03070204002701.89
 Description:
 SEGMENT 19.1AA BODY OF WATER: RIVER, ST MARYS

LAT/LON: 30.722781/ -81.570004

Depth of Water: 0
 Elevation: 0

RF1 Mile Point: 0.590
 RF3 Mile Point: 3.09

Agency: 21FLA
 FIPS State/County: 12089 FLORIDA/NASSAU
 STORET Station ID(s): 19010011
 Within Park Boundary: No

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.03

Date Created: / /

On/Off RF1: ON
 On/Off RF3:

ST MARYS # 8 ST MARYS RIVER DUE NORTH OF ROSES BLUFF NASSAU COUNTY

Parameter Inventory for Station: CUIS0022

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	04/08/71-09/13/88	14	19.75	19.829	27.5	9.5	35.376	5.948	10.	15.8	25.425	27.3
00055 VELOCITY, STREAM FT/SEC	08/12/85-09/13/88	4	1.	1.25	2.5	0.5	0.75	0.866	**	**	**	**
00070 TURBIDITY, (JACKSON CANDLE UNITS)	04/08/71-12/04/73	3	4.1	4.5	5.3	4.1	0.48	0.693	**	**	**	**
00076 TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	01/11/78-09/13/88	9	8.	8.644	16.	2.6	21.328	4.618	2.6	4.9	13.	16.
00078 TRANSPARENCY, SECCHI DISC (METERS)	10/11/76-09/13/88	9	0.6	0.737	1.2	0.4	0.096	0.31	0.4	0.46	1.03	1.2
00080 COLOR (PLATINUM-COBALT UNITS)	04/08/71-04/08/71	1	120.	120.	120.	120.	0.	0.	**	**	**	**
00081 COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	01/11/78-09/13/88	10	110.	181.	480.	70.	21343.333	146.094	71.	80.	280.	472.
00094 SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	10/11/76-09/13/88	8	17500.	17159.625	38377.	1250.	196169612.554	14006.056	**	**	**	**
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	11/27/73-09/13/88	11	31000.	23814.909	43500.	1090.	228309089.091	15109.9	1312.	4180.	35600.	41978.8
00299 OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	10/11/76-09/13/88	5	5.5	5.74	9.2	3.6	4.798	2.19	**	**	**	**
00300 OXYGEN, DISSOLVED MG/L	04/08/71-09/13/88	13	6.3	6.123	8.9	2.1	3.987	1.997	2.54	5.	7.5	8.86
00310 BOD, 5 DAY, 20 DEG C MG/L	04/08/71-09/13/88	13	0.7	0.969	2.3	0.1	0.406	0.637	0.18	0.55	1.5	2.06
00340 COD, .25N K2CR2O7 MG/L	04/08/71-04/08/71	1	79.	79.	79.	79.	0.	0.	**	**	**	**
00400 PH (STANDARD UNITS)	04/08/71-09/13/88	11	6.8	6.424	7.4	4.5	1.008	1.004	4.62	5.8	7.4	7.4
00400 CONVERTED PH (STANDARD UNITS)	04/08/71-09/13/88	11	6.8	5.403	7.4	4.5	2.154	1.468	4.62	5.8	7.4	7.4
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	04/08/71-09/13/88	11	0.158	3.954	31.623	0.04	89.564	9.464	0.04	0.04	1.585	26.887
00403 PH, LAB, STANDARD UNITS SU	11/27/73-09/13/88	11	7.6	7.127	7.9	5.5	0.708	0.842	5.56	6.5	7.7	7.88
00403 CONVERTED PH, LAB, STANDARD UNITS	11/27/73-09/13/88	11	7.6	6.314	7.9	5.5	1.436	1.198	5.56	6.5	7.7	7.88
00403 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	11/27/73-09/13/88	11	0.025	0.485	3.162	0.013	1.004	1.002	0.013	0.02	0.316	2.847
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	04/08/71-04/08/71	1	430.	430.	430.	430.	0.	0.	**	**	**	**
00435 ACIDITY, TOTAL (MG/L AS CaCO3)	04/08/71-04/08/71	1	8.	8.	8.	8.	0.	0.	**	**	**	**
00480 SALINITY - PARTS PER THOUSAND	11/17/80-01/11/88	4	21.95	18.225	25.	4.	92.736	9.63	**	**	**	**
00500 RESIDUE, TOTAL (MG/L)	04/08/71-04/08/71	1	10470.	10470.	10470.	10470.	0.	0.	**	**	**	**
00505 RESIDUE, TOTAL VOLATILE (MG/L)	04/08/71-04/08/71	1	2346.	2346.	2346.	2346.	0.	0.	**	**	**	**
00510 RESIDUE, TOTAL FIXED (MG/L)	04/08/71-04/08/71	1	8131.	8131.	8131.	8131.	0.	0.	**	**	**	**
00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	04/08/71-04/08/71	1	10430.	10430.	10430.	10430.	0.	0.	**	**	**	**
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	04/08/71-09/13/88	12	18.5	22.167	61.	5.	287.606	16.959	5.9	9.25	31.25	56.2
00535 RESIDUE, VOLATILE NONFILTRABLE (MG/L)	04/08/71-09/13/88	12	5.5	7.583	21.	1.	42.265	6.501	1.3	3.	11.	20.4
00540 RESIDUE, FIXED NONFILTRABLE (MG/L)	04/08/71-09/13/88	12	9.5	14.583	53.	2.	197.902	14.068	2.6	5.	20.75	44.3
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	01/11/78-09/13/88	10	0.03	0.204	1.12	0.01	0.125	0.354	0.011	0.028	0.245	1.058
00620 NITRATE NITROGEN, TOTAL (MG/L AS N)	04/08/71-01/24/80	4 ##	0.006	0.009	0.02	0.003	0.	0.008	**	**	**	**
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	01/11/78-09/13/88	10	0.659	0.714	1.39	0.28	0.144	0.379	0.28	0.289	1.025	1.355
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	11/17/80-09/13/88	7	0.05	0.049	0.1	0.02	0.001	0.029	**	**	**	**
00650 PHOSPHATE, TOTAL (MG/L AS PO4)	04/08/71-04/08/71	1	0.32	0.32	0.32	0.32	0.	0.	**	**	**	**
00660 PHOSPHATE, ORTHO (MG/L AS PO4)	04/08/71-04/08/71	1	0.09	0.09	0.09	0.09	0.	0.	**	**	**	**
00665 PHOSPHORUS, TOTAL (MG/L AS P)	04/08/71-09/13/88	12	0.117	0.212	1.02	0.005	0.089	0.299	0.01	0.07	0.14	0.899

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CUIS0022

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	11/27/73-12/04/73	2	5.5	5.5	6.	5.	0.5	0.707	**	**	**	**
00900	HARDNESS, TOTAL (MG/L AS CaCO3)	04/08/71-04/08/71	1	1700.	1700.	1700.	1700.	0.	0.	**	**	**	**
00940	CHLORIDE, TOTAL IN WATER MG/L	04/08/71-09/13/88	8	12050.	9697.	16500.	371.	37436615.429	6118.547	**	**	**	**
00951	FLUORIDE, TOTAL (MG/L AS F)	11/17/80-09/13/88	5	0.6	0.464	0.84	0.08	0.113	0.336	**	**	**	**
31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	11/27/73-09/13/88	10	335.	1259.8	7900.	27.	5782303.289	2404.642	27.4	60.25	1400.	7280.
31505	LOG COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	11/27/73-09/13/88	10	2.465	2.488	3.898	1.431	0.659	0.812	1.437	1.757	3.143	3.831
31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	11/27/73-11/27/73	1	17.	17.	17.	17.	0.	0.	**	**	**	**
31614	LOG FECAL COLIFORM, MPN, TUBE CONFIGURATION	11/27/73-11/27/73	1	1.23	1.23	1.23	1.23	0.	0.	**	**	**	**
31614	GM FECAL COLIFORM, MPN, TUBE CONFIGURATION	11/27/73-09/13/88	10	55.	138.	700.	17.	42623.778	206.455	17.	23.75	170.	647.
31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	11/27/73-09/13/88	10	1.724	1.835	2.845	1.23	0.27	0.519	1.23	1.369	2.23	2.784
31615	LOG FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	11/27/73-09/13/88	10	1.724	1.835	2.845	1.23	0.27	0.519	1.23	1.369	2.23	2.784
31615	GM FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	11/27/73-09/13/88	10	1.724	1.835	2.845	1.23	0.27	0.519	1.23	1.369	2.23	2.784
32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	11/10/86-01/11/88	3	1.09	1.022	1.97	0.005	0.969	0.984	**	**	**	**
32230	CHLOROPHYLL A (MG/L)	11/27/73-12/04/73	2	0.001	0.001	0.001	0.	0.	0.	**	**	**	**
32231	CHLOROPHYLL B (MG/L)	11/27/73-11/27/73	1	0.	0.	0.	0.	0.	0.	**	**	**	**
32232	CHLOROPHYLL C (MG/L)	11/27/73-12/04/73	2	0.001	0.001	0.001	0.001	0.	0.	**	**	**	**
70507	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	04/08/71-09/13/88	5	0.03	0.027	0.05	0.005	0.	0.018	**	**	**	**
72016	DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	01/11/78-09/13/88	8	14.5	16.85	33.	9.8	56.737	7.532	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0022

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00070	TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim.	50.	3	0	0.00			1	0	0.00	2	0	0.00			
00076	TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim.	50.	9	0	0.00	4	0	0.00	1	0	0.00	4	0	0.00		
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE	Other-Lo Lim.	4.	5	1	0.20	2	1	0.50	1	0	0.00	2	0	0.00		
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	13	2	0.15	4	2	0.50	3	0	0.00	6	0	0.00		
00400	PH	Other-Hi Lim.	9.	11	0	0.00	2	0	0.00	4	0	0.00	5	0	0.00		
		Other-Lo Lim.	6.5	11	5	0.45	2	2	1.00	4	2	0.50	5	1	0.20		
00403	PH, LAB	Other-Hi Lim.	9.	11	0	0.00	4	0	0.00	2	0	0.00	5	0	0.00		
		Other-Lo Lim.	6.5	11	3	0.27	4	2	0.50	2	0	0.00	5	1	0.20		
00620	NITRATE NITROGEN, TOTAL AS N	Drinking Water	10.	4	0	0.00	1	0	0.00			3	0	0.00			
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	7	0	0.00	3	0	0.00	2	0	0.00	2	0	0.00		
00940	CHLORIDE, TOTAL IN WATER	Fresh Acute	860.	8	7	0.88	1	0	0.00	2	2	1.00	5	5	1.00		
		Drinking Water	250.	8	8	1.00	1	1	1.00	2	2	1.00	5	5	1.00		
00951	FLUORIDE, TOTAL AS F	Drinking Water	4.	5	0	0.00	1	0	0.00	2	0	0.00	2	0	0.00		
31505	COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	10	3	0.30	4	1	0.25	2	0	0.00	4	2	0.50		
31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	Other-Hi Lim.	200.	1	0	0.00			1	0	0.00						
31615	FECAL COLIFORM, MPN	Other-Hi Lim.	200.	10	1	0.10	4	0	0.00	2	0	0.00	4	1	0.25		

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0023

NPS Station ID: CUIS0023
 Location: ST. MARYS RIVER - POINT PETER PIER
 Station Type: /TYPA/AMBNT/STREAM
 RMI-Indexes:
 RMI-Miles:
 HUC: 03070204
 Major Basin: SOUTHEAST
 Minor Basin: ST MARYS-NASSAU RIVER
 RF1 Index: 03070204002
 RF3 Index: 03070201000503.01
 Description:

LAT/LON: 30.723337/ -81.515560

Depth of Water: 0
 Elevation: 0

RF1 Mile Point: 0.650
 RF3 Mile Point: 3.00

Agency: 21GAEPD
 FIPS State/County: 13039 GEORGIA/CAMDEN
 STORET Station ID(s): 08020001
 Within Park Boundary: No

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.13

Date Created: / /

On/Off RF1: ON
 On/Off RF3:

Parameter Inventory for Station: CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	136	22.75	21.805	31.	7.	40.484	6.363	12.3	16.425	27.65	29.03
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	123	25.	23.033	36.	1.5	54.028	7.35	12.	17.	29.	31.8
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	99	6.	7.455	25.	2.	19.128	4.374	3.	5.	10.	14.
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	128	6.	7.391	25.	1.	18.634	4.317	3.	5.	9.75	14.
00078	TRANSPARENCY, SECCHI DISC (METERS)	03/19/85-07/28/92	25	0.84	0.84	1.22	0.4	0.05	0.224	0.556	0.65	1.035	1.158
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	129	55.	73.039	300.	5.	2909.006	53.935	25.	35.	100.	140.
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	95	250.	250.126	399.	122.	3744.877	61.195	170.2	200.	300.	320.
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	127	37400.	36391.575	55900.	12000.	112441291.151	10603.834	20480.	29100.	43500.	49400.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	135	33920.	34183.556	57000.	12100.	99401948.458	9970.053	20060.	28000.	41900.	47940.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	131	5.8	5.795	9.9	2.5	2.444	1.563	4.	4.5	7.1	7.9
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	123	1.3	1.333	4.3	0.	0.291	0.54	0.8	1.	1.6	1.86
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	116	7.5	7.403	8.3	6.	0.181	0.425	6.842	7.1	7.6	7.9
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	116	7.5	7.149	8.3	6.	0.246	0.496	6.842	7.1	7.6	7.9
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	116	0.032	0.071	1.	0.005	0.016	0.126	0.013	0.025	0.079	0.144
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	132	7.6	7.611	8.1	6.8	0.062	0.249	7.23	7.5	7.8	7.9
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	132	7.6	7.526	8.1	6.8	0.069	0.263	7.23	7.5	7.8	7.9
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	132	0.025	0.03	0.158	0.008	0.001	0.024	0.013	0.016	0.032	0.059
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	131	95.	89.084	126.	29.	526.108	22.937	53.2	75.	107.	114.8
00480	SALINITY - PARTS PER THOUSAND	05/29/74-07/24/74	2	28.75	28.75	29.5	28.	1.125	1.061	**	**	**	**
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	114	27865.	26915.035	41550.	3284.	69129265.574	8314.401	14720.	21505.	33332.5	37190.
00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	09/11/73-03/01/88	5	23000.	26416.4	45800.	8532.	196090444.8	14003.23	**	**	**	**
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	107	15.	19.575	62.	0.5	213.442	14.61	4.8	10.	24.	42.2
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	128	0.09	0.153	1.82	0.01	0.053	0.231	0.01	0.04	0.158	0.34
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/19/85-02/17/93	27	0.6	1.066	10.	0.1	3.457	1.859	0.28	0.4	0.9	1.62
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	131 ##	0.01	0.033	0.92	0.01	0.007	0.084	0.01	0.01	0.03	0.07
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	129	0.06	0.078	0.4	0.01	0.003	0.056	0.04	0.05	0.085	0.15
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	03/19/85-11/21/85	3	0.05	0.05	0.07	0.03	0.	0.02	**	**	**	**
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	90	11.	11.921	27.	2.	34.873	5.905	6.	8.	15.	21.7
00940p	CHLORIDE,TOTAL IN WATER MG/L	09/11/73-08/20/87	110	14110.	13965.182	31750.	3900.	21863216.022	4675.812	7640.	11287.5	16800.	19000.
00945	SULFATE, TOTAL (MG/L AS SO4)	03/19/85-06/12/85	2	2300.	2300.	2600.	2000.	180000.	424.264	**	**	**	**
01002	ARSENIC, TOTAL (UG/L AS AS)	06/12/85-08/20/87	2 ##	52.5	52.5	100.	5.	4512.5	67.175	**	**	**	**
01003	ARSENIC IN BOTTOM DEPOSITS (MG/KG AS AS DRY WGT)	08/20/87-08/20/87	1 ##	1.5	1.5	1.5	1.5	0.	0.	**	**	**	**
01004	ARSENIC TOTAL IN FISH OR ANIMAL WET WT MG/KG	05/28/85-07/28/87	7	2.	2.079	4.3	0.25	2.218	1.489	**	**	**	**
01027	CADMIUM, TOTAL (UG/L AS CD)	06/12/85-08/20/87	2 ##	50.	50.	50.	50.	0.	0.	**	**	**	**
01028	CADMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/20/87-08/20/87	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01029	CHROMIUM,TOTAL IN BOTTOM DEPOSITS (MG/KG,DRY WGT)	08/20/87-08/20/87	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**	**
01034	CHROMIUM, TOTAL (UG/L AS CR)	06/12/85-08/20/87	2 ##	50.	50.	50.	50.	0.	0.	**	**	**	**
01042	COPPER, TOTAL (UG/L AS CU)	06/12/85-08/20/87	2 ##	150.	150.	250.	50.	20000.	141.421	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CUIS0023

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
01043	COPPER IN BOTTOM DEPOSITS (MG/KG AS CU DRY WGT)	08/20/87-08/20/87	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**
01051	LEAD, TOTAL (UG/L AS PB)	06/12/85-08/20/87	2 ##	175.	175.	250.	100.	11250.	106.066	**	**	**
01052	LEAD IN BOTTOM DEPOSITS (MG/KG AS PB DRY WGT)	08/20/87-08/20/87	1 ##	1.	1.	1.	1.	0.	0.	**	**	**
01053	MANGANESE IN BOTTOM DEPOSITS (MG/KG AS MN DRY WGT)	08/20/87-08/20/87	1	3.2	3.2	3.2	3.2	0.	0.	**	**	**
01068	NICKEL, TOTAL IN BOTTOM DEPOSITS (MG/KG, DRY WGT)	08/20/87-08/20/87	1 ##	1.	1.	1.	1.	0.	0.	**	**	**
01092	ZINC, TOTAL (UG/L AS ZN)	06/12/85-08/20/87	2 ##	75.	75.	100.	50.	1250.	35.355	**	**	**
01093	ZINC IN BOTTOM DEPOSITS (MG/KG AS ZN DRY WGT)	08/20/87-08/20/87	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**
01103	TIN IN BOTTOM DEPOSITS (MG/KG AS SN DRY WGT)	08/20/87-08/20/87	1 ##	1.5	1.5	1.5	1.5	0.	0.	**	**	**
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	107	49.	501.598	9200.	1.	1977643.752	1406.287	9.6	23.	1004.
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	09/11/73-11/17/87	107	1.69	1.872	3.964	0.	0.671	0.819	0.981	1.362	2.38
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506				74.448							
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	125	15.	152.884	5400.	1.	428045.851	654.252	2.	10.	240.
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	125	1.176	1.312	3.732	0.	0.488	0.698	0.301	1.	2.38
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)				20.498							
32209	CHLOROPHYLL A UG/L FLUOROMETRIC CORRECTED	03/19/85-11/17/87	12	3.65	4.375	8.4	1.8	5.249	2.291	1.86	2.375	8.25
39350	CHLORDANE(TECH MIX & METABS),WHOLE WATER,UG/L	06/12/85-08/20/87	2 ##	0.163	0.163	0.3	0.025	0.038	0.194	**	**	**
39351	CHLORDANE(TECH MIX&METABS),SEDIMENTS,DRY WGT,UG/KG	08/20/87-08/20/87	1 ##	3.	3.	3.	3.	0.	0.	**	**	**
39359	DDT SUM ANALOGS IN SEDIMENT UG/KG DRY WEIGHT	08/20/87-08/20/87	1 ##	1.	1.	1.	1.	0.	0.	**	**	**
39360	DDD IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2 ##	0.018	0.018	0.025	0.01	0.	0.011	**	**	**
39363	DDD IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS)	08/20/87-08/20/87	1 ##	1.	1.	1.	1.	0.	0.	**	**	**
39364	DDD IN SHELLFISH OR ANIMAL (UG/KG WET WEIGHT)	05/28/85-07/28/87	7 ##	10.	8.643	15.	3.5	27.31	5.226	**	**	**
39365	DDE IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2 ##	0.01	0.01	0.015	0.005	0.	0.007	**	**	**
39368	DDE IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS)	08/20/87-08/20/87	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**
39369	DDE IN SHELLFISH OR ANIMAL (UG/KG WET WEIGHT)	05/28/85-07/28/87	7 ##	5.	6.429	10.	5.	5.952	2.44	**	**	**
39370	DDT IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2 ##	0.03	0.03	0.05	0.01	0.001	0.028	**	**	**
39374	DDT IN SHELLFISH OR ANIMAL (UG/KG WET WEIGHT)	05/28/85-07/28/87	7 ##	10.	11.429	15.	10.	5.952	2.44	**	**	**
39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2 ##	0.018	0.018	0.025	0.01	0.	0.011	**	**	**
39393	ENDRIN IN BOTTOM DEPOS. (UG/KILOGRAM DRY SOLIDS)	08/20/87-08/20/87	1 ##	1.	1.	1.	1.	0.	0.	**	**	**
39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2 ##	0.1	0.1	0.15	0.05	0.005	0.071	**	**	**
39481	METHOXYCHLOR IN BOTTOM DEPOSITS (UG/KG DRY SOL.)	08/20/87-08/20/87	1 ##	6.	6.	6.	6.	0.	0.	**	**	**
39516	PCBS IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2 ##	0.325	0.325	0.5	0.15	0.061	0.247	**	**	**
39519	PCBS IN BOTTOM DEPOSITS (UG/KG DRY SOLIDS)	08/20/87-08/20/87	1 ##	5.	5.	5.	5.	0.	0.	**	**	**
39520	PCBS IN SHELLFISH OR ANIMAL (UG/KG WET WEIGHT)	05/28/85-07/28/87	7 ##	75.	117.857	250.	50.	8273.81	90.96	**	**	**
39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	06/12/85-08/20/87	2 ##	0.005	0.005	0.005	0.005	0.	0.	**	**	**
39785	GAMMA-BHC(LINDANE),TISSUE,WET WEIGHT,MG/KG	05/28/85-07/28/87	7 ##	0.005	0.005	0.005	0.005	0.	0.	**	**	**
39811	CHLORDANE,GAMMA,IN BOTTOM DEPOS(UG/KG DRY SOLIDS)	08/20/87-08/20/87	1 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**
71900	MERCURY, TOTAL (UG/L AS HG)	06/12/85-08/20/87	2 ##	0.3	0.3	0.5	0.1	0.08	0.283	**	**	**
71921	MERCURY,TOT. IN BOT. DEPOS. (MG/KG AS HG DRY WGT)	08/20/87-08/20/87	1 ##	0.05	0.05	0.05	0.05	0.	0.	**	**	**
71930	MERCURY,TOTAL IN FISH OR ANIMAL-WET WEIGHT BASIS	05/28/85-07/28/87	7 ##	0.1	0.1	0.1	0.1	0.	0.	**	**	**
71938	ZINC,TOTAL IN FISH OR ANIMALS-WET WEIGHT BASIS	05/28/85-07/28/87	7	49.	135.857	330.	11.	19785.476	140.661	**	**	**
81633	LEAD IN SHELLFISH TISSUE DRY WEIGHT MG/KG	05/28/85-07/28/87	7 ##	1.25	1.143	1.25	1.	0.018	0.134	**	**	**
81634	CADMIUM IN SHELLFISH TISSUE DRY WEIGHT MG/KG	05/28/85-07/28/87	7 ##	0.5	0.5	0.5	0.5	0.	0.	**	**	**
81636	COPPER IN SHELLFISH TISSUE DRY WEIGHT MG/KG	05/28/85-07/28/87	7	9.3	13.029	25.	5.4	65.469	8.091	**	**	**
81717	ENDRIN IN SHELLFISH TISSUE DRY WEIGHT UG/KG	05/28/85-07/28/87	7 ##	10.	7.214	10.	3.5	12.071	3.474	**	**	**
81721	METHOXYCHLOR IN SHELLFISH TISSUE DRY WEIGHT UG/KG	05/28/85-07/28/87	7 ##	25.	30.	50.	20.	191.667	13.844	**	**	**
81741	MANGANESE IN FISH TISSUE WET WEIGHT MG/KG	05/16/86-07/28/87	5	4.2	5.86	12.	1.6	16.758	4.094	**	**	**
81796	CHROMIUM IN SHELLFISH TISSUE, DRY WEIGHT MG/KG	05/28/85-07/28/87	7 ##	0.5	0.743	2.2	0.5	0.413	0.643	**	**	**
81811	NICKEL IN SHELLFISH TISSUE WET WEIGHT MG/KG	05/16/86-07/28/87	5 ##	1.	1.	1.	1.	0.	0.	**	**	**
81863	CHLORDANE IN SHELLFISH TISSUE WET WEIGHT UG/KG	05/28/85-07/28/87	7 ##	100.	192.857	500.	25.	45148.81	212.482	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0023

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00070	TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim.	50.	99	0	0.00	28	0	0.00	20	0	0.00	34	0	0.00	17	0
00076	TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim.	50.	128	0	0.00	41	0	0.00	24	0	0.00	43	0	0.00	20	0
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	131	15	0.11	44	12	0.27	23	2	0.09	44	0	0.00	20	1
00400	PH	Other-Hi Lim.	9.	116	0	0.00	41	0	0.00	21	0	0.00	38	0	0.00	16	0
		Other-Lo Lim.	6.5	116	4	0.03	41	3	0.07	21	0	0.00	38	0	0.00	16	1

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter


EPA Water Quality Criteria Analysis for Station: CUIS0023

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00403	PH, LAB																
	Other-Hi Lim.	9.	132	0	0.00	44	0	0.00	24	0	0.00	44	0	0.00	20	0	0.00
	Other-Lo Lim.	6.5	132	0	0.00	44	0	0.00	24	0	0.00	44	0	0.00	20	0	0.00
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	10.	131	0	0.00	44	0	0.00	24	0	0.00	44	0	0.00	19	0	0.00
00940	CHLORIDE,TOTAL IN WATER	860.	110	110	1.00	36	36	1.00	21	21	1.00	37	37	1.00	16	16	1.00
	Drinking Water	250.	110	110	1.00	36	36	1.00	21	21	1.00	37	37	1.00	16	16	1.00
00945	SULFATE, TOTAL (AS SO4)	250.	2	2	1.00	1	1	1.00				1	1	1.00			
01002	ARSENIC, TOTAL	360.	2	0	0.00	2	0	0.00									
	Fresh Acute	50.	1 &	0	0.00	1	0	0.00									
01027	CADMIUM, TOTAL	3.9	0 &	0	0.00												
	Drinking Water	5.	0 &	0	0.00												
01034	CHROMIUM, TOTAL	100.	2	0	0.00	2	0	0.00									
01042	COPPER, TOTAL	18.	0 &	0	0.00												
	Drinking Water	1300.	2	0	0.00	2	0	0.00									
01051	LEAD, TOTAL	82.	0 &	0	0.00												
	Fresh Acute	15.	0 &	0	0.00												
01092	ZINC, TOTAL	120.	2	0	0.00	2	0	0.00									
	Drinking Water	5000.	2	0	0.00	2	0	0.00									
31505	COLIFORM, TOTAL, MPN, CONF. TEST, 35C	1000.	107	10	0.09	34	3	0.09	19	1	0.05	38	5	0.13	16	1	0.06
31615	FECAL COLIFORM, MPN	200.	125	14	0.11	41	1	0.02	23	3	0.13	42	9	0.21	19	1	0.05
39350	CHLORDANE(TECH MIX & METABS), WHOLE WATE	2.4	2	0	0.00	2	0	0.00									
	Fresh Acute	2.	2	0	0.00	2	0	0.00									
	Drinking Water	0.6	2	0	0.00	2	0	0.00									
39360	DDD IN WHOLE WATER SAMPLE	1050.	2	0	0.00	2	0	0.00									
39365	DDE IN WHOLE WATER SAMPLE	1.1	2	0	0.00	2	0	0.00									
39370	DDT IN WHOLE WATER SAMPLE	0.18	2	0	0.00	2	0	0.00									
39390	ENDRIN IN WHOLE WATER SAMPLE	2.	2	0	0.00	2	0	0.00									
	Fresh Acute	2.	2	0	0.00	2	0	0.00									
	Drinking Water	40.	2	0	0.00	2	0	0.00									
39480	METHOXYCHLOR IN WHOLE WATER SAMPLE	2.	2	0	0.00	2	0	0.00									
39782	LINDANE IN WHOLE WATER SAMPLE	0.2	2	0	0.00	2	0	0.00									
	Fresh Acute	2.4	2	0	0.00	2	0	0.00									
71900	MERCURY, TOTAL	2.	2	0	0.00	2	0	0.00									
	Drinking Water																

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station: CUIS0023 Parameter Code: 00070


TURBIDITY, (JACKSON CANDLE UNITS)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00076


TURBIDITY,HACH TURBIDIMETER (FORMAZIN T



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00080


COLOR (PLATINUM-COBALT UNITS)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00090

OXIDATION REDUCTION POTENTIAL (MILLIVOL




ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00094

SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @

(X 10000)




ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00095

SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)


(X 10000)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00300


OXYGEN, DISSOLVED



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00310


BOD, 5 DAY, 20 DEG C



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00400


PH (STANDARD UNITS)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00403


PH, LAB, STANDARD UNITS



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00410

ALKALINITY, TOTAL (MG/L AS CaCO3)




ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00500

(X 10000)


RESIDUE, TOTAL (MG/L)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00530


RESIDUE, TOTAL NONFILTRABLE (MG/L)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00610


NITROGEN, AMMONIA, TOTAL (MG/L AS N)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00630


NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00665


PHOSPHORUS, TOTAL (MG/L AS P)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00680

CARBON, TOTAL ORGANIC (MG/L AS C)




ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00940

CHLORIDE, TOTAL IN WATER


(X 10000)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 31505


LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 31615

LOG FECAL COLIFORM,MPN,EC MED,44.5C <TU



ST. MARYS RIVER - POINT PETER PIER

Annual Analysis for 1973 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	4	22.75	22.	29.5	13.	56.007	7.484	**	**	**	**
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	3	22.	21.667	26.	17.	20.333	4.509	**	**	**	**
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	4	5.5	5.5	6.	5.	0.333	0.577	**	**	**	**
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	4	5.5	5.5	6.	5.	0.333	0.577	**	**	**	**
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	4	60.	61.25	120.	5.	3272.917	57.209	**	**	**	**
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	1	370.	370.	370.	370.	0.	0.	**	**	**	**
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	3	34500.	36000.	47000.	26500.	106750000.	10331.989	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	4	38250.	36525.	42500.	27100.	52869166.667	7271.119	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	3	6.5	6.367	8.6	4.	5.303	2.303	**	**	**	**
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	3	1.2	1.067	1.2	0.8	0.053	0.231	**	**	**	**
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	1	7.5	7.5	7.5	7.5	0.	0.	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	1	7.5	7.5	7.5	7.5	0.	0.	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	1	0.032	0.032	0.032	0.032	0.	0.	**	**	**	**
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	4	7.55	7.6	8.1	7.2	0.153	0.392	**	**	**	**
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	4	7.525	7.485	8.1	7.2	0.171	0.413	**	**	**	**
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	4	0.03	0.033	0.063	0.008	0.001	0.024	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	4	91.5	94.25	114.	80.	250.917	15.84	**	**	**	**
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	3	42.	30.667	46.	4.	537.333	23.18	**	**	**	**
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	4	0.02	0.075	0.25	0.01	0.014	0.117	**	**	**	**
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	4 ##	0.015	0.018	0.03	0.01	0.	0.01	**	**	**	**
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	4	0.06	0.06	0.09	0.03	0.001	0.024	**	**	**	**
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	4	11.	9.75	14.	3.	28.25	5.315	**	**	**	**
00940p	CHLORIDE,TOTAL IN WATER MG/L	09/11/73-08/20/87	4	14300.	14575.	19000.	10700.	16809166.667	4099.898	**	**	**	**
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	4	133.	1150.5	4300.	36.	4416963.667	2101.657	**	**	**	**
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	4	1.959	2.277	3.633	1.556	0.962	0.981	**	**	**	**
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	4	1.959	2.277	3.633	1.556	0.962	0.981	**	**	**	**
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	4	133.	1145.25	4300.	15.	4432676.917	2105.392	**	**	**	**
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	4	1.959	2.182	3.633	1.176	1.181	1.087	**	**	**	**
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	4	1.959	2.182	3.633	1.176	1.181	1.087	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1974 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	11	24.	22.227	29.	12.5	32.218	5.676	13.1	18.	28.	28.8
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	11	24.	21.818	30.	7.	52.964	7.278	8.4	15.	28.	29.8
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	11	4.	5.364	11.	3.	5.655	2.378	3.	4.	7.	10.2
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	11	4.	5.364	11.	3.	5.655	2.378	3.	4.	7.	10.2
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	11	45.	74.545	200.	10.	4282.273	65.439	16.	40.	100.	200.
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	9	300.	277.778	340.	200.	1994.444	44.659	200.	245.	310.	340.
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	6	42020.	35340.	51000.	14000.	249541600.	15796.886	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	11	37000.	33090.909	41000.	12500.	103140909.091	10155.831	12700.	34000.	39000.	41000.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	11	5.9	5.564	7.5	2.5	2.081	1.442	2.84	4.7	6.5	7.48
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	11	1.4	1.409	2.2	0.9	0.135	0.367	0.92	1.2	1.6	2.12
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	8	7.25	7.2	8.3	6.2	0.577	0.76	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	8	7.182	6.71	8.3	6.2	0.852	0.923	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	8	0.066	0.195	0.631	0.005	0.074	0.272	**	**	**	**
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	11	7.8	7.645	7.8	7.	0.089	0.298	7.02	7.7	7.8	7.8
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	11	7.8	7.523	7.8	7.	0.105	0.325	7.02	7.7	7.8	7.8
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	11	0.016	0.03	0.1	0.016	0.001	0.03	0.016	0.016	0.02	0.096
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	11	100.	90.818	112.	37.	636.764	25.234	39.4	82.	110.	111.6
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	11	29000.	25988.909	37210.	9132.	80837390.691	8990.962	9216.8	22640.	31500.	36128.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	11	11.	11.909	25.	3.	54.291	7.368	3.2	4.	20.	24.2
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	11	0.03	0.039	0.07	0.01	0.001	0.023	0.01	0.02	0.06	0.07
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	11 ##	0.02	0.021	0.07	0.01	0.	0.018	0.01	0.01	0.02	0.062
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	11	0.06	0.103	0.39	0.04	0.012	0.108	0.042	0.05	0.08	0.356

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1974 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	10	11.	15.2	27.	10.	50.844	7.131	10.	10.	24.25	26.8
00940p	CHLORIDE, TOTAL IN WATER MG/L	09/11/73-08/20/87	11	15000.	13095.455	18300.	4500.	20938227.273	4575.831	4520.	11300.	15800.	17880.
31505p	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	09/11/73-11/17/87	9	36.	78.889	430.	15.	17878.611	133.711	15.	15.	63.5	430.
31505p	LOG COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 3150	09/11/73-11/17/87	9	1.556	1.594	2.633	1.176	0.218	0.467	1.176	1.176	1.758	2.633
31505p	GM COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506	GEOMETRIC MEAN =			39.264								
31615p	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	09/11/73-02/17/93	9 ##	15.	30.444	91.	15.	619.028	24.88	15.	15.	36.	91.
31615p	LOG FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	09/11/73-02/17/93	9 ##	1.176	1.39	1.959	1.176	0.079	0.282	1.176	1.176	1.556	1.959
31615p	GM FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	GEOMETRIC MEAN =			24.537								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1975 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	12	23.5	22.167	28.5	14.	23.106	4.807	14.45	18.	26.375	27.9
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	11	22.	22.091	31.	10.	54.691	7.395	10.	17.	28.	30.4
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	12	4.	4.083	6.	2.	1.538	1.24	2.3	3.	5.	6.
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	12	4.	4.083	6.	2.	1.538	1.24	2.3	3.	5.	6.
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	12	75.	87.5	200.	50.	1711.364	41.369	53.	60.	100.	176.
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	12	245.	259.167	360.	200.	2899.242	53.845	200.	212.5	312.5	348.
00094p	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	12	35000.	32916.667	41000.	17000.	44628787.879	6680.478	20000.	28750.	37750.	40700.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	12	31000.	28708.333	36700.	12100.	44299015.152	6655.751	15490.	24750.	33375.	35950.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	11	4.8	5.009	7.2	3.	2.055	1.433	3.06	3.6	6.2	7.18
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	11	1.3	1.136	1.4	0.3	0.101	0.317	0.42	1.	1.3	1.38
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	12	7.4	7.392	8.1	6.8	0.143	0.378	6.86	7.05	7.675	8.01
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	12	7.389	7.255	8.1	6.8	0.163	0.404	6.86	7.05	7.675	8.01
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	12	0.041	0.056	0.158	0.008	0.002	0.045	0.01	0.021	0.091	0.141
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	12	7.5	7.483	7.7	7.1	0.034	0.185	7.13	7.4	7.6	7.7
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	12	7.5	7.443	7.7	7.1	0.036	0.19	7.13	7.4	7.6	7.7
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	12	0.032	0.036	0.079	0.02	0.	0.018	0.02	0.025	0.04	0.075
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	12	71.	73.25	102.	33.	402.386	20.06	39.3	60.5	90.25	100.5
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	12	21890.	19869.667	28100.	3284.	58021298.061	7617.171	4651.4	17660.	25032.5	27980.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	12	9.5	9.208	17.	0.5	30.612	5.533	0.95	3.75	14.5	16.7
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	11	0.06	0.058	0.12	0.01	0.001	0.038	0.01	0.01	0.09	0.116
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	12 ##	0.01	0.015	0.03	0.01	0.	0.007	0.01	0.01	0.02	0.027
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	12	0.05	0.086	0.4	0.03	0.011	0.107	0.033	0.04	0.058	0.334
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	11	15.	14.545	25.	10.	18.473	4.298	10.2	11.	16.	23.6
00940p	CHLORIDE,TOTAL IN WATER MG/L	09/11/73-08/20/87	12	11550.	10787.5	14400.	3900.	7992784.091	2827.151	5400.	9087.5	12400.	14280.
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	11	150.	676.273	4300.	15.	1560068.618	1249.027	19.2	36.	930.	3626.
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	09/11/73-11/17/87	11	2.176	2.293	3.633	1.176	0.551	0.742	1.252	1.556	2.968	3.5
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			196.223								
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	12	36.	139.167	930.	15.	75634.697	275.018	15.	15.	77.25	780.
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	12	1.556	1.639	2.968	1.176	0.36	0.6	1.176	1.176	1.858	2.868
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			43.54								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1976 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	11	20.5	19.455	29.	9.	41.673	6.455	9.6	14.	25.	28.5
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	11	19.	20.909	30.	9.	41.491	6.441	10.6	17.	28.	29.8
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	11	5.	4.636	9.	2.	4.255	2.063	2.	3.	5.	8.6
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	11	5.	4.636	9.	2.	4.255	2.063	2.	3.	5.	8.6
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	11	50.	63.182	120.	30.	856.364	29.264	32.	45.	90.	116.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1976 - Station CUIS0023

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	8	250.	235.	300.	140.	3971.429	63.019	**	**	**
00094p	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	11	25000.	27727.273	42000.	12000.	9981818.818	9990.905	13000.	17000.	38000.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	11	29500.	26666.364	33920.	13960.	44143605.455	6644.065	14518.	21800.	32000.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	11	6.	5.782	7.9	4.1	1.462	1.209	4.16	4.5	6.8
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	10	1.4	1.39	1.8	0.9	0.099	0.314	0.91	1.15	1.7
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	9	7.6	7.6	8.1	7.1	0.11	0.332	7.1	7.35	7.9
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	9	7.6	7.492	8.1	7.1	0.123	0.351	7.1	7.35	7.9
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	9	0.025	0.032	0.079	0.008	0.001	0.024	0.008	0.013	0.047
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	11	7.6	7.591	7.8	7.2	0.031	0.176	7.26	7.5	7.7
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	11	7.6	7.555	7.8	7.2	0.032	0.18	7.26	7.5	7.7
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	11	0.025	0.028	0.063	0.016	0.	0.013	0.016	0.02	0.032
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	11	93.	82.273	102.	46.	429.218	20.718	47.	58.	96.
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	10	24745.	22633.	30630.	12300.	46923312.222	6850.059	12344.	15357.5	28340.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	10	11.5	10.9	20.	3.	22.322	4.725	3.4	7.75	13.5
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	11	0.02	0.076	0.33	0.01	0.011	0.104	0.01	0.01	0.12
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	11 ##	0.02	0.018	0.04	0.01	0.	0.009	0.01	0.01	0.02
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	11	0.06	0.067	0.1	0.04	0.	0.021	0.042	0.05	0.09
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	11	15.	15.818	27.	7.	42.564	6.524	7.6	11.	23.
00940p	CHLORIDE, TOTAL IN WATER MG/L	09/11/73-08/20/87	11	12850.	11534.545	15450.	5150.	12566427.273	3544.916	5360.	8150.	14500.
31505p	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	09/11/73-11/17/87	11	91.	195.364	750.	36.	47440.855	217.809	36.	73.	230.
31505p	LOG COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 3150)	09/11/73-11/17/87	11	1.959	2.095	2.875	1.556	0.175	0.418	1.556	1.863	2.362
31505p	GM COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	GEOMETRIC MEAN =			124.427							
31615p	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	09/11/73-02/17/93	11 ##	15.	31.545	140.	15.	1372.073	37.042	15.	15.	36.
31615p	LOG FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	09/11/73-02/17/93	11 ##	1.176	1.361	2.146	1.176	0.095	0.307	1.176	1.176	1.556
31615p	GM FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	GEOMETRIC MEAN =			22.949							

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1977 - Station CUIS0023

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	12	23.	21.875	30.5	8.	54.142	7.358	8.75	17.125	28.375
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	12	25.5	23.	32.	9.	77.591	8.809	9.3	12.625	30.375
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	11	7.	6.727	10.	2.	4.418	2.102	2.6	6.	8.
00076p	TURBIDITY, HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	11	7.	6.727	10.	2.	4.418	2.102	2.6	6.	8.
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	11	40.	78.182	240.	25.	4456.364	66.756	26.	35.	120.
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	12	230.	238.333	320.	175.	2601.515	51.005	176.5	186.25	287.5
00094p	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	12	41250.	35500.	49000.	16000.	130590909.091	11427.638	17200.	25000.	45375.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	11	35250.	31627.273	40660.	17710.	77635101.818	8811.078	17948.	20100.	38270.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	11	5.8	5.882	9.9	2.6	3.194	1.787	2.94	5.3	6.3
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	9	1.2	1.378	2.3	0.9	0.197	0.444	0.9	1.1	1.65
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	12	7.65	7.617	8.	7.	0.112	0.335	7.03	7.425	7.9
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	12	7.625	7.488	8.	7.	0.131	0.361	7.03	7.425	7.9
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	12	0.024	0.033	0.1	0.01	0.001	0.029	0.011	0.013	0.038
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	11	7.7	7.7	8.	7.3	0.066	0.257	7.3	7.5	8.
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	11	7.7	7.629	8.	7.3	0.072	0.268	7.3	7.5	8.
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	11	0.02	0.024	0.05	0.01	0.	0.015	0.01	0.01	0.032
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	11	98.	89.091	117.	46.	638.091	25.26	48.2	63.	108.
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	11	30840.	27620.	38690.	12480.	98691620.	9934.366	12686.	16450.	37430.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	11	14.	18.091	62.	8.	232.491	15.248	8.2	9.	17.
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	10	0.04	0.069	0.2	0.01	0.004	0.066	0.01	0.018	0.113
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	11 ##	0.01	0.023	0.08	0.01	0.001	0.022	0.01	0.01	0.02
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	11	0.09	0.09	0.18	0.05	0.001	0.035	0.052	0.07	0.1
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	11	10.	10.727	19.	6.	17.618	4.197	6.	7.	14.
00940p	CHLORIDE, TOTAL IN WATER MG/L	09/11/73-08/20/87	11	15600.	13541.818	18800.	6150.	22277256.364	4719.879	6240.	8000.	17200.
31505p	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	09/11/73-11/17/87	7	90.	1298.	7500.	15.	7696324.667	2774.225	**	**	**
31505p	LOG COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 3150)	09/11/73-11/17/87	7	1.954	2.093	3.875	1.176	1.128	1.062	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1977 - Station CUIS0023

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	GEOMETRIC MEAN =		123.859								
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	8 ##	15.	145.625	750.	10.	71853.125	268.054	**	**	**
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	8 ##	1.176	1.534	2.875	1.	0.528	0.726	**	**	**
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =		34.218								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1978 - Station CUIS0023

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	10	20.25	19.75	30.5	7.	62.569	7.91	7.35	12.	27.875
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	10	25.25	21.75	32.	1.5	118.403	10.881	1.75	14.875	30.
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	10	9.5	9.3	14.	5.	8.678	2.946	5.	6.5	11.25
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	10	9.5	9.3	14.	5.	8.678	2.946	5.	6.5	11.25
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	10	120.	110.	210.	40.	2311.111	48.074	42.	75.	132.5
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	10	260.	242.	320.	150.	3128.889	55.936	151.	190.	277.5
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	10	33000.	32400.	45000.	22000.	66044444.444	8126.773	22000.	23500.	40000.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	10	28925.	32032.	48000.	18600.	113815017.778	10668.412	18830.	23525.	43500.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	10	5.75	5.63	8.7	3.4	3.882	1.97	3.41	3.575	7.75
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	8	1.35	1.35	1.7	1.	0.071	0.267	**	**	**
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	10	7.4	7.25	7.6	6.	0.223	0.472	6.11	7.175	7.525
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	10	7.4	6.854	7.6	6.	0.397	0.63	6.11	7.175	7.525
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	10	0.04	0.14	1.	0.025	0.092	0.303	0.025	0.03	0.067
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	10	7.65	7.63	7.8	7.4	0.013	0.116	7.41	7.575	7.7
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	10	7.647	7.615	7.8	7.4	0.014	0.117	7.41	7.575	7.7
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	10	0.023	0.024	0.04	0.016	0.	0.007	0.016	0.02	0.027
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	10	85.5	86.5	114.	53.	425.611	20.63	54.2	66.5	104.5
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	10	23610.	24757.	35020.	14560.	59039023.333	7683.686	14592.	18367.5	34095.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	10	17.5	22.9	46.	10.	165.433	12.862	10.1	13.25	31.75
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	9	0.09	0.084	0.14	0.02	0.002	0.039	0.02	0.05	0.115
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	9 ##	0.01	0.043	0.18	0.01	0.003	0.056	0.01	0.01	0.06
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	8	0.065	0.078	0.2	0.02	0.003	0.054	**	**	**
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	10	12.	14.1	27.	8.	34.544	5.877	8.	10.25	18.25
00940p	CHLORIDE,TOTAL IN WATER MG/L	09/11/73-08/20/87	10	12480.	13264.	26000.	7150.	30266671.111	5501.515	7195.	9400.	16200.
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	8	185.	1949.375	9200.	10.	11966967.696	3459.331	**	**	**
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	09/11/73-11/17/87	8	2.247	2.378	3.964	1.	1.121	1.059	**	**	**
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =		239.049								
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	9	33.	720.	5400.	10.	3109603.5	1763.407	10.	17.	420.
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	9	1.519	1.947	3.732	1.	0.819	0.905	1.	1.202	2.617
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =		88.461								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1979 - Station CUIS0023

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	11	26.5	21.864	28.5	10.5	48.405	6.957	10.6	16.	27.5
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	12	25.5	22.292	33.	10.	60.566	7.782	10.6	16.	28.75
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	8	9.	9.25	14.	5.	11.643	3.412	**	**	**
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	10	7.5	8.6	14.	5.	11.156	3.34	5.	5.75	11.
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	10	42.5	80.7	300.	7.	7763.789	88.112	8.8	28.75	112.5
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	9	310.	270.	330.	180.	3225.	56.789	180.	215.	310.
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	11	35000.	33545.455	48000.	15000.	104672727.273	10230.969	16400.	24000.	41000.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	12	33580.	32830.	47000.	14000.	128505345.455	11336.02	14240.	23250.	42750.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	12	6.15	5.933	9.	3.	3.779	1.944	3.21	4.	7.625

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1979 - Station CUIS0023

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00310p	BOD, 5 DAY, 20 DEG C MG/L	11	1.	0.991	2.	0.	0.305	0.552	0.1	0.6	1.4	1.92
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	8	7.8	7.725	8.3	6.7	0.268	0.518	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	8	7.755	7.397	8.3	6.7	0.391	0.625	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	8	0.018	0.04	0.2	0.005	0.004	0.066	**	**	**
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	11	7.8	7.682	8.1	7.1	0.124	0.352	7.12	7.3	8.1
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	11	7.8	7.546	8.1	7.1	0.144	0.379	7.12	7.3	8.1
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	11	0.016	0.028	0.079	0.008	0.001	0.025	0.008	0.013	0.05
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	11	93.	87.909	123.	45.	595.091	24.394	45.8	73.	106.
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	12	31020.	27538.333	35710.	12870.	67680160.606	8226.795	13701.	19590.	34975.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	12	15.	16.5	38.	4.	90.273	9.501	4.6	10.25	20.25
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	11	0.1	0.097	0.21	0.01	0.004	0.064	0.012	0.04	0.12
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	11	0.02	0.049	0.16	0.01	0.002	0.05	0.01	0.01	0.09
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	11	0.06	0.066	0.19	0.01	0.002	0.047	0.014	0.04	0.08
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	10	7.65	9.63	22.	2.	48.836	6.988	2.1	3.	16.
00940p	CHLORIDE, TOTAL IN WATER MG/L	09/11/73-08/20/87	11	12800.	12948.182	18580.	5500.	20762936.364	4556.637	5800.	8000.	16600.
31505p	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	09/11/73-11/17/87	12	88.	290.417	2400.	1.	450708.629	671.348	1.	14.	240.
31505p	LOG COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 3150)	09/11/73-11/17/87	12	1.888	1.681	3.38	0.	0.999	1.	0.	1.121	2.38
31505p	GM COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	GEOMETRIC MEAN =			48.013							
31615p	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	09/11/73-02/17/93	12	16.	250.75	2400.	1.	465897.841	682.567	1.	1.75	192.25
31615p	LOG FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	09/11/73-02/17/93	12	1.158	1.264	3.38	0.	1.153	1.074	0.	0.151	2.208
31615p	GM FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	GEOMETRIC MEAN =			18.374							

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1980 - Station CUIS0023

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	11	20.5	20.909	31.	10.5	45.391	6.737	10.8	16.	27.
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	11	24.	23.545	36.	8.	64.873	8.054	8.8	22.	27.
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	11	13.	12.364	24.	5.	35.655	5.971	5.	7.	16.
00076p	TURBIDITY, HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	11	13.	12.364	24.	5.	35.655	5.971	5.	7.	16.
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	11	50.	46.364	100.	20.	665.455	25.796	20.	20.	70.
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	11	270.	279.091	370.	190.	2949.091	54.306	196.	250.	320.
00094p	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	11	38500.	38772.727	55000.	20000.	86768181.818	9314.944	22200.	34000.	44000.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	11	37000.	37454.545	48000.	28000.	46072727.273	6787.689	28400.	31000.	44000.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	11	6.5	6.491	9.1	4.9	1.871	1.368	4.92	5.2	7.6
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	11	1.	1.245	4.3	0.5	1.115	1.056	0.52	0.6	1.3
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	11	7.6	7.445	7.8	6.7	0.145	0.38	6.76	7.	7.8
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	11	7.6	7.272	7.8	6.7	0.178	0.422	6.76	7.	7.8
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	11	0.025	0.054	0.2	0.016	0.003	0.058	0.016	0.016	0.1
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	11	7.8	7.8	8.	7.6	0.016	0.126	7.6	7.7	7.9
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	11	7.8	7.783	8.	7.6	0.016	0.128	7.6	7.7	7.9
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	11	0.016	0.016	0.025	0.01	0.	0.005	0.011	0.013	0.02
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	11	107.	104.	125.	78.	217.8	14.758	78.6	94.	115.
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	11	31600.	32254.545	41210.	23030.	38125967.273	6174.623	23352.	26940.	36950.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	11	29.	33.	62.	4.	397.8	19.945	6.	15.	55.
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	11	0.11	0.17	0.62	0.04	0.031	0.175	0.04	0.06	0.24
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	11	0.02	0.019	0.04	0.01	0.	0.01	0.01	0.01	0.03
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	11	0.07	0.078	0.19	0.04	0.002	0.039	0.044	0.06	0.08
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	11	8.	9.436	16.	4.	13.225	3.637	4.56	7.	13.
00940p	CHLORIDE, TOTAL IN WATER MG/L	09/11/73-08/20/87	11	15000.	15422.727	19200.	11100.	7696681.818	2774.289	11260.	12700.	17600.
31505p	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	09/11/73-11/17/87	11	49.	362.364	2400.	5.	496956.455	704.951	7.4	27.	540.
31505p	LOG COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 3150)	09/11/73-11/17/87	11	1.69	1.955	3.38	0.699	0.602	0.776	0.805	1.431	2.732
31505p	GM COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	GEOMETRIC MEAN =			90.094							
31615p	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	09/11/73-02/17/93	11	11.	13.273	46.	2.	182.818	13.521	2.	2.	17.
31615p	LOG FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	09/11/73-02/17/93	11	1.041	0.901	1.663	0.301	0.235	0.485	0.301	0.301	1.23
31615p	GM FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	GEOMETRIC MEAN =			7.967							

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1981 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	12	22.45	21.3	29.6	9.5	48.316	6.951	10.25	15.5	28.3	29.57
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	12	26.25	24.667	33.	12.	48.288	6.949	12.6	19.375	30.75	32.7
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	11	8.	9.909	25.	4.	39.491	6.284	4.2	6.	10.	23.6
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	11	8.	9.909	25.	4.	39.491	6.284	4.2	6.	10.	23.6
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	12	25.	31.25	80.	5.	559.659	23.657	6.5	12.5	45.	77.
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	11	192.	198.636	310.	122.	4036.655	63.535	124.8	145.	260.	306.
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	12	51350.	46400.	55900.	26000.	105241818.182	10258.743	28100.	36175.	54950.	55840.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	12	48000.	45000.	57000.	25000.	126545454.545	11249.242	25300.	35750.	55000.	56700.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	12	5.95	6.192	8.8	4.5	2.144	1.464	4.53	4.75	7.05	8.71
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	12	1.15	1.175	1.7	0.6	0.128	0.357	0.66	0.9	1.55	1.67
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	9	7.6	7.556	7.8	7.3	0.03	0.174	7.3	7.4	7.7	7.8
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	9	7.6	7.525	7.8	7.3	0.031	0.177	7.3	7.4	7.7	7.8
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	9	0.025	0.03	0.05	0.016	0.	0.012	0.016	0.02	0.04	0.05
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	12	7.6	7.675	8.	7.5	0.018	0.136	7.53	7.6	7.775	7.94
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	12	7.6	7.658	8.	7.5	0.019	0.137	7.53	7.6	7.775	7.94
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	12	0.025	0.022	0.032	0.01	0.	0.006	0.012	0.017	0.025	0.03
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	12	115.	110.833	126.	76.	224.515	14.984	79.9	104.5	120.75	125.7
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	12	36965.	34636.667	41550.	24540.	28344915.152	5323.994	25350.	29697.5	38412.5	40866.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	12	16.5	24.333	56.	9.	221.515	14.883	9.6	14.25	38.5	51.8
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	11	0.11	0.327	1.82	0.05	0.275	0.525	0.054	0.08	0.24	1.59
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	12 ##	0.01	0.022	0.06	0.01	0.	0.018	0.01	0.01	0.035	0.057
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	12	0.06	0.067	0.1	0.04	0.	0.021	0.043	0.05	0.08	0.1
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	9	6.5	7.667	14.	3.	9.625	3.102	3.	6.	9.25	14.
00940p	CHLORIDE,TOTAL IN WATER MG/L	09/11/73-08/20/87	12	18925.	19537.5	31750.	11300.	30754602.273	5545.683	11900.	15450.	22725.	29800.
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	12	28.	248.833	2400.	4.	462558.879	680.117	5.2	9.25	151.	1731.
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	09/11/73-11/17/87	12	1.44	1.588	3.38	0.602	0.598	0.774	0.692	0.956	2.166	3.035
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			38.703								
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	12	5.	7.583	33.	1.	76.083	8.723	1.3	2.	8.75	27.
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	12	0.699	0.689	1.519	0.	0.174	0.418	0.09	0.301	0.941	1.397
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			4.886								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1982 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	12	24.1	22.417	28.3	12.3	33.327	5.773	13.29	16.625	27.7	28.27
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	12	26.	24.833	31.5	15.5	21.379	4.624	16.25	21.875	27.875	30.75
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	10	5.	7.1	15.	4.	12.989	3.604	4.	4.75	10.	14.5
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	10	5.	7.1	15.	4.	12.989	3.604	4.	4.75	10.	14.5
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	12	55.	67.5	120.	25.	1179.545	34.345	25.	42.5	100.	120.
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	12	222.5	244.75	399.	152.	5022.932	70.873	159.8	198.5	297.75	378.6
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	12	45100.	43566.667	55500.	30600.	73835151.515	8592.738	31860.	35625.	52275.	55050.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	12	41000.	39583.333	50000.	26000.	72265151.515	8500.891	27200.	30250.	48000.	50000.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	12	5.7	5.967	8.7	4.5	1.921	1.386	4.5	4.7	7.25	8.31
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	12	1.5	1.458	2.	0.9	0.13	0.36	0.9	1.2	1.775	1.97
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	11	7.3	7.318	8.1	6.7	0.212	0.46	6.72	6.8	7.6	8.04
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	11	7.3	7.123	8.1	6.7	0.254	0.504	6.72	6.8	7.6	8.04
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	11	0.05	0.075	0.2	0.008	0.005	0.068	0.01	0.025	0.158	0.191
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	12	7.5	7.5	8.	6.8	0.089	0.298	6.92	7.425	7.675	7.94
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	12	7.5	7.389	8.	6.8	0.103	0.32	6.92	7.425	7.675	7.94
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	12	0.032	0.041	0.158	0.01	0.002	0.039	0.012	0.021	0.038	0.13
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	12	89.	86.	104.	60.	244.909	15.65	61.5	70.5	100.75	103.7
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	12	28830.	27932.5	39360.	17260.	52057038.636	7215.056	18253.	21190.	34115.	38268.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	12	15.	23.167	59.	5.	271.788	16.486	6.5	12.	38.5	53.9
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	12	0.215	0.33	1.12	0.05	0.101	0.318	0.056	0.087	0.52	0.973
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	12	0.03	0.048	0.12	0.01	0.002	0.043	0.01	0.01	0.09	0.114

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1982 - Station CUIS0023

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	12	0.05	0.052	0.08	0.03	0.	0.015	0.033	0.04	0.06	0.077
00940p	CHLORIDE,TOTAL IN WATER MG/L	09/11/73-08/20/87	12	15800.	15358.333	22200.	10500.	11906287.879	3450.549	10590.	11925.	17000.	21240.
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	12	27.5	245.167	2400.	1.	464968.879	681.886	1.3	7.25	90.25	1752.
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	09/11/73-11/17/87	12	1.43	1.448	3.38	0.	0.848	0.921	0.09	0.759	1.954	3.08
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =											
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	12	10.5	38.583	350.	1.	9675.356	98.363	1.3	2.5	20.75	251.9
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	12	1.009	0.976	2.544	0.	0.442	0.665	0.09	0.376	1.314	2.189
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =											

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1985 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	4	24.9	24.025	29.1	17.2	26.549	5.153	**	**	**	**
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	3	23.5	21.	23.5	16.	18.75	4.33	**	**	**	**
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	4	8.5	8.25	10.	6.	2.917	1.708	**	**	**	**
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	4	82.5	78.75	120.	30.	1872.917	43.277	**	**	**	**
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	4	37600.	37725.	41900.	33800.	11762500.	3429.65	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	5	31700.	34780.	41900.	29900.	30767000.	5546.801	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	4	5.1	5.175	6.3	4.2	0.982	0.991	**	**	**	**
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	4	1.6	1.775	2.6	1.3	0.323	0.568	**	**	**	**
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	3	7.4	7.333	7.4	7.2	0.013	0.115	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	3	7.4	7.323	7.4	7.2	0.014	0.116	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	3	0.04	0.048	0.063	0.04	0.	0.013	**	**	**	**
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	4	7.65	7.65	7.7	7.6	0.003	0.058	**	**	**	**
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	4	7.647	7.647	7.7	7.6	0.003	0.058	**	**	**	**
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	4	0.023	0.023	0.025	0.02	0.	0.003	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	3	93.	95.333	111.	82.	214.333	14.64	**	**	**	**
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	2	24870.	24870.	27310.	22430.	11907200.	3450.681	**	**	**	**
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	1	21.	21.	21.	21.	0.	0.	**	**	**	**
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	4	0.14	0.148	0.19	0.12	0.001	0.03	**	**	**	**
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	4 ##	0.01	0.015	0.03	0.01	0.	0.01	**	**	**	**
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	3	0.07	0.097	0.15	0.07	0.002	0.046	**	**	**	**
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	3	7.9	6.6	8.4	3.5	7.27	2.696	**	**	**	**
00940p	CHLORIDE,TOTAL IN WATER MG/L	09/11/73-08/20/87	4	13045.	13625.	16610.	11800.	5032566.667	2243.338	**	**	**	**
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	3	49.	38.333	49.	17.	341.333	18.475	**	**	**	**
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	09/11/73-11/17/87	3	1.69	1.537	1.69	1.23	0.07	0.265	**	**	**	**
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	09/11/73-11/17/87	3	1.69	1.537	1.69	1.23	0.07	0.265	**	**	**	**
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	3	14.	14.667	17.	13.	4.333	2.082	**	**	**	**
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	3	1.146	1.164	1.23	1.114	0.004	0.06	**	**	**	**
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	3	1.146	1.164	1.23	1.114	0.004	0.06	**	**	**	**
	GEOMETRIC MEAN =	09/11/73-02/17/93	3	1.146	1.164	1.23	1.114	0.004	0.06	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1986 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	4	21.95	21.425	28.3	13.5	57.409	7.577	**	**	**	**
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	4	25.	24.25	32.	15.	59.583	7.719	**	**	**	**
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	4	8.5	10.	19.	4.	42.	6.481	**	**	**	**
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	4	62.5	77.5	160.	25.	3375.	58.095	**	**	**	**
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	4	36600.	36750.	48100.	25700.	8432333.333	9182.774	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	4	29750.	30125.	39300.	21700.	5185583.333	7201.099	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	4	5.5	5.95	8.8	4.	4.917	2.217	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1986 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	4	1.6	1.7	2.3	1.3	0.187	0.432	**	**	**	**
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	3	7.1	7.167	7.3	7.1	0.013	0.115	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	3	7.1	7.157	7.3	7.1	0.013	0.116	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	3	0.079	0.07	0.079	0.05	0.	0.017	**	**	**	**
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	4	7.65	7.575	7.7	7.3	0.036	0.189	**	**	**	**
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	4	7.647	7.541	7.7	7.3	0.037	0.193	**	**	**	**
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	4	0.023	0.029	0.05	0.02	0.	0.014	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	4	71.	69.75	108.	29.	1192.25	34.529	**	**	**	**
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	4	25140.	25030.	33240.	16600.	46804666.667	6841.394	**	**	**	**
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	4	0.2	0.243	0.43	0.14	0.017	0.129	**	**	**	**
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	4 ##	0.025	0.025	0.04	0.01	0.	0.017	**	**	**	**
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	4	0.04	0.043	0.06	0.03	0.	0.013	**	**	**	**
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	4	89.5	117.	240.	49.	8182.	90.454	**	**	**	**
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	09/11/73-11/17/87	4	1.902	1.969	2.38	1.69	0.115	0.339	**	**	**	**
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			93.033								
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	4	35.5	34.25	49.	17.	294.25	17.154	**	**	**	**
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	4	1.516	1.488	1.69	1.23	0.056	0.238	**	**	**	**
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			30.783								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1987 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	7	28.	25.243	30.7	12.3	46.726	6.836	**	**	**	**
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	7	31.	27.286	33.	13.	51.571	7.181	**	**	**	**
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	4	4.5	6.25	15.	1.	36.917	6.076	**	**	**	**
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	2	100.	100.	150.	50.	5000.	70.711	**	**	**	**
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	4	37300.	34100.	43500.	18300.	144300000.	12012.493	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	5	31200.	28440.	35800.	15100.	66843000.	8175.757	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	4	5.2	5.45	8.	3.4	3.85	1.962	**	**	**	**
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	4	1.95	1.975	3.	1.	0.802	0.896	**	**	**	**
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	5	6.9	6.84	7.	6.5	0.043	0.207	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	5	6.9	6.796	7.	6.5	0.045	0.213	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	5	0.126	0.16	0.316	0.1	0.008	0.091	**	**	**	**
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	4	7.55	7.475	7.7	7.1	0.069	0.263	**	**	**	**
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	4	7.547	7.409	7.7	7.1	0.075	0.274	**	**	**	**
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	4	0.028	0.039	0.079	0.02	0.001	0.027	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	4	93.	83.5	107.	41.	852.333	29.195	**	**	**	**
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	4	25175.	23032.5	31310.	10470.	91148691.667	9547.182	**	**	**	**
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	2	36.	36.	37.	35.	2.	1.414	**	**	**	**
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	4	0.35	0.43	1.01	0.01	0.194	0.441	**	**	**	**
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	4 ##	0.01	0.238	0.92	0.01	0.207	0.455	**	**	**	**
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	4	0.048	0.051	0.07	0.04	0.	0.013	**	**	**	**
00940p	CHLORIDE,TOTAL IN WATER MG/L	09/11/73-08/20/87	1	10560.	10560.	10560.	10560.	0.	0.	**	**	**	**
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	3	50.	36.	50.	8.	588.	24.249	**	**	**	**
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	09/11/73-11/17/87	3	1.699	1.434	1.699	0.903	0.211	0.46	**	**	**	**
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			27.144								
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	4	15.5	92.75	330.	10.	25036.917	158.231	**	**	**	**
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	4	1.171	1.465	2.519	1.	0.511	0.715	**	**	**	**
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			29.19								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1988 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	4	20.65	21.3	30.	13.9	62.14	7.883	**	**	**	**
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	4	21.5	22.5	32.	15.	69.667	8.347	**	**	**	**
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	4	5.	5.75	8.	5.	2.25	1.5	**	**	**	**
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	4	55.	90.	200.	50.	5400.	73.485	**	**	**	**
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	4	40800.	34247.5	41600.	13790.	186206358.333	13645.745	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	4	39800.	33725.	42200.	13100.	190369166.667	13797.433	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	4	6.25	6.075	7.7	4.1	3.083	1.756	**	**	**	**
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	3	1.6	1.533	1.8	1.2	0.093	0.306	**	**	**	**
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	3	7.21	7.223	7.6	6.86	0.137	0.37	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	3	7.21	7.125	7.6	6.86	0.151	0.389	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	3	0.062	0.075	0.138	0.025	0.003	0.058	**	**	**	**
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	4	7.5	7.375	7.7	6.8	0.163	0.403	**	**	**	**
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	4	7.489	7.216	7.7	6.8	0.196	0.443	**	**	**	**
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	4	0.032	0.061	0.158	0.02	0.004	0.066	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	4	94.	79.25	98.	31.	1038.25	32.222	**	**	**	**
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	3	29390.	29400.	29870.	28940.	216300.	465.081	**	**	**	**
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	4	0.11	0.168	0.37	0.08	0.019	0.138	**	**	**	**
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	4 ##	0.01	0.045	0.15	0.01	0.005	0.07	**	**	**	**
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	4	0.07	0.07	0.08	0.06	0.	0.012	**	**	**	**
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	3	20.	36.667	80.	10.	1433.333	37.859	**	**	**	**
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	3	1.301	1.401	1.903	1.	0.211	0.46	**	**	**	**
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			25.198								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1989 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	4	24.55	23.7	28.9	16.8	32.847	5.731	**	**	**	**
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	4	10.	9.5	15.	3.	41.	6.403	**	**	**	**
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	4	50.	67.5	140.	30.	2575.	50.744	**	**	**	**
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	4	42000.	39800.	46100.	29100.	55746666.667	7466.369	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	4	41500.	40175.	48000.	29700.	59462500.	7711.193	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	4	4.75	5.075	6.8	4.	1.583	1.258	**	**	**	**
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	4	1.1	1.2	2.1	0.5	0.467	0.683	**	**	**	**
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	4	7.4	7.375	7.6	7.1	0.049	0.222	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	4	7.389	7.332	7.6	7.1	0.052	0.227	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	4	0.041	0.047	0.079	0.025	0.001	0.024	**	**	**	**
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	4	7.6	7.65	7.9	7.5	0.03	0.173	**	**	**	**
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	4	7.6	7.627	7.9	7.5	0.031	0.175	**	**	**	**
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	4	0.025	0.024	0.032	0.013	0.	0.008	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	4	103.5	99.75	117.	75.	326.25	18.062	**	**	**	**
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	4	0.125	0.163	0.34	0.06	0.016	0.126	**	**	**	**
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	4 ##	0.01	0.011	0.015	0.01	0.	0.003	**	**	**	**
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	4	0.15	0.15	0.15	0.15	0.	0.	**	**	**	**
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	4 ##	22.5	21.25	30.	10.	72.917	8.539	**	**	**	**
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	4 ##	1.349	1.294	1.477	1.	0.044	0.209	**	**	**	**
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			19.68								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1990 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	4	22.05	22.525	29.6	16.4	34.383	5.864	**	**	**	**
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	4	5.	5.	6.	4.	0.667	0.816	**	**	**	**
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	4	47.5	53.75	90.	30.	689.583	26.26	**	**	**	**
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	4	42700.	42125.	48700.	34400.	43162500.	6569.817	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	4	43130.	42065.	47900.	34100.	39372900.	6274.783	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	4	5.9	5.85	7.5	4.1	2.037	1.427	**	**	**	**
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	4	1.65	1.325	1.8	0.2	0.569	0.754	**	**	**	**
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	4	7.5	7.475	7.6	7.3	0.016	0.126	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	4	7.5	7.461	7.6	7.3	0.016	0.127	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	4	0.032	0.035	0.05	0.025	0.	0.011	**	**	**	**
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	4	7.7	7.675	7.7	7.6	0.003	0.05	**	**	**	**
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	4	7.7	7.673	7.7	7.6	0.003	0.05	**	**	**	**
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	4	0.02	0.021	0.025	0.02	0.	0.003	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	4	102.	99.5	113.	81.	195.667	13.988	**	**	**	**
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	4	0.16	0.158	0.25	0.06	0.006	0.078	**	**	**	**
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	4 ##	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	4	0.115	0.128	0.18	0.1	0.001	0.036	**	**	**	**
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	4 ##	18.75	16.875	20.	10.	22.396	4.732	**	**	**	**
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	4 ##	1.272	1.211	1.301	1.	0.021	0.143	**	**	**	**
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			16.266								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1991 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	1	25.1	25.1	25.1	25.1	0.	0.	**	**	**	**
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	1	3.	3.	3.	3.	0.	0.	**	**	**	**
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	1	240.	240.	240.	240.	0.	0.	**	**	**	**
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	1	20600.	20600.	20600.	20600.	0.	0.	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	1	20000.	20000.	20000.	20000.	0.	0.	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	1	4.1	4.1	4.1	4.1	0.	0.	**	**	**	**
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	1	1.5	1.5	1.5	1.5	0.	0.	**	**	**	**
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	1	7.3	7.3	7.3	7.3	0.	0.	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	1	7.3	7.3	7.3	7.3	0.	0.	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	1	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	1	6.9	6.9	6.9	6.9	0.	0.	**	**	**	**
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	1	6.9	6.9	6.9	6.9	0.	0.	**	**	**	**
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	1	0.126	0.126	0.126	0.126	0.	0.	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	1	49.	49.	49.	49.	0.	0.	**	**	**	**
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	1	0.13	0.13	0.13	0.13	0.	0.	**	**	**	**
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	1 ##	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	1	0.08	0.08	0.08	0.08	0.	0.	**	**	**	**
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	1 ##	10.	10.	10.	10.	0.	0.	**	**	**	**
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	1 ##	1.	1.	1.	1.	0.	0.	**	**	**	**
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			10.								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1992 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	1	30.3	30.3	30.3	30.3	0.	0.	**	**	**	**
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	1	6.	6.	6.	6.	0.	0.	**	**	**	**
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	1	120.	120.	120.	120.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Annual Analysis for 1992 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00094p	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	1	30600.	30600.	30600.	30600.	0.	0.	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	1	30680.	30680.	30680.	30680.	0.	0.	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	1	4.4	4.4	4.4	4.4	0.	0.	**	**	**	**
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	1	1.5	1.5	1.5	1.5	0.	0.	**	**	**	**
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	1	7.	7.	7.	7.	0.	0.	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	1	7.	7.	7.	7.	0.	0.	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	1	0.1	0.1	0.1	0.1	0.	0.	**	**	**	**
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	1	7.4	7.4	7.4	7.4	0.	0.	**	**	**	**
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	1	7.4	7.4	7.4	7.4	0.	0.	**	**	**	**
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	1	0.04	0.04	0.04	0.04	0.	0.	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	1	70.	70.	70.	70.	0.	0.	**	**	**	**
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	1 ##	0.015	0.015	0.015	0.015	0.	0.	**	**	**	**
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	1 ##	0.01	0.01	0.01	0.01	0.	0.	**	**	**	**
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	1	0.09	0.09	0.09	0.09	0.	0.	**	**	**	**
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	1	50.	50.	50.	50.	0.	0.	**	**	**	**
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	1	1.699	1.699	1.699	1.699	0.	0.	**	**	**	**
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93		GEOMETRIC MEAN =	50.								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot


Annual Analysis for 1993 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	1	13.9	13.9	13.9	13.9	0.	0.	**	**	**	**
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	1	8.	8.	8.	8.	0.	0.	**	**	**	**
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	1	120.	120.	120.	120.	0.	0.	**	**	**	**
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	1	26400.	26400.	26400.	26400.	0.	0.	**	**	**	**
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	1	26530.	26530.	26530.	26530.	0.	0.	**	**	**	**
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	1	7.8	7.8	7.8	7.8	0.	0.	**	**	**	**
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	1	7.4	7.4	7.4	7.4	0.	0.	**	**	**	**
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	1	7.4	7.4	7.4	7.4	0.	0.	**	**	**	**
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	1	0.04	0.04	0.04	0.04	0.	0.	**	**	**	**
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	1	7.5	7.5	7.5	7.5	0.	0.	**	**	**	**
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	1	7.5	7.5	7.5	7.5	0.	0.	**	**	**	**
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	1	0.032	0.032	0.032	0.032	0.	0.	**	**	**	**
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	1	60.	60.	60.	60.	0.	0.	**	**	**	**
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	1	0.03	0.03	0.03	0.03	0.	0.	**	**	**	**
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	1	0.02	0.02	0.02	0.02	0.	0.	**	**	**	**
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	1	0.05	0.05	0.05	0.05	0.	0.	**	**	**	**
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	1 ##	10.	10.	10.	10.	0.	0.	**	**	**	**
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	1 ##	1.	1.	1.	1.	0.	0.	**	**	**	**
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			10.								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Station: CUIS0023 Parameter Code: 00070


TURBIDITY, (JACKSON CANDLE UNITS)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00076


TURBIDITY,HACH TURBIDIMETER (FORMAZIN T



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00080


COLOR (PLATINUM-COBALT UNITS)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00090

OXIDATION REDUCTION POTENTIAL (MILLIVOL




ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00094

SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @

(X 10000)




ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00095

SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)


(X 10000)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00300


OXYGEN, DISSOLVED



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00310


BOD, 5 DAY, 20 DEG C



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00400


MICRO EQ/LITER OF H+ COMPUTED FROM PH



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00403


MICRO EQ/LITER OF H+ COMPUTED FROM PH



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00410


ALKALINITY, TOTAL (MG/L AS CaCO3)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00500


(X 10000)
RESIDUE, TOTAL (MG/L)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00530


RESIDUE, TOTAL NONFILTRABLE (MG/L)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00610


NITROGEN, AMMONIA, TOTAL (MG/L AS N)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00630


NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00665


PHOSPHORUS, TOTAL (MG/L AS P)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00680

CARBON, TOTAL ORGANIC (MG/L AS C)




ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00940

CHLORIDE, TOTAL IN WATER


(X 10000)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 31505


LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 31615

LOG FECAL COLIFORM,MPN,EC MED,44.5C <TU



ST. MARYS RIVER - POINT PETER PIER

Seasonal Analysis for Season #1: 6/01 to 9/30 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	47	28.3	28.391	31.	25.	1.84	1.357	26.5	27.5	29.5	30.5
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	42	30.	29.726	36.	23.5	7.649	2.766	25.65	28.	32.	33.
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	28	5.	6.179	14.	2.	8.671	2.945	3.9	4.	7.75	10.3
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	41	5.	6.171	14.	1.	7.845	2.801	3.2	4.	8.	10.
00078p	TRANSPARENCY, SECCHI DISC (METERS)	03/19/85-07/28/92	11	0.98	0.905	1.22	0.56	0.056	0.238	0.568	0.66	1.09	1.216
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	42	65.	82.857	240.	20.	3173.345	56.332	25.	35.	120.	185.
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	29	200.	217.724	330.	122.	2983.635	54.623	150.	182.5	255.	310.
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	44	40000.	36864.545	55700.	14000.	139854285.835	11826.	17000.	29475.	46075.	50100.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	46	34000.	33623.261	52000.	12100.	123493746.908	11112.774	14548.	27000.	42000.	47930.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	44	4.4	4.405	6.3	2.5	0.735	0.858	3.2	4.	4.875	5.65
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	42	1.2	1.336	4.3	0.	0.473	0.688	0.69	0.975	1.6	1.87
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	41	7.4	7.261	8.1	6.2	0.198	0.445	6.7	7.	7.6	7.8
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	41	7.4	7.01	8.1	6.2	0.262	0.512	6.7	7.	7.6	7.8
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	41	0.04	0.098	0.631	0.008	0.019	0.138	0.016	0.025	0.1	0.2
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	44	7.6	7.582	8.1	7.	0.062	0.248	7.2	7.425	7.7	7.85
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	44	7.6	7.508	8.1	7.	0.067	0.259	7.2	7.425	7.7	7.85
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	44	0.025	0.031	0.1	0.008	0.	0.02	0.014	0.02	0.038	0.063
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	43	96.	88.372	126.	29.	700.906	26.475	45.4	70.	108.	117.
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	37	29220.	26342.703	41550.	7842.	91592998.715	9570.423	11751.2	19470.	33980.	38044.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	35	14.	17.7	62.	0.5	183.297	13.539	3.6	10.	21.	39.8
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	43	0.1	0.16	1.01	0.01	0.038	0.195	0.02	0.06	0.19	0.394
00625p	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	03/19/85-02/17/93	11	0.6	0.79	2.9	0.2	0.533	0.73	0.24	0.4	0.9	2.5
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	44 ##	0.01	0.048	0.92	0.01	0.019	0.139	0.01	0.01	0.038	0.07
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	43	0.06	0.073	0.2	0.03	0.001	0.037	0.04	0.05	0.09	0.134
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	30	11.	12.58	27.	3.	45.499	6.745	6.05	7.675	15.25	25.
00940p	CHLORIDE,TOTAL IN WATER MG/L	09/11/73-08/20/87	36	13700.	13250.833	26000.	3900.	30071836.429	5483.779	4985.	9540.	16902.5	19290.
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	34	64.	421.853	4300.	1.	1140174.614	1067.79	8.	16.5	240.	1470.
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	09/11/73-11/17/87	34	1.794	1.838	3.633	0.	0.662	0.814	0.903	1.217	2.38	3.056
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			68.91								
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	41	15.	123.707	4300.	1.	447249.612	668.767	2.	10.	33.	49.
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	41	1.176	1.16	3.633	0.	0.356	0.596	0.301	1.	1.519	1.69
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			14.464								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #2: 10/01 to 11/30 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	24	20.85	21.725	27.	17.	8.972	2.995	17.65	19.5	23.875	26.55
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	21	23.	22.167	28.	15.	13.208	3.634	16.2	19.	24.5	27.6
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	20	7.5	7.6	11.	4.	5.095	2.257	5.	5.25	10.	10.
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	24	7.	7.625	15.	4.	7.375	2.716	4.5	5.25	10.	10.5
00078p	TRANSPARENCY, SECCHI DISC (METERS)	03/19/85-07/28/92	4	0.885	0.885	1.13	0.64	0.06	0.246	**	**	**	**
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	23	50.	68.913	300.	5.	3718.083	60.976	14.	30.	100.	128.
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	18	250.	241.	331.	140.	3170.118	56.304	144.5	189.	280.	312.1
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	22	40850.	41136.364	55900.	24000.	73979567.1	8601.138	31000.	34325.	46575.	54640.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	24	39000.	38750.833	57000.	14000.	96343790.58	9815.487	28650.	32690.	47540.	52500.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	23	5.8	5.804	8.6	3.3	1.38	1.175	4.06	5.1	6.6	7.22
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	20	1.25	1.205	2.	0.5	0.153	0.391	0.62	0.925	1.375	1.88
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	21	7.5	7.49	8.	6.8	0.102	0.319	6.92	7.3	7.7	7.9
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	21	7.5	7.367	8.	6.8	0.118	0.343	6.92	7.3	7.7	7.9
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	21	0.032	0.043	0.158	0.01	0.002	0.039	0.013	0.02	0.05	0.121
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	24	7.7	7.65	8.1	7.2	0.031	0.177	7.35	7.6	7.7	7.8
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	24	7.7	7.613	8.1	7.2	0.033	0.181	7.35	7.6	7.7	7.8
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	24	0.02	0.024	0.063	0.008	0.	0.012	0.016	0.02	0.025	0.045
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	24	100.	96.875	120.	49.	304.984	17.464	72.5	83.	111.5	115.5
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	20	30955.	29991.	41210.	15640.	51504293.684	7176.649	20452.	23060.	35462.5	39351.

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #2: 10/01 to 11/30 - Station CUIS0023

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th	
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	20	16.	22.55	59.	3.	241.208	15.531	4.4	12.25	39.5	42.9
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	23	0.1	0.209	1.82	0.01	0.152	0.389	0.01	0.02	0.18	0.626
00625p	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/19/85-02/17/93	4	0.55	0.625	1.3	0.1	0.263	0.512	**	**	**	**
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	24 ##	0.01	0.022	0.09	0.01	0.001	0.024	0.01	0.01	0.02	0.075
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	23	0.07	0.093	0.39	0.01	0.006	0.077	0.034	0.06	0.1	0.18
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	16	10.5	11.956	27.	2.	55.751	7.467	2.7	6.85	16.	24.9
00940p	CHLORIDE, TOTAL IN WATER MG/L	09/11/73-08/20/87	21	15500.	15558.571	31750.	7000.	29138492.857	5398.008	10420.	11650.	17300.	24000.
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	19	36.	216.	2400.	14.	296506.333	544.524	15.	17.	130.	430.
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	09/11/73-11/17/87	19	1.556	1.766	3.38	1.146	0.379	0.615	1.176	1.23	2.114	2.633
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			58.286								
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	23	20.	64.261	430.	1.	13206.292	114.919	4.4	10.	36.	302.
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	23	1.301	1.352	2.633	0.	0.382	0.618	0.641	1.	1.556	2.471
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			22.467								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Seasonal Analysis for Season #3: 12/01 to 4/09 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	45	15.4	14.351	21.2	7.	10.897	3.301	10.1	12.	16.45	19.2
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	43	16.	15.663	30.	1.5	36.532	6.044	8.4	10.5	20.	23.8
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	34	6.	8.147	25.	2.	30.19	5.495	2.5	4.	11.25	16.5
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	43	6.	8.419	25.	2.	29.821	5.461	3.	5.	12.	16.8
00078p	TRANSPARENCY, SECCHI DISC (METERS)	03/19/85-07/28/92	7	0.75	0.711	0.85	0.4	0.025	0.157	**	**	**	**
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	44	52.5	67.545	200.	5.	2002.998	44.755	20.	32.5	100.	135.
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	35	300.	289.743	399.	152.	3086.491	55.556	200.6	260.	320.	364.
00094p	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	42	35000.	33578.333	55500.	12000.	103401131.301	10168.635	20000.	25525.	40250.	46700.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	45	31600.	31987.778	50000.	13100.	82383326.768	9076.526	19500.	25500.	38525.	44000.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	44	7.4	7.33	9.9	4.4	1.217	1.103	6.	6.525	7.975	8.8
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	42	1.4	1.436	2.6	0.5	0.196	0.442	0.9	1.2	1.7	2.07
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	38	7.5	7.504	8.3	6.8	0.18	0.425	6.896	7.2	7.8	8.1
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	38	7.5	7.322	8.3	6.8	0.214	0.463	6.896	7.2	7.8	8.1
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	38	0.032	0.048	0.158	0.005	0.002	0.043	0.008	0.016	0.063	0.127
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	44	7.65	7.627	8.1	6.8	0.068	0.261	7.25	7.5	7.8	7.95
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	44	7.647	7.535	8.1	6.8	0.077	0.277	7.25	7.5	7.8	7.95
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	44	0.023	0.029	0.158	0.008	0.001	0.026	0.011	0.016	0.032	0.057
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	44	91.5	84.682	123.	31.	529.059	23.001	54.5	65.	102.75	113.
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	40	25685.	25351.35	38690.	3284.	68764766.233	8292.452	14592.	19705.	31730.	35719.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	36	13.5	18.472	56.	3.	214.428	14.643	4.	9.	23.25	45.3
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	43	0.07	0.12	1.12	0.01	0.033	0.181	0.014	0.04	0.14	0.238
00625p	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	03/19/85-02/17/93	9	0.6	1.637	10.	0.3	9.896	3.146	0.3	0.35	0.915	10.
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	44 ##	0.01	0.022	0.1	0.01	0.001	0.024	0.01	0.01	0.02	0.065
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	44	0.06	0.076	0.4	0.03	0.004	0.061	0.04	0.047	0.08	0.13
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	31	11.	11.765	27.	3.	22.714	4.766	6.	8.4	14.	18.
00940p	CHLORIDE, TOTAL IN WATER MG/L	09/11/73-08/20/87	37	13930.	13701.351	22500.	6150.	15062273.123	3881.014	7920.	11300.	16600.	18436.
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	38	60.	787.447	9200.	1.	4209116.849	2051.613	7.7	33.	240.	2700.
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	09/11/73-11/17/87	38	1.772	1.961	3.964	0.	0.789	0.888	0.883	1.519	2.38	3.415
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506	GEOMETRIC MEAN =			91.337								
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	42	19.75	283.869	5400.	1.	819089.964	905.036	4.	13.	103.25	672.
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	42	1.293	1.522	3.732	0.	0.694	0.833	0.602	1.11	2.006	2.82
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	GEOMETRIC MEAN =			33.285								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot


Seasonal Analysis for Season #4: 4/10 to 5/31 - Station CUIS0023

Parameter		Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	09/11/73-02/17/93	20	23.25	23.195	26.5	18.5	6.15	2.48	20.05	20.625	25.075	26.5
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	10/09/73-12/06/88	17	27.	26.206	29.5	21.	4.689	2.165	21.8	25.5	27.5	28.3
00070p	TURBIDITY, (JACKSON CANDLE UNITS)	09/11/73-12/28/82	17	6.	8.	24.	3.	30.	5.477	3.8	5.	9.5	17.6
00076p	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	09/11/73-02/17/93	20	5.5	7.4	24.	3.	27.516	5.246	3.1	4.25	7.	15.8
00078p	TRANSPARENCY, SECCHI DISC (METERS)	03/19/85-07/28/92	3	0.93	0.843	1.05	0.55	0.068	0.261	**	**	**	**
00080p	COLOR (PLATINUM-COBALT UNITS)	09/11/73-02/17/93	20	50.	69.25	240.	10.	3592.829	59.94	11.5	36.25	77.5	201.
00090p	OXIDATION REDUCTION POTENTIAL (MILLIVOLTS)	12/18/73-12/28/82	13	220.	228.385	280.	160.	1385.09	37.217	166.	206.5	260.5	280.
00094p	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	09/11/73-02/17/93	19	36000.	36021.053	55600.	20600.	84483976.608	9191.517	24000.	30600.	42000.	51000.
00095p	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	09/11/73-02/17/93	20	34585.	34932.	56000.	20000.	62032595.789	7876.077	25550.	30000.	39825.	42920.
00300p	OXYGEN, DISSOLVED MG/L	09/11/73-02/17/93	20	5.55	5.465	6.6	3.6	0.658	0.811	4.15	4.925	6.	6.5
00310p	BOD, 5 DAY, 20 DEG C MG/L	10/09/73-07/28/92	19	1.3	1.237	2.2	0.2	0.236	0.486	0.3	0.9	1.6	1.7
00400p	PH (STANDARD UNITS)	12/18/73-02/17/93	16	7.5	7.413	8.	6.	0.185	0.43	6.84	7.233	7.6	7.79
00400p	CONVERTED PH (STANDARD UNITS)	12/18/73-02/17/93	16	7.5	7.022	8.	6.	0.348	0.59	6.84	7.232	7.6	7.79
00400p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	12/18/73-02/17/93	16	0.032	0.095	1.	0.01	0.059	0.242	0.017	0.025	0.059	0.344
00403p	PH, LAB, STANDARD UNITS SU	09/11/73-02/17/93	20	7.6	7.59	8.	6.8	0.093	0.304	6.95	7.5	7.8	7.9
00403p	CONVERTED PH, LAB, STANDARD UNITS	09/11/73-02/17/93	20	7.6	7.457	8.	6.8	0.111	0.333	6.95	7.5	7.8	7.9
00403p	MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	09/11/73-02/17/93	20	0.025	0.035	0.158	0.01	0.001	0.038	0.013	0.016	0.032	0.117
00410p	ALKALINITY, TOTAL (MG/L AS CaCO3)	09/11/73-02/17/93	20	96.5	90.95	117.	49.	357.418	18.906	54.6	81.25	105.5	111.5
00500p	RESIDUE, TOTAL (MG/L)	01/23/74-12/06/88	17	27890.	28221.176	38540.	17260.	32855873.529	5732.004	18412.	24725.	31810.	37476.
00530p	RESIDUE, TOTAL NONFILTRABLE (MG/L)	09/11/73-11/17/87	16	17.	22.438	62.	7.	255.329	15.979	8.4	13.25	27.25	59.2
00610p	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	09/11/73-02/17/93	19	0.11	0.143	0.54	0.01	0.018	0.133	0.01	0.07	0.2	0.37
00625p	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	03/19/85-02/17/93	3	1.	0.953	1.	0.86	0.007	0.081	**	**	**	**
00630p	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	09/11/73-02/17/93	19 ##	0.02	0.036	0.15	0.01	0.002	0.039	0.01	0.01	0.05	0.12
00665p	PHOSPHORUS, TOTAL (MG/L AS P)	09/11/73-02/17/93	19	0.06	0.074	0.19	0.02	0.002	0.046	0.03	0.05	0.09	0.19
00680p	CARBON, TOTAL ORGANIC (MG/L AS C)	09/11/73-11/21/85	13	10.	10.731	19.	3.	19.526	4.419	4.2	7.5	14.75	17.8
00940p	CHLORIDE,TOTAL IN WATER MG/L	09/11/73-08/20/87	16	14115.	14091.25	19250.	9050.	8736505.	2955.758	10065.	11500.	16410.	18585.
31505p	COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	09/11/73-11/17/87	16	70.	331.313	2400.	1.	373009.029	610.745	1.7	19.5	465.	1371.
31505p	LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 3150	09/11/73-11/17/87	16	1.825	1.859	3.38	0.	0.85	0.922	0.211	1.262	2.644	3.092
31505p	GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506				72.202								
31615p	FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	19	15.	33.579	350.	1.	5993.924	77.42	1.	10.	20.	49.
31615p	LOG FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)	09/11/73-02/17/93	19	1.176	1.125	2.544	0.	0.327	0.572	0.	1.	1.301	1.69
31615p	GM FECAL COLIFORM,MPN,EC MED,44.5C (TUBE 31614)				13.332								

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding box-and-whisker plot

Station: CUIS0023 Parameter Code: 00070


TURBIDITY, (JACKSON CANDLE UNITS)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00076

TURBIDITY,HACH TURBIDIMETER (FORMAZIN T




ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00078

TRANSPARENCY, SECCHI DISC (METERS)


(X 0.01)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00080


COLOR (PLATINUM-COBALT UNITS)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00090

OXIDATION REDUCTION POTENTIAL (MILLIVOL




ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00094

SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @

(X 10000)




ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00095

SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)


(X 10000)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00300


OXYGEN, DISSOLVED



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00310


BOD, 5 DAY, 20 DEG C



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00400


MICRO EQ/LITER OF H+ COMPUTED FROM PH



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00403


MICRO EQ/LITER OF H+ COMPUTED FROM PH



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00410


ALKALINITY, TOTAL (MG/L AS CaCO3)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00500


(X 10000) RESIDUE, TOTAL (MG/L)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00530


RESIDUE, TOTAL NONFILTRABLE (MG/L)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00610


NITROGEN, AMMONIA, TOTAL (MG/L AS N)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00625


NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00630


NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00665


PHOSPHORUS, TOTAL (MG/L AS P)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00680

CARBON, TOTAL ORGANIC (MG/L AS C)




ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 00940

CHLORIDE, TOTAL IN WATER


(X 10000)



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 31505


LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C



ST. MARYS RIVER - POINT PETER PIER

Station: CUIS0023 Parameter Code: 31615

LOG FECAL COLIFORM,MPN,EC MED,44.5C <TU



ST. MARYS RIVER - POINT PETER PIER

Station Inventory for Station: CUIS0024

NPS Station ID: CUIS0024
Location: ST. MARYS RIVER - POINT PETER PIER
Station Type: /TYPA/AMBNT/STREAM
RMI-Indexes:
RMI-Miles:
HUC: 03070204
Major Basin: SOUTHEAST
Minor Basin: ST MARYS-NASSAU RIVER
RF1 Index: 03070204002
RF3 Index: 03070204000411.12
Description:

LAT/LON: 30.723337/ -81.515560

Depth of Water: 0
Elevation: 0

RF1 Mile Point: 0.650
RF3 Mile Point: 13.10

Agency: 22GALAKE
FIPS State/County: 13039 GEORGIA/CAMDEN
STORET Station ID(s): 08020001
Within Park Boundary: No

Aquifer:
Water Body Id:
ECO Region:
Distance from RF1: 0.00
Distance from RF3: 0.04

Date Created: 06/08/91

On/Off RF1: ON
On/Off RF3:

Parameter Inventory for Station: CUIS0024

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0025

NPS Station ID: CUIS0025	LAT/LON: 30.723892/ -81.501392	Agency: 21FLSJWM	Date Created: 08/01/92
Location: ST MARYS RIVER 1 MI PAST JOLLY RIVER		FIPS State/County: 12089 FLORIDA/NASSAU	
Station Type: /TYPA/AMBNT/ESTURY		STORET Station ID(s): SM001	
RMI-Indexes:		Within Park Boundary: No	
RMI-Miles:			
HUC: 03070204	Depth of Water: 0	Aquifer:	
Major Basin:	Elevation: 0	Water Body Id:	
Minor Basin:		ECO Region:	
RF1 Index: 03070204	RF1 Mile Point: 0.000	Distance from RF1: 3.90	On/Off RF1:
RF3 Index: 03070204000409.05	RF3 Mile Point: 9.18	Distance from RF3: 0.04	On/Off RF3:
Description:			

Parameter Inventory for Station: CUIS0025

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	05/19/92-01/18/93	4	23.9	22.95	29.1	14.9	36.97	6.08	**	**	**	**
00078 TRANSPARENCY, SECCHI DISC (METERS)	05/19/92-01/18/93	4	0.75	0.875	1.6	0.4	0.276	0.525	**	**	**	**
00080 COLOR (PLATINUM-COBALT UNITS)	05/19/92-01/18/93	4	70.	75.	150.	10.	3900.	62.45	**	**	**	**
00094 SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	05/19/92-01/18/93	3	35000.	26826.667	43500.	1980.	481080133.333	21933.539	**	**	**	**
00299 OXYGEN, DISSOLVED, ANALYSIS BY PROBE MG/L	05/19/92-01/18/93	4	6.1	6.375	7.5	5.8	0.589	0.768	**	**	**	**
00400 PH (STANDARD UNITS)	05/19/92-01/18/93	4	7.	6.975	7.3	6.6	0.143	0.377	**	**	**	**
00400 CONVERTED PH (STANDARD UNITS)	05/19/92-01/18/93	4	6.904	6.861	7.3	6.6	0.16	0.4	**	**	**	**
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	05/19/92-01/18/93	4	0.125	0.138	0.251	0.05	0.011	0.103	**	**	**	**
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	05/19/92-01/18/93	4	97.5	90.75	109.	59.	550.917	23.472	**	**	**	**
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	05/19/92-01/18/93	4	23.5	23.5	34.	13.	75.	8.66	**	**	**	**
00610 NITROGEN, AMMONIA, TOTAL (MG/L AS N)	05/19/92-01/18/93	4 ##	0.017	0.019	0.027	0.015	0.	0.006	**	**	**	**
00625 NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	05/19/92-01/18/93	4	0.555	0.583	0.69	0.53	0.005	0.073	**	**	**	**
00630 NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	05/19/92-01/18/93	4 ##	0.02	0.021	0.03	0.015	0.	0.008	**	**	**	**
00665 PHOSPHORUS, TOTAL (MG/L AS P)	05/19/92-01/18/93	3	0.064	0.057	0.073	0.034	0.	0.02	**	**	**	**
00680 CARBON, TOTAL ORGANIC (MG/L AS C)	05/19/92-01/18/93	4	10.2	10.	16.	3.6	30.907	5.559	**	**	**	**
00916 CALCIUM, TOTAL (MG/L AS Ca)	05/19/92-01/18/93	4	311.	298.5	423.	149.	14593.667	120.804	**	**	**	**
00927 MAGNESIUM, TOTAL (MG/L AS MG)	05/19/92-01/18/93	4	948.	905.75	1280.	447.	135524.25	368.136	**	**	**	**
00929 SODIUM, TOTAL (MG/L AS Na)	05/19/92-11/02/92	2	9265.	9265.	10600.	7930.	3564450.	1887.975	**	**	**	**
00937 POTASSIUM, TOTAL MG/L AS K)	05/19/92-01/18/93	4	289.	274.75	384.	137.	11729.583	108.303	**	**	**	**
00940 CHLORIDE, TOTAL IN WATER MG/L	05/19/92-01/18/93	4	15150.	14125.	19000.	7200.	26889166.667	5185.477	**	**	**	**
00945 SULFATE, TOTAL (MG/L AS SO4)	05/19/92-01/18/93	4	1950.	1855.	2600.	920.	497433.333	705.29	**	**	**	**
01042 COPPER, TOTAL (UG/L AS CU)	05/19/92-01/18/93	4 ##	3.75	3.75	7.5	0.	10.417	3.227	**	**	**	**
01045 IRON, TOTAL (UG/L AS FE)	05/19/92-01/18/93	4	221.5	233.75	422.	70.	22978.917	151.588	**	**	**	**
31616 FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	05/19/92-01/18/93	4	6.	20.75	70.	1.	1094.25	33.079	**	**	**	**
31616 LOG FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	05/19/92-01/18/93	4	0.651	0.787	1.845	0.	0.673	0.821	**	**	**	**
31616 GM FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5 C	05/19/92-01/18/93	4	6.	20.75	70.	1.	1094.25	33.079	**	**	**	**
32210 GEOMETRIC MEAN =	05/19/92-01/18/93	4	3.99	4.86	9.63	1.83	11.381	3.374	**	**	**	**
32211 CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	05/19/92-01/18/93	4	3.475	3.865	6.68	1.83	4.314	2.077	**	**	**	**
32212 CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTED	05/19/92-08/18/92	2	1.17	1.17	2.05	0.29	1.549	1.245	**	**	**	**
32214 CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTED	05/19/92-01/18/93	4	0.495	0.735	1.79	0.16	0.52	0.721	**	**	**	**
32218 PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	05/19/92-11/02/92	3	0.67	2.007	4.73	0.62	5.563	2.359	**	**	**	**
32219 PHEOPHYTIN RATIO(OD 663)/SPECTRO.BEFORE/AFTER ACID	05/19/92-01/18/93	4	1.59	1.593	1.78	1.41	0.023	0.151	**	**	**	**
70300 RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), MG/L	05/19/92-01/18/93	4	26500.	22367.5	35200.	1270.	219150891.667	14803.746	**	**	**	**
82079 TURBIDITY, LAB NEPHELOMETRIC TURBIDITY UNITS, NTU	05/19/92-01/18/93	4	3.7	4.375	9.1	1.	11.569	3.401	**	**	**	**
82903 DEPTH OF BOTTOM OF WATER BODY @ SAMPLE SITE METERS	05/19/92-01/18/93	3	6.3	6.6	7.7	5.8	0.97	0.985	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0025

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE					Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00400	PH																
	Other-Lo Lim.	4.	4	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00
	Other-Hi Lim.	9.	4	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00
	Other-Lo Lim.	6.5	4	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00
01042	COPPER, TOTAL																
	Marine Acute	2.9	2 &	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00
31616	FECAL COLIFORM, MEMBRANE FILTER, BROTH																
	Other-Hi Lim.	200.	4	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00
82079	TURBIDITY, LAB																
	Other-Hi Lim.	50.	4	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00	1	0	0.00

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0026

NPS Station ID: CUIS0026
 Location: NORTH RIVER(MOUTH) @ ST. MARY'S
 Station Type: /TYPA/AMBNT/STREAM
 RMI-Indexes:
 RMI-Miles:
 HUC: 03070204
 Major Basin:
 Minor Basin:
 RF1 Index: 03070204
 RF3 Index: 03070204022100.00
 Description:

LAT/LON: 30.726949/ -81.533338

Depth of Water: 0
 Elevation: 0

RF1 Mile Point: 0.000
 RF3 Mile Point: 0.69

Agency: 11BIOACC
 FIPS State/County: 13039 GEORGIA/CAMDEN
 STORET Station ID(s): 3336
 Within Park Boundary: No

Date Created: 02/17/90

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 16.30
 Distance from RF3: 0.43

On/Off RF1:
 On/Off RF3:

Parameter Inventory for Station: CUIS0026

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
30344 PENTACHLORODIBENZO-P-DIOXIN,12378,FISH,WET WT,PG/G	05/19/88-05/19/88	6 ##	0.465	0.63	1.32	0.46	0.118	0.343	**	**	**	**
30345 HEXACHLORODIBENZO-P-DIOXIN,123478,FISH,WET WT,PG/G	05/19/88-05/19/88	6 ##	1.23	1.232	1.235	1.23	0.	0.003	**	**	**	**
30346 HEXACHLORODIBENZO-P-DIOXIN,123678,FISH,WET WT,PG/G	05/19/88-05/19/88	6 ##	0.92	0.893	1.25	0.43	0.069	0.263	**	**	**	**
30347 HEXACHLORODIBENZO-P-DIOXIN,123789,FISH,WET WT,PG/G	05/19/88-05/19/88	6 ##	0.685	0.537	0.69	0.23	0.055	0.234	**	**	**	**
30348 HEPTACHLORODIBENZO-P-DIOXIN,1234678,TIS,WETWT,PG/G	05/19/88-05/19/88	6	0.86	0.887	1.66	0.29	0.224	0.474	**	**	**	**
30349 TETRACHLORODIBENZOFURAN, 2378- , FISH,WET WT.,PG/G	05/19/88-05/19/88	6	0.825	3.125	11.62	0.29	20.36	4.512	**	**	**	**
30350 PENTACHLORODIBENZOFURAN,12378- , FISH,WET WT.,PG/G	05/19/88-05/19/88	6 ##	0.385	0.394	0.435	0.385	0.	0.02	**	**	**	**
30351 PENTACHLORODIBENZOFURAN,23478- , FISH,WET WT.,PG/G	05/19/88-05/19/88	6 ##	0.425	0.48	0.71	0.42	0.013	0.115	**	**	**	**
30352 HEXACHLORODIBENZOFURAN,123478- , FISH,WET WT.,PG/G	05/19/88-05/19/88	6 ##	1.415	1.413	1.415	1.41	0.	0.003	**	**	**	**
30353 HEXACHLORODIBENZOFURAN,123678- , FISH,WET WT.,PG/G	05/19/88-05/19/88	6 ##	1.42	1.419	1.425	1.415	0.	0.004	**	**	**	**
30354 HEXACHLORODIBENZOFURAN,123789- , FISH,WET WT.,PG/G	05/19/88-05/19/88	6 ##	1.385	1.383	1.385	1.38	0.	0.003	**	**	**	**
30355 HEXACHLORODIBENZOFURAN,234678- , FISH,WET WT.,PG/G	05/19/88-05/19/88	6 ##	0.98	0.978	0.98	0.975	0.	0.003	**	**	**	**
30356 HEPTACHLORODIBENZOFURAN,1234678- ,FISH,WET WT,PG/G	05/19/88-05/19/88	6 ##	0.72	0.636	0.725	0.21	0.044	0.209	**	**	**	**
30357 HEPTACHLORODIBENZOFURAN,1234789- ,FISH,WET WT,PG/G	05/19/88-05/19/88	6 ##	1.305	1.306	1.31	1.305	0.	0.002	**	**	**	**
34395 HEXACHLOROBUTADIENE WET WGT TISM/G/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
34555 1,2,4-TRICHLOROBENZENE WET WGT TISM/G/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
34685 ENDRIW WET WGT TISM/G/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
34686 HEPTACHLOR EPOXIDE WET WGT TISM/G/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
34687 HEPTACHLOR WET WGT TISM/G/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
34688 HEXACHLOROBENZENE WET WGT TISM/G/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
34754 2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN TISWETWTPG/G	05/19/88-05/19/88	6 ##	0.54	1.383	3.53	0.495	1.869	1.367	**	**	**	**
38824 ISOPROPALIN TISWETWGTMG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
39063 CHLORDANE-CIS ISOMER, TISSUE WET WGT (UG/G)	05/19/88-05/19/88	4 ##	0.002	0.001	0.002	0.	0.	0.001	**	**	**	**
39066 CHLORDANE-TRANS ISOMER, TISSUE WET WGT (UG/G)	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
39074 BHC-ALPHA ISOMER, TISSUE UG/G WET WGT	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
39319 MONOCHLOROBIPHENYL,TOTAL, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	4 ##	0.001	0.001	0.001	0.001	0.	0.	**	**	**	**
39322 P,P'-DDE IN TISSUE WET WGT MG/KG	05/19/88-05/19/88	4 ##	0.001	0.002	0.003	0.001	0.	0.001	**	**	**	**
39335 DICHLOBIPHENYL,TOTAL, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	4 ##	0.001	0.001	0.001	0.001	0.	0.	**	**	**	**
39339 TRICHLOROBIPHENYL,TOTAL, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	4 ##	0.001	0.001	0.001	0.001	0.	0.	**	**	**	**
39345 TETRACHLOROBIPHENYL,TOT, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.003	0.002	0.	0.001	**	**	**	**
39347 PENTACHLOROBIPHENYL,TOT, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	4	0.004	0.009	0.029	0.002	0.	0.013	**	**	**	**
39354 HEPTACHLOROBIPHENYL,TOT, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	4	0.004	0.015	0.051	0.001	0.001	0.024	**	**	**	**
39355 OCTACHLOROBIPHENYL,TOT, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	4 ##	0.008	0.012	0.03	0.002	0.	0.013	**	**	**	**
39404 DIELDRIN IN TISSUE WET WGT (UG/G)	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
39408 NONACHLOROBIPHENYL,TOT, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	4 ##	0.008	0.009	0.015	0.003	0.	0.006	**	**	**	**
39409 DECAHLOBOBIPHENYL,TOT, TISSUE, WET, WT, MG/KG	05/19/88-05/19/88	4 ##	0.003	0.003	0.003	0.003	0.	0.	**	**	**	**
39785 GAMMA-BHC(LINDANE), TISSUE, WET WEIGHT, MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
46333 PENTACHLORONITROBENZENE (PCNB) IN TISSUE WET MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

Parameter Inventory for Station: CUIS0026

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
70977 INSTRUMENT RATIO, LAB/FIELD CONCENTRATIONS, NUMBER	05/19/88-05/19/88	6	0.125	1.475	4.71	0.01	4.829	2.197	**	**	**	**
71935 MERCURY, TOTAL IN FISH (PPM,WET WEIGHT BASIS)	05/19/88-05/19/88	4	0.07	0.12	0.3	0.04	0.015	0.121	**	**	**	**
76530 BIPHENYL TISSUE ,WET WGT,MG/KG	05/19/88-05/19/88	4 ##	0.	0.001	0.003	0.	0.	0.001	**	**	**	**
78907 HEXACHLOROBIPHENYLS IN FISH TISSUE WET WGT. MG/KG	05/19/88-05/19/88	4	0.009	0.026	0.08	0.004	0.001	0.036	**	**	**	**
78922 NONACHLOR, TRANS, TISSUE, WET WEIGHT MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
78923 NONACHLOR, CIS, TISSUE, WET WEIGHT MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
79026 1,2,3,4,-TETRACHLOROBENZENE IN FISH WET WGT MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
81312 POLYCHLORINATEDBIPHENYLS FISH TISSUE WET WGT MG/KG	05/19/88-05/19/88	4	0.027	0.07	0.21	0.015	0.009	0.094	**	**	**	**
81644 METHOXYCHLOR IN FISH TISSUE,UG/G WET WEIGHT	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
81645 MIREX IN FISH TISSUE WET WEIGHT UG/G	05/19/88-05/19/88	4 ##	0.002	0.001	0.002	0.	0.	0.001	**	**	**	**
81652 TREFLAN IN FISH TISSUE WET WEIGHT MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
81807 DURSBN IN FISH TISSUE WET WEIGHT MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
81823 PENTACHLOROANISOLE(PCA)INFISH TISSUE WET WGT MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
82029 OXYCHLORDANE IN TISSUE SAMPLE WET WEIGHT MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
85675 TRICHLOROBENZENE,1,3,5- TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
85676 TRICHLOROBENZENE,1,2,3- TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	4 ##	0.002	0.001	0.002	0.	0.	0.001	**	**	**	**
85677 TETRACHLOROBENZENE,1,2,4,5- TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
85678 TETRACHLOROBENZENE,1,2,3,5- TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
85679 PENTACHLOROBENZENE TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
85680 DIPHENYL DISULFIDE TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
85681 OCTACHLOROSTYRENE TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
85682 NITROFEN TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**
85683 PERTHANE TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	4 ##	0.002	0.001	0.002	0.	0.	0.001	**	**	**	**
85684 DICOVOL (KELTHANE) TISSUE,WET,WT,MG/KG	05/19/88-05/19/88	4 ##	0.002	0.002	0.002	0.002	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

***** No EPA Water Quality Criteria exist to compare against the data at this station. *****

Station Inventory for Station: CUIS0027

NPS Station ID: CUIS0027
 Location: ST MARYS #11 NORTH RIVER AT ST
 Station Type: /TYPA/MUN/OUTFL/AMBNT/STREAM/BIO
 RMI-Indexes:
 RMI-Miles:
 HUC: 03070204
 Major Basin: SOUTH-EAST
 Minor Basin: NASSAU-ST MARYS
 RF1 Index: 03070204003
 RF3 Index: 03070204000200.22
 Description:
 SEGMENT 19.1AA BODY OF WATER: RIVER, ST MARYS
 NORTH RIVER AT ST MARYS PULP AND PAPER CO EFFLUENT

LAT/LON: 30.740392/ -81.538448

Depth of Water: 0
 Elevation: 0
 RF1 Mile Point: 1.650
 RF3 Mile Point: 0.21

Agency: 21FLA
 FIPS State/County: 12089 FLORIDA/NASSAU
 STORET Station ID(s): 19010014
 Within Park Boundary: No

Date Created: / /

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.13

On/Off RF1: ON
 On/Off RF3:

Parameter Inventory for Station: CUIS0027

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	03/23/71-03/23/71	1	19.5	19.5	19.5	19.5	0.	0.	**	**	**	**
00070 TURBIDITY, (JACKSON CANDLE UNITS)	03/23/71-03/23/71	1	84.	84.	84.	84.	0.	0.	**	**	**	**
00080 COLOR (PLATINUM-COBALT UNITS)	03/23/71-03/23/71	1	300.	300.	300.	300.	0.	0.	**	**	**	**
00300 OXYGEN, DISSOLVED MG/L	03/23/71-03/23/71	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00340 COD, .25N K2CR2O7 MG/L	03/23/71-03/23/71	1	220.	220.	220.	220.	0.	0.	**	**	**	**
00400 PH (STANDARD UNITS)	03/23/71-03/23/71	1	7.24	7.24	7.24	7.24	0.	0.	**	**	**	**
00400 CONVERTED PH (STANDARD UNITS)	03/23/71-03/23/71	1	7.24	7.24	7.24	7.24	0.	0.	**	**	**	**
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	03/23/71-03/23/71	1	0.058	0.058	0.058	0.058	0.	0.	**	**	**	**
00410 ALKALINITY, TOTAL (MG/L AS CaCO3)	03/23/71-03/23/71	1	196.	196.	196.	196.	0.	0.	**	**	**	**
00435 ACIDITY, TOTAL (MG/L AS CaCO3)	03/23/71-03/23/71	1	33.	33.	33.	33.	0.	0.	**	**	**	**
00500 RESIDUE, TOTAL (MG/L)	03/23/71-03/23/71	1	21850.	21850.	21850.	21850.	0.	0.	**	**	**	**
00505 RESIDUE, TOTAL VOLATILE (MG/L)	03/23/71-03/23/71	1	5027.	5027.	5027.	5027.	0.	0.	**	**	**	**
00510 RESIDUE, TOTAL FIXED (MG/L)	03/23/71-03/23/71	1	16820.	16820.	16820.	16820.	0.	0.	**	**	**	**
00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	03/23/71-03/23/71	1	21550.	21550.	21550.	21550.	0.	0.	**	**	**	**
00530 RESIDUE, TOTAL NONFILTRABLE (MG/L)	03/23/71-03/23/71	1	300.	300.	300.	300.	0.	0.	**	**	**	**
00535 RESIDUE, VOLATILE NONFILTRABLE (MG/L)	03/23/71-03/23/71	1	94.	94.	94.	94.	0.	0.	**	**	**	**
00540 RESIDUE, FIXED NONFILTRABLE (MG/L)	03/23/71-03/23/71	1	206.	206.	206.	206.	0.	0.	**	**	**	**
00620 NITRATE NITROGEN, TOTAL (MG/L AS N)	03/23/71-03/23/71	1	0.	0.	0.	0.	0.	0.	**	**	**	**
00650 PHOSPHATE, TOTAL (MG/L AS PO4)	03/23/71-03/23/71	1	0.9	0.9	0.9	0.9	0.	0.	**	**	**	**
00660 PHOSPHATE, ORTHO (MG/L AS PO4)	03/23/71-03/23/71	1	0.36	0.36	0.36	0.36	0.	0.	**	**	**	**
00665 PHOSPHORUS, TOTAL (MG/L AS P)	03/23/71-03/23/71	1	0.29	0.29	0.29	0.29	0.	0.	**	**	**	**
00900 HARDNESS, TOTAL (MG/L AS CaCO3)	03/23/71-03/23/71	1	1700.	1700.	1700.	1700.	0.	0.	**	**	**	**
00940 CHLORIDE,TOTAL IN WATER MG/L	03/23/71-03/23/71	1	10750.	10750.	10750.	10750.	0.	0.	**	**	**	**
31505 COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	03/23/71-03/23/71	1	1700.	1700.	1700.	1700.	0.	0.	**	**	**	**
31505 LOG COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	03/23/71-03/23/71	1	3.23	3.23	3.23	3.23	0.	0.	**	**	**	**
31505 GM COLIFORM,TOT,MPN,CONFIRMED TEST,35C (TUBE 31506)	GEOMETRIC MEAN =			1700.								
70507 PHOSPHORUS,IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	03/23/71-03/23/71	1	0.12	0.12	0.12	0.12	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0027

Parameter	Std. Type	Std. Value	Total			-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
			Obs	Exceed Standard	Prop. Exceeding	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00070 TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim.	50.	1	1	1.00							1	1	1.00			
00300 OXYGEN, DISSOLVED	Other-Lo Lim.	4.	1	1	1.00							1	1	1.00			
00400 PH	Other-Hi Lim.	9.	1	0	0.00							1	0	0.00			
	Other-Lo Lim.	6.5	1	0	0.00							1	0	0.00			
00620 NITRATE NITROGEN, TOTAL AS N	Drinking Water	10.	1	0	0.00							1	0	0.00			
00940 CHLORIDE,TOTAL IN WATER	Fresh Acute	860.	1	1	1.00							1	1	1.00			
	Drinking Water	250.	1	1	1.00							1	1	1.00			
31505 COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	1	1	1.00							1	1	1.00			

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

Station Inventory for Station: CUIS0028

NPS Station ID: CUIS0028

Location: CUMBERLAND SOUND AT BIG MARSH ISLAND

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: ST MARYS-NASSAU RIVER BASIN

RF1 Index: 03070203026

RF3 Index: 03070203152200.00

Description:

LAT/LON: 30.750005/ -81.487504

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 6.050

RF3 Mile Point: 0.91

Agency: 21GAEPD

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 08001703

Within Park Boundary: No

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.01

Date Created: 04/13/85

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0028

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0029

NPS Station ID: CUIS0029
Location: CUMBERLAND SOUND AT BIG MARSH ISLAND
Station Type: /TYPA/AMBNT/ESTURY
RMI-Indexes:
RMI-Miles:
HUC: 03070203
Major Basin: SOUTHEAST
Minor Basin: ST MARYS-NASSAU RIVER BASIN
RF1 Index: 03070203026
RF3 Index: 03070203152200.00
Description:

LAT/LON: 30.750005/ -81.487504

Depth of Water: 0
Elevation: 0

RF1 Mile Point: 6.050
RF3 Mile Point: 0.91

Agency: 22GALAKE
FIPS State/County: 13039 GEORGIA/CAMDEN
STORET Station ID(s): 08001703
Within Park Boundary: No

Date Created: 06/08/91

Aquifer:
Water Body Id:
ECO Region:
Distance from RF1: 0.00
Distance from RF3: 0.01

On/Off RF1: ON
On/Off RF3:

Parameter Inventory for Station: CUIS0029

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
-----------	------------------	-----	--------	------	---------	---------	----------	-----------	------	------	------	------

***** No Parameter Data Available for this Station *****

Station Inventory for Station: CUIS0030

NPS Station ID: CUIS0030

Location: CUMBERLAND SOUND AT MOUTH OF MILL CREEK

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: ST MARYS-NASSAU RIVER BASIN

RF1 Index: 03070203026

RF3 Index: 03070203002603.91

Description:

LAT/LON: 30.754170/ -81.495837

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 5.800

RF3 Mile Point: 4.85

Agency: 21GAEPD

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 08003903

Within Park Boundary: No

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.39

Date Created: 04/13/85

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0030

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0031

NPS Station ID: CUIS0031

Location: CUMBERLAND SOUND AT MOUTH OF MILL CREEK

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: ST MARYS-NASSAU RIVER BASIN

RF1 Index: 03070203026

RF3 Index: 03070203002603.91

Description:

LAT/LON: 30.754170/ -81.495837

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 5.800

RF3 Mile Point: 4.85

Agency: 22GALAKE

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 08003903

Within Park Boundary: No

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.39

Date Created: 06/08/91

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0031

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0032

NPS Station ID: CUIS0032

Location: CUMBERLAND SOUND AT MOUTH OF KINGS BAY

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: ST MARYS-NASSAU RIVER BASIN

RF1 Index: 03070203026

RF3 Index: 03070201000502.23

Description:

LAT/LON: 30.795837/ -81.502781

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 1.820

RF3 Mile Point: 2.23

Agency: 21GAEPD

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 08001603

Within Park Boundary: No

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.12

Date Created: 04/13/85

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0032

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0033

NPS Station ID: CUIS0033

Location: CUMBERLAND SOUND AT MOUTH OF KINGS BAY

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: ST MARYS-NASSAU RIVER BASIN

RF1 Index: 03070203026

RF3 Index: 03070201000503.01

Description:

LAT/LON: 30.795837/ -81.502781

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 1.820

RF3 Mile Point: 3.00

Agency: 22GALAKE

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 08001603

Within Park Boundary: No

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.13

Date Created: 06/08/91

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0033

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0034

NPS Station ID: CUIS0034

Location: CUMBERLAND SOUND @ MOUTH OF OLDHS CR&STAFRD ISL

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: ST MARYS-NASSAU RIVER BASIN

RF1 Index: 03070203027

RF3 Index: 03070203155300.00

Description:

LAT/LON: 30.801392/ -81.475003

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 46.950

RF3 Mile Point: 0.00

Agency: 21GAEPD

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 08005303

Within Park Boundary: Yes

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.01

Date Created: 04/13/85

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0034

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0035

NPS Station ID: CUIS0035

Location: CUMBERLAND SOUND @ MOUTH OF OLDHS CR&STAFRD ISL

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: ST MARYS-NASSAU RIVER BASIN

RF1 Index: 03070203027

RF3 Index: 03070203155300.00

Description:

LAT/LON: 30.801392/ -81.475003

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 46.950

RF3 Mile Point: 0.00

Agency: 22GALAKE

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 08005303

Within Park Boundary: Yes

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.01

Date Created: 06/08/91

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0035

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0036

NPS Station ID: CUIS0036

Location: CUMBERLAND SOUND AT MOUTH OF SOUTH CROOKED RIVER

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: ST MARYS-NASSAU RIVER BASIN

RF1 Index: 03070203023

RF3 Index: 03070203002700.00

Description:

LAT/LON: 30.822226/ -81.500005

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 0.880

RF3 Mile Point: 0.03

Agency: 21GAEPD

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 08005403

Within Park Boundary: No

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.00

Date Created: 04/13/85

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0036

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0037

NPS Station ID: CUIS0037

Location: CUMBERLAND SOUND AT MOUTH OF SOUTH CROOKED RIVER

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: ST MARYS-NASSAU RIVER BASIN

RF1 Index: 03070203023

RF3 Index: 03070203002700.00

Description:

LAT/LON: 30.822226/ -81.500005

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 0.880

RF3 Mile Point: 0.03

Agency: 22GALAKE

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 08005403

Within Park Boundary: No

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.00

Date Created: 06/08/91

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0037

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0038

NPS Station ID: CUIS0038

Location: ST ANDREW SOUND AT MOUTH OF NORTH CROOKED RIVER

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: SATILLA RIVER BASIN

RF1 Index: 03070203019

RF3 Index: 03070203159700.00

Description:

LAT/LON: 30.844448/ -81.486115

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 15.350

RF3 Mile Point: 0.00

Agency: 21GAEPD

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 07005503

Within Park Boundary: No

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.07

Date Created: 04/13/85

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0038

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0039

NPS Station ID: CUIS0039

Location: ST ANDREW SOUND AT MOUTH OF NORTH CROOKED RIVER

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: SATILLA RIVER BASIN

RF1 Index: 03070203019

RF3 Index: 03070203159700.00

Description:

LAT/LON: 30.844448/ -81.486115

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 15.350

RF3 Mile Point: 0.00

Agency: 22GALAKE

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 07005503

Within Park Boundary: No

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.07

Date Created: 06/08/91

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0039

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0040

NPS Station ID: CUIS0040

Location: ST ANDREW SOUND AT MARKER 50 NEAR CABIN BLUFF

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: SATILLA RIVER BASIN

RF1 Index: 03070203019

RF3 Index: 03070203181900.00

Description:

LAT/LON: 30.884726/ -81.512505

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 13.160

RF3 Mile Point: 3.23

Agency: 21GAEPD

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 07000503

Within Park Boundary: Yes

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.03

Date Created: 04/13/85

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0040

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0041

NPS Station ID: CUIS0041

Location: ST ANDREW SOUND AT MARKER 50 NEAR CABIN BLUFF

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: SATILLA RIVER BASIN

RF1 Index: 03070203019

RF3 Index: 03070203181900.00

Description:

LAT/LON: 30.884726/ -81.512505

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 13.160

RF3 Mile Point: 3.23

Agency: 22GALAKE

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 07000503

Within Park Boundary: Yes

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.03

Date Created: 06/08/91

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0041

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0042

NPS Station ID: CUIS0042

Location: ST ANDREW SOUND AT CONFLUENCE OF MUD & BRICKHILL

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: SATILLA RIVER BASIN

RF1 Index: 03070203019

RF3 Index: 03070203126700.00

Description:

LAT/LON: 30.908337/ -81.466115

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 7.940

RF3 Mile Point: 0.00

Agency: 21GAEPD

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 07000103

Within Park Boundary: Yes

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 6.00

Distance from RF3: 0.01

Date Created: 04/13/85

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0042

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0043

NPS Station ID: CUIS0043

Location: ST ANDREW SOUND AT CONFLUENCE OF MUD & BRICKHILL

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: SATILLA RIVER BASIN

RF1 Index: 03070203019

RF3 Index: 03070201000528.62

Description:

LAT/LON: 30.908337/ -81.466115

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 7.940

RF3 Mile Point: 29.35

Agency: 22GALAKE

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 07000103

Within Park Boundary: Yes

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 2.30

Distance from RF3: 0.04

Date Created: 06/08/91

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0043

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0044

NPS Station ID: CUIS0044
Location: ST ANDREW SOUND AT MOUTH OF SHELLBINE CREEK
Station Type: /TYPA/AMBNT/ESTURY
RMI-Indexes:
RMI-Miles:
HUC: 03070203
Major Basin: SOUTHEAST
Minor Basin: SATILLA RIVER BASIN
RF1 Index: 03070203019
RF3 Index: 03070203002715.11
Description:

LAT/LON: 30.911115/ -81.494448

Depth of Water: 0
Elevation: 0

RF1 Mile Point: 5.440
RF3 Mile Point: 15.35

Agency: 21GAEPD
FIPS State/County: 13039 GEORGIA/CAMDEN
STORET Station ID(s): 07000303
Within Park Boundary: No

Date Created: 04/13/85

Aquifer:
Water Body Id:
ECO Region:
Distance from RF1: 0.00
Distance from RF3: 0.20

On/Off RF1: ON
On/Off RF3:

Parameter Inventory for Station: CUIS0044

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
-----------	------------------	-----	--------	------	---------	---------	----------	-----------	------	------	------	------

***** No Parameter Data Available for this Station *****

Station Inventory for Station: CUIS0045

NPS Station ID: CUIS0045

Location: ST ANDREW SOUND AT MOUTH OF SHELLBINE CREEK

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: SATILLA RIVER BASIN

RF1 Index: 03070203019

RF3 Index: 03070203002715.11

Description:

LAT/LON: 30.911115/ -81.494448

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 5.440

RF3 Mile Point: 15.35

Agency: 22GALAKE

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 07000303

Within Park Boundary: No

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.20

Date Created: 06/08/91

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0045

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0046

NPS Station ID: CUIS0046

Location: ST ANDREW SOUND AT MOUTH OF FLOYD CREEK

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: SATILLA RIVER BASIN

RF1 Index: 03070203019

RF3 Index: 03070203144400.00

Description:

LAT/LON: 30.925004/ -81.470838

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 3.350

RF3 Mile Point: 0.58

Agency: 21GAEPD

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 07003803

Within Park Boundary: No

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.10

Date Created: 04/13/85

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0046

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0047

NPS Station ID: CUIS0047

Location: ST ANDREW SOUND AT MOUTH OF FLOYD CREEK

Station Type: /TYPA/AMBNT/ESTURY

RMI-Indexes:

RMI-Miles:

HUC: 03070203

Major Basin: SOUTHEAST

Minor Basin: SATILLA RIVER BASIN

RF1 Index: 03070203019

RF3 Index: 03070203144400.00

Description:

LAT/LON: 30.925004/ -81.470838

Depth of Water: 0

Elevation: 0

RF1 Mile Point: 3.350

RF3 Mile Point: 0.58

Agency: 22GALAKE

FIPS State/County: 13039 GEORGIA/CAMDEN

STORET Station ID(s): 07003803

Within Park Boundary: No

Aquifer:

Water Body Id:

ECO Region:

Distance from RF1: 0.00

Distance from RF3: 0.10

Date Created: 06/08/91

On/Off RF1: ON

On/Off RF3:

Parameter Inventory for Station: CUIS0047

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
***** No Parameter Data Available for this Station *****												

Station Inventory for Station: CUIS0048

NPS Station ID: CUIS0048
 Location: JEKYLL ISL S PICNIC AREA
 Station Type: /TYPA/AMBNT/STREAM
 RMI-Indexes:
 RMI-Miles:
 HUC: 03070203
 Major Basin:
 Minor Basin:
 RF1 Index: 03070203028
 RF3 Index: 03070203138600.00
 Description:

LAT/LON: 31.020838/ -81.432781

Depth of Water: 0
 Elevation: 0

RF1 Mile Point: 17.700
 RF3 Mile Point: 0.24

Agency: 112WRD
 FIPS State/County: 13127 GEORGIA/GLYNN
 STORET Station ID(s): 310115081255801
 Within Park Boundary: No

Date Created: 02/20/76

Aquifer:
 Water Body Id:
 ECO Region:
 Distance from RF1: 0.00
 Distance from RF3: 0.04

On/Off RF1: ON
 On/Off RF3:

Parameter Inventory for Station: CUIS0048

Parameter	Period of Record	Obs	Median	Mean	Maximum	Minimum	Variance	Std. Dev.	10th	25th	75th	90th
00010 TEMPERATURE, WATER (DEGREES CENTIGRADE)	04/29/71-04/29/71	1	21.	21.	21.	21.	0.	0.	**	**	**	**
00095 SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	04/29/71-04/29/71	1	610.	610.	610.	610.	0.	0.	**	**	**	**
00400 PH (STANDARD UNITS)	04/29/71-04/29/71	1	7.5	7.5	7.5	7.5	0.	0.	**	**	**	**
00400 CONVERTED PH (STANDARD UNITS)	04/29/71-04/29/71	1	7.5	7.5	7.5	7.5	0.	0.	**	**	**	**
00400 MICRO EQUIVALENTS/LITER OF H+ COMPUTED FROM PH	04/29/71-04/29/71	1	0.032	0.032	0.032	0.032	0.	0.	**	**	**	**
72015 DEPTH TO TOP OF SAMPLE INTERVAL (FT BELOW LSD)	04/29/71-04/29/71	1	133.	133.	133.	133.	0.	0.	**	**	**	**
72016 DEPTH TO BOTTOM OF SAMPLE INTERVAL (FT BELOW LSD)	04/29/71-04/29/71	1	396.	396.	396.	396.	0.	0.	**	**	**	**

** - Less than 9 observations ## - Computed with 50% or more of the total observations as values that were half the detection limit p - Has a corresponding time series plot

EPA Water Quality Criteria Analysis for Station: CUIS0048

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
						Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
00400 PH	Other-Hi Lim.	9.	1	0	0.00										1	0	0.00
	Other-Lo Lim.	6.5	1	0	0.00										1	0	0.00

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Entire CUIS Study Area

Parameter	Std. Type	Std. Value	Total		Exceed Standard	Prop. Exceeding		-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
			Obs	Obs		Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed
00070	TURBIDITY, JACKSON CANDLE UNITS	Other-Hi Lim.	50.	132	3	0.02	34	1	0.03	29	1	0.03	50	1	0.02	19	0	0.00	
00076	TURBIDITY, HACH TURBIDIMETER	Other-Hi Lim.	50.	253	4	0.02	78	1	0.01	40	0	0.00	90	1	0.01	45	2	0.04	
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE	Other-Lo Lim.	4.	57	7	0.12	20	6	0.30	10	1	0.10	17	0	0.00	10	0	0.00	
00300	OXYGEN, DISSOLVED	Other-Lo Lim.	4.	485	86	0.18	264	70	0.27	55	9	0.16	116	2	0.02	50	5	0.10	
00400	PH	Other-Hi Lim.	9.	450	0	0.00	251	0	0.00	55	0	0.00	100	0	0.00	44	0	0.00	
		Other-Lo Lim.	6.5	450	29	0.06	251	8	0.03	55	8	0.15	100	12	0.12	44	1	0.02	
00403	PH, LAB	Other-Hi Lim.	9.	256	0	0.00	77	0	0.00	46	0	0.00	90	0	0.00	43	0	0.00	
		Other-Lo Lim.	6.5	256	7	0.03	77	4	0.05	46	0	0.00	90	3	0.03	43	0	0.00	
00615	NITRITE NITROGEN, TOTAL AS N	Drinking Water	1.	4	0	0.00							1	0	0.00	3	0	0.00	
00620	NITRATE NITROGEN, TOTAL AS N	Drinking Water	10.	17	0	0.00	3	0	0.00				14	0	0.00				
00630	NITRITE PLUS NITRATE, TOTAL 1 DET.	Drinking Water	10.	193	0	0.00	74	0	0.00	35	0	0.00	56	0	0.00	28	0	0.00	
00940	CHLORIDE, TOTAL IN WATER	Fresh Acute	860.	142	141	0.99	41	40	0.98	27	27	1.00	55	55	1.00	19	19	1.00	
		Drinking Water	250.	142	142	1.00	41	41	1.00	27	27	1.00	55	55	1.00	19	19	1.00	
00945	SULFATE, TOTAL (AS SO4)	Drinking Water	250.	16	16	1.00	11	11	1.00	1	1	1.00	1	1	1.00	3	3	1.00	
00951	FLUORIDE, TOTAL AS F	Drinking Water	4.	22	0	0.00	5	0	0.00	6	0	0.00	8	0	0.00	3	0	0.00	
01002	ARSENIC, TOTAL	Fresh Acute	360.	3	0	0.00	3	0	0.00										
		Drinking Water	50.	2 &	0	0.00	2	0	0.00										
		Marine Acute	69.	2	0	0.00	2	0	0.00										
01012	BERYLLIUM, TOTAL	Fresh Acute	130.	1	0	0.00	1	0	0.00										
		Drinking Water	4.	0 &	0	0.00													
01027	CADMIUM, TOTAL	Fresh Acute	3.9	1 &	0	0.00	1	0	0.00										
		Drinking Water	5.	1 &	0	0.00	1	0	0.00										
		Marine Acute	43.	2	0	0.00	2	0	0.00										
01034	CHROMIUM, TOTAL	Drinking Water	100.	3	0	0.00	3	0	0.00										
01042	COPPER, TOTAL	Fresh Acute	18.	1 &	0	0.00	1	0	0.00										
		Drinking Water	1300.	3	0	0.00	3	0	0.00										
		Marine Acute	2.9	3 &	0	0.00				2	0	0.00	1	0	0.00				
01051	LEAD, TOTAL	Fresh Acute	82.	1 &	0	0.00	1	0	0.00										
		Drinking Water	15.	1 &	0	0.00	1	0	0.00										
		Marine Acute	220.	3	0	0.00	2	0	0.00							1	0	0.00	
01059	THALLIUM, TOTAL	Fresh Acute	1400.	1	0	0.00	1	0	0.00										
		Drinking Water	2.	0 &	0	0.00													
		Marine Acute	2130.	2	0	0.00	2	0	0.00										
01067	NICKEL, TOTAL	Fresh Acute	1400.	1	0	0.00	1	0	0.00										
		Drinking Water	100.	1	0	0.00	1	0	0.00										
		Marine Acute	75.	2	0	0.00	2	0	0.00										
01077	SILVER, TOTAL	Marine Acute	0.12	1 &	1	1.00	1	1	1.00										
01092	ZINC, TOTAL	Fresh Acute	120.	3	0	0.00	3	0	0.00										
		Drinking Water	5000.	3	0	0.00	3	0	0.00										
		Marine Acute	95.	1	0	0.00	1	0	0.00										
01097	ANTIMONY, TOTAL	Fresh Acute	88.	0 &	0	0.00													
		Drinking Water	6.	0 &	0	0.00													
		Marine Acute	1500.	2	0	0.00	2	0	0.00										
01147	SELENIUM, TOTAL	Fresh Acute	20.	1	0	0.00	1	0	0.00										
		Drinking Water	50.	1	0	0.00	1	0	0.00										
		Marine Acute	300.	2	0	0.00	2	0	0.00										
31501	COLIFORM, TOTAL, MEMBRANE FILTER, IMMED.	Other-Hi Lim.	1000.	19	1	0.05	4	0	0.00	6	1	0.17	5	0	0.00	4	0	0.00	
31505	COLIFORM, TOTAL, MPN, CONF. TEST, 35C	Other-Hi Lim.	1000.	392	81	0.21	227	38	0.17	37	6	0.16	90	29	0.32	38	8	0.21	
31613	FECAL COLIFORM, MEMBRANE FILTER, AGAR	Other-Hi Lim.	200.	5	2	0.40				2	1	0.50	3	1	0.33				
31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	Other-Hi Lim.	200.	25	3	0.12	6	0	0.00	10	0	0.00	6	1	0.17	3	2	0.67	
31615	FECAL COLIFORM, MPN	Other-Hi Lim.	200.	397	80	0.20	228	37	0.16	41	4	0.10	89	33	0.37	39	6	0.15	
31616	FECAL COLIFORM, MEMBRANE FILTER, BROTH	Other-Hi Lim.	200.	21	0	0.00	6	0	0.00	6	0	0.00	3	0	0.00	6	0	0.00	
34010	TOLUENE IN WTR SMPLE GC-MS, HEXADECONE E	Marine Acute	6300.	1	0	0.00										1	0	0.00	
39350	CHLORDANE(TECH MIX & METABS), WHOLE WATE	Fresh Acute	2.4	2	0	0.00	2	0	0.00										
		Drinking Water	2.	2	0	0.00	2	0	0.00										
39360	DDD IN WHOLE WATER SAMPLE	Fresh Acute	0.6	2	0	0.00	2	0	0.00										
39365	DDE IN WHOLE WATER SAMPLE	Fresh Acute	1050.	2	0	0.00	2	0	0.00										
39370	DDT IN WHOLE WATER SAMPLE	Fresh Acute	1.1	2	0	0.00	2	0	0.00										
39390	ENDRIN IN WHOLE WATER SAMPLE	Fresh Acute	0.18	2	0	0.00	2	0	0.00										
		Drinking Water	2.	2	0	0.00	2	0	0.00										
39480	METHOXYCHLOR IN WHOLE WATER SAMPLE	Drinking Water	40.	2	0	0.00	2	0	0.00										

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

EPA Water Quality Criteria Analysis for Entire CUIS Study Area

Parameter	Std. Type	Std. Value	Total Obs	Exceed Standard	Prop. Exceeding	-----6/01-9/30-----			-----10/01-11/30-----			-----12/01-4/09-----			-----4/10-5/31-----		
39782	LINDANE IN WHOLE WATER SAMPLE					Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.	Obs	Exceed	Prop.
	Fresh Acute	2.	2	0	0.00	2	0	0.00									
	Drinking Water	0.2	2	0	0.00	2	0	0.00									
71900	MERCURY, TOTAL																
	Fresh Acute	2.4	3	0	0.00	3	0	0.00									
	Drinking Water	2.	3	0	0.00	3	0	0.00									
	Marine Acute	2.1	1	0	0.00	1	0	0.00									
82079	TURBIDITY, LAB																
	Other-Hi Lim.	50.	7	0	0.00	2	0	0.00	2	0	0.00	1	0	0.00	2	0	0.00

& - Below detection limit observations, for which half the detection limit exceeded the criterion, were excluded from the criterion comparison for this parameter

**NPS Servicewide Inventory and Monitoring Program Level I
Water Quality Parameter Inventory Data Evaluation and Analysis:
Missing Level I Groups**

There are STORET Data for Every Level I I&M Parameter Group Within
the CUIS Study Area

NPS Servicewide Inventory and Monitoring Program Level I

Water Quality Parameter Inventory Data Evaluation and Analysis:

Present Level I Groups

STORET Data Within the CUIS Study Area Exist for These Groups:

Alkalinity		Total Obs.	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00410	ALKALINITY, TOTAL (MG/L AS CaCO ₃)	185	49	90	46	10
00435	ACIDITY, TOTAL (MG/L AS CaCO ₃)	33	0	0	33	6
		218	49	90	79	16 (10) ¹
pH		Total Obs.	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00400	PH (STANDARD UNITS)	450	74	323	53	22
00403	PH, LAB (STANDARD UNITS)	256	77	152	27	10
		706	151	475	80	32 (23) ¹
Conductivity		Total Obs.	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	419	81	329	9	18
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	275	78	140	57	13
00480	SALINITY - PARTS PER THOUSAND	229	35	192	2	16
		923	194	661	68	47 (22) ¹
Dissolved Oxygen		Total Obs.	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE (MG/L)	57	36	21	0	10
00300	OXYGEN, DISSOLVED (MG/L)	485	76	347	62	19
		542	112	368	62	29 (21) ¹
Water Temperature		Total Obs.	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	505	86	357	62	22
		505	86	357	62	22 (22) ¹
Flow		Total Obs.	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00060	FLOW, STREAM, MEAN DAILY CFS	3	0	0	3	1
00061	FLOW, STREAM, INSTANTANEOUS CFS	4	0	4	0	4
		7	0	4	3	5 (5) ¹
Clarity/Turbidity		Total Obs.	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00070	TURBIDITY, (JACKSON CANDLE UNITS)	132	0	84	48	9
00076	TURBIDITY, HACH TURBIDIMETER (FORMAZIN TURB UNIT)	253	76	148	29	9
00078	TRANSPARENCY, SECCHI DISC (METERS)	151	75	76	0	11
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	271	54	154	63	13
82079	TURBIDITY, LAB NEPHELOMETRIC TURBIDITY UNITS, NTU	7	7	0	0	2
		814	212	462	140	44 (13) ¹

¹Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

		Total Obs.	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
Nitrate/Nitrogen						
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	402	82	305	15	18
00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	61	0	28	33	9
00625	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	312	80	232	0	20
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	381	80	286	15	18
00631	NITRITE PLUS NITRATE, DISS. 1 DET. (MG/L AS N)	1	0	1	0	1
		1157	242	852	63	66 (21) ¹
Phosphate/Phosphorus						
		Total Obs.	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	7	0	0	7	5
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	7	0	0	7	5
00665	PHOSPHORUS, TOTAL (MG/L AS P)	435	79	313	43	19
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	4	3	0	1	2
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	1	0	0	1	1
70507	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	219	12	165	42	16
		673	94	478	101	48 (19) ¹
Chlorophyll						
		Total Obs.	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
32209	CHLOROPHYLL A (UG/L) FLUOROMETRIC CORRECTED	12	12	0	0	1
32210	CHLOROPHYLL A (UG/L) TRICHROMATIC UNCORRECTED	7	7	0	0	2
32211	CHLOROPHYLL A (UG/L) SPECTROPHOTOMETRIC ACID METH.	22	22	0	0	8
32230	CHLOROPHYLL A (MG/L)	10	0	0	10	5
		51	41	0	10	16 (10) ¹
Sulfates/Total Dissolved Solids/Hardness						
		Total Obs.	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
00900	HARDNESS, TOTAL (MG/L AS CaCO3)	27	0	0	27	6
00945	SULFATE, TOTAL (MG/L AS SO4)	100	16	84	0	16
70300	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), (MG/L)	8	8	0	0	3
		135	24	84	27	25 (18) ¹
Bacteria						
		Total Obs.	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
31501	COLIFORM, TOT, MEMBRANE FILTER, IMMED. M-ENDOMED, 35C	19	19	0	0	4
31505	COLIFORM, TOT, MPN, CONFIRMED TEST, 35C (TUBE 31506)	392	34	302	56	17
31613	FECAL COLIFORM, MEMBR. FILTER, M-FC AGAR, 44.5C, 24HR	5	5	0	0	3
31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	25	0	0	25	6
31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	397	49	305	43	16
31616	FECAL COLIFORM, MEMBR. FILTER, M-FC BROTH, 44.5C	21	21	0	0	4
		859	128	607	124	50 (19) ¹

¹Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

Toxic Elements		Total Obs.	01/01/85 to 11/08/93	01/01/75 to 12/31/84	Before 01/01/75	Total Stations
01097	ANTIMONY, TOTAL (UG/L AS SB)	3	0	3	0	3
01002	ARSENIC, TOTAL (UG/L AS AS)	5	2	3	0	4
01012	BERYLLIUM, TOTAL (UG/L AS BE)	3	0	3	0	3
01027	CADMIUM, TOTAL (UG/L AS CD)	5	2	3	0	4
01034	CHROMIUM, TOTAL (UG/L AS CR)	5	2	3	0	4
01042	COPPER, TOTAL (UG/L AS CU)	12	9	3	0	6
01051	LEAD, TOTAL (UG/L AS PB)	6	3	3	0	5
71900	MERCURY, TOTAL (UG/L AS HG)	4	2	2	0	3
01067	NICKEL, TOTAL (UG/L AS NI)	3	0	3	0	3
01147	SELENIUM, TOTAL (UG/L AS SE)	3	0	3	0	3
01077	SILVER, TOTAL (UG/L AS AG)	2	0	2	0	2
01059	THALLIUM, TOTAL (UG/L AS TL)	3	0	3	0	3
01092	ZINC, TOTAL (UG/L AS ZN)	4	2	2	0	3
34030	BENZENE IN WTR SMPLE GC-MS, HEXADECONE EXT. (UG/L)	1	1	0	0	1
78113	ETHYL BENZENE WHOLE WATER SAMPLE (UG/L)	1	1	0	0	1
34010	TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXT. (UG/L)	1	1	0	0	1
39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	2	2	0	0	1
39350	CHLORDANE(TECH MIX & METABS), WHOLE WATER (UG/L)	2	2	0	0	1
39370	DDT IN WHOLE WATER SAMPLE (UG/L)	2	2	0	0	1
39365	DDE IN WHOLE WATER SAMPLE (UG/L)	2	2	0	0	1
39360	DDD IN WHOLE WATER SAMPLE (UG/L)	2	2	0	0	1
39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	2	2	0	0	1
		73	37	36	0	55 (7) ¹

¹Since a station can have data for more than one of the parameters in the parameter group, the number in the parenthesis is the number of unique stations having data for this parameter group.

NPS Servicewide Inventory and Monitoring Program Level I

Water Quality Parameter Inventory Data Evaluation and Analysis:

Park Summary: Level I Group Currentness and Distribution

Parameter Group	Total Obs.	Obs. Since 1985	% Obs. Since 1985	Stations Measuring This Group	% of Total Stations Measuring This Group	Obs. Per Station Measuring This Group	Period of Record For This Group	Observations Per Year of Period of Record
Alkalinity	218	49	22.5	10	38.5	21.8	03/23/71-11/08/93	9.6
pH	706	151	21.4	23	88.5	30.7	05/22/69-11/08/93	28.9
Conductivity	923	194	21.0	22	84.6	42.0	11/17/65-11/08/93	33.0
Dissolved Oxygen	542	112	20.7	21	80.8	25.8	05/22/69-11/08/93	22.2
Water Temperature	505	86	17.0	22	84.6	23.0	05/22/69-11/08/93	20.6
Flow	7	0	0.0	5	19.2	1.4	11/17/65-03/26/75	0.7
Clarity/Turbidity	814	212	26.0	13	50.0	62.6	05/22/69-11/08/93	33.3
Nitrate/Nitrogen	1157	242	20.9	21	80.8	55.1	03/23/71-11/08/93	51.1
Phosphate/Phosphorus	673	94	14.0	19	73.1	35.4	03/23/71-11/08/93	29.7
Chlorophyll	51	41	80.4	10	38.5	5.1	11/27/73-01/18/93	2.7
Sulfates/Total Dissolved Solids/Hardness	135	24	17.8	18	69.2	7.5	03/23/71-08/25/93	6.0
Bacteria	859	128	14.9	19	73.1	45.2	05/22/69-11/08/93	35.1
Toxic Elements	73	37	50.7	7	26.9	10.4	07/29/82-01/18/93	7.0

Water Quality Observations Outside STORET Edit Criteria for CUIS

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter	Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CUIS0001	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1633	2631.0000000	21FLA	19010057	
CUIS0002	00500 RESIDUE, TOTAL (MG/L)	690522	0740	37750.0000000	21FLA	19020007	
CUIS0002	00500 RESIDUE, TOTAL (MG/L)	690523	1045	35490.0000000	21FLA	19020007	
CUIS0002	00500 RESIDUE, TOTAL (MG/L)	720320	1115	31750.0000000	21FLA	19020007	
CUIS0002	00500 RESIDUE, TOTAL (MG/L)	720927	1150	38560.0000000	21FLA	19020007	
CUIS0002	00500 RESIDUE, TOTAL (MG/L)	720927	1150	38560.0000000	21FLA	19020007	
CUIS0002	00500 RESIDUE, TOTAL (MG/L)	721115	1200	36400.0000000	21FLA	19020007	
CUIS0002	00500 RESIDUE, TOTAL (MG/L)	730103	1145	35630.0000000	21FLA	19020007	
CUIS0002	00500 RESIDUE, TOTAL (MG/L)	730212	1118	30160.0000000	21FLA	19020007	
CUIS0002	00500 RESIDUE, TOTAL (MG/L)	730312	1400	21750.0000000	21FLA	19020007	
CUIS0002	00500 RESIDUE, TOTAL (MG/L)	730418	1255	22460.0000000	21FLA	19020007	
CUIS0002	00500 RESIDUE, TOTAL (MG/L)	730523	1405	34970.0000000	21FLA	19020007	
CUIS0002	00510 RESIDUE, TOTAL FIXED (MG/L)	720320	1115	27180.0000000	21FLA	19020007	
CUIS0002	00510 RESIDUE, TOTAL FIXED (MG/L)	720927	1150	32300.0000000	21FLA	19020007	
CUIS0002	00510 RESIDUE, TOTAL FIXED (MG/L)	721115	1200	31090.0000000	21FLA	19020007	
CUIS0002	00510 RESIDUE, TOTAL FIXED (MG/L)	730103	1145	31060.0000000	21FLA	19020007	
CUIS0002	00510 RESIDUE, TOTAL FIXED (MG/L)	730212	1118	25010.0000000	21FLA	19020007	
CUIS0002	00510 RESIDUE, TOTAL FIXED (MG/L)	730312	1400	18540.0000000	21FLA	19020007	
CUIS0002	00510 RESIDUE, TOTAL FIXED (MG/L)	730418	1255	15400.0000000	21FLA	19020007	
CUIS0002	00510 RESIDUE, TOTAL FIXED (MG/L)	730523	1405	28980.0000000	21FLA	19020007	
CUIS0002	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	720320	1115	31710.0000000	21FLA	19020007	
CUIS0002	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	720927	1150	38510.0000000	21FLA	19020007	
CUIS0002	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	720927	1150	38510.0000000	21FLA	19020007	
CUIS0002	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	721115	1200	36300.0000000	21FLA	19020007	
CUIS0002	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	730212	1118	30090.0000000	21FLA	19020007	
CUIS0002	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	730312	1400	21690.0000000	21FLA	19020007	
CUIS0002	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	730418	1255	22430.0000000	21FLA	19020007	
CUIS0002	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	730523	1405	34930.0000000	21FLA	19020007	
CUIS0002	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	721115	1200	6800.0000000	21FLA	19020007	
CUIS0002	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	730312	1400	5200.0000000	21FLA	19020007	
CUIS0002	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	730523	1405	5600.0000000	21FLA	19020007	
CUIS0002	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	730827	1205	5700.0000000	21FLA	19020007	
CUIS0002	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	731008	1132	5400.0000000	21FLA	19020007	
CUIS0002	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	731107	1125	5500.0000000	21FLA	19020007	
CUIS0002	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	740107	1155	5800.0000000	21FLA	19020007	
CUIS0002	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	0351	2508.0000000	21FLA	19020007	
CUIS0002	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1640	2693.0000000	21FLA	19020007	
CUIS0002	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1933	2508.0000000	21FLA	19020007	
CUIS0003	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	0358	2508.0000000	21FLA	19010058	
CUIS0003	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1648	2755.0000000	21FLA	19010058	
CUIS0003	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1938	2631.0000000	21FLA	19010058	

Water Quality Observations **Outside STORET Edit Criteria for CUIS**

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter	Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CUIS0004	00945	SULFATE, TOTAL (MG/L AS SO4)	820729	0332	2508.0000000	21FLA	19010056
CUIS0004	00945	SULFATE, TOTAL (MG/L AS SO4)	820729	1624	2569.0000000	21FLA	19010056
CUIS0004	00945	SULFATE, TOTAL (MG/L AS SO4)	820729	1919	2508.0000000	21FLA	19010056
CUIS0007	00070	TURBIDITY, (JACKSON CANDLE UNITS)	721106	1400	4100.0000000	21FLA	19011014
CUIS0007	00500	RESIDUE, TOTAL (MG/L)	710707	1220	99720.0000000	21FLA	19011014
CUIS0007	00505	RESIDUE, TOTAL VOLATILE (MG/L)	710707	1220	55000.0000000	21FLA	19011014
CUIS0007	00505	RESIDUE, TOTAL VOLATILE (MG/L)	721106	1400	41480.0000000	21FLA	19011014
CUIS0007	00510	RESIDUE, TOTAL FIXED (MG/L)	710707	1220	44710.0000000	21FLA	19011014
CUIS0007	00510	RESIDUE, TOTAL FIXED (MG/L)	721106	1400	105900.0000000	21FLA	19011014
CUIS0007	00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	710707	1220	99080.0000000	21FLA	19011014
CUIS0007	00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	721106	1400	32180.0000000	21FLA	19011014
CUIS0008	00927	MAGNESIUM, TOTAL (MG/L AS MG)	920519	1550	1120.0000000	21FLSJWM	SM028
CUIS0008	00927	MAGNESIUM, TOTAL (MG/L AS MG)	920818	1430	1100.0000000	21FLSJWM	SM028
CUIS0008	00929	SODIUM, TOTAL (MG/L AS NA)	920519	1550	9390.0000000	21FLSJWM	SM028
CUIS0008	00929	SODIUM, TOTAL (MG/L AS NA)	920818	1430	9270.0000000	21FLSJWM	SM028
CUIS0008	00929	SODIUM, TOTAL (MG/L AS NA)	921102	1145	8700.0000000	21FLSJWM	SM028
CUIS0008	00937	POTASSIUM, TOTAL MG/L AS K)	920519	1550	336.0000000	21FLSJWM	SM028
CUIS0008	00937	POTASSIUM, TOTAL MG/L AS K)	920818	1430	350.0000000	21FLSJWM	SM028
CUIS0008	00937	POTASSIUM, TOTAL MG/L AS K)	921102	1145	308.0000000	21FLSJWM	SM028
CUIS0008	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	920519	1550	30900.0000000	21FLSJWM	SM028
CUIS0008	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	920818	1430	32900.0000000	21FLSJWM	SM028
CUIS0008	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	921102	1145	29300.0000000	21FLSJWM	SM028
CUIS0009	00081	COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	830502	1018	1000.0000000	21FLA	19020006
CUIS0009	00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	730103	1135	70000.0000000	21FLA	19020006
CUIS0009	00310	BOD, 5 DAY, 20 DEG C MG/L	830502	1018	380.0000000	21FLA	19020006
CUIS0009	00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	720927	1145	1300.0000000	21FLA	19020006
CUIS0009	00500	RESIDUE, TOTAL (MG/L)	720320	1110	31758.0000000	21FLA	19020006
CUIS0009	00500	RESIDUE, TOTAL (MG/L)	720927	1145	38881.0000000	21FLA	19020006
CUIS0009	00500	RESIDUE, TOTAL (MG/L)	721115	1145	34547.0000000	21FLA	19020006
CUIS0009	00500	RESIDUE, TOTAL (MG/L)	730103	1135	35756.0000000	21FLA	19020006
CUIS0009	00500	RESIDUE, TOTAL (MG/L)	730212	1113	30332.0000000	21FLA	19020006
CUIS0009	00500	RESIDUE, TOTAL (MG/L)	730312	1345	19476.0000000	21FLA	19020006
CUIS0009	00500	RESIDUE, TOTAL (MG/L)	730523	1408	32913.0000000	21FLA	19020006
CUIS0009	00510	RESIDUE, TOTAL FIXED (MG/L)	720320	1110	27181.0000000	21FLA	19020006
CUIS0009	00510	RESIDUE, TOTAL FIXED (MG/L)	720927	1145	32355.0000000	21FLA	19020006
CUIS0009	00510	RESIDUE, TOTAL FIXED (MG/L)	721115	1145	29505.0000000	21FLA	19020006
CUIS0009	00510	RESIDUE, TOTAL FIXED (MG/L)	730103	1135	32393.0000000	21FLA	19020006
CUIS0009	00510	RESIDUE, TOTAL FIXED (MG/L)	730212	1113	25331.0000000	21FLA	19020006
CUIS0009	00510	RESIDUE, TOTAL FIXED (MG/L)	730312	1345	16325.0000000	21FLA	19020006
CUIS0009	00510	RESIDUE, TOTAL FIXED (MG/L)	730418	1240	12417.0000000	21FLA	19020006
CUIS0009	00510	RESIDUE, TOTAL FIXED (MG/L)	730523	1408	27076.0000000	21FLA	19020006

Water Quality Observations Outside STORET Edit Criteria for CUIS

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter	Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CUIS0009	00665 PHOSPHORUS, TOTAL (MG/L AS P)	740107	1145	40.0000000	21FLA	19020006	
CUIS0009	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	720320	1110	5750.0000000	21FLA	19020006	
CUIS0009	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	721115	1145	6800.0000000	21FLA	19020006	
CUIS0009	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	730523	1408	5200.0000000	21FLA	19020006	
CUIS0009	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	731008	1123	5300.0000000	21FLA	19020006	
CUIS0009	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	731107	1055	5600.0000000	21FLA	19020006	
CUIS0009	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	740107	1145	5600.0000000	21FLA	19020006	
CUIS0009	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	0048	2505.0000000	21FLA	19020006	
CUIS0009	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	0327	2508.0000000	21FLA	19020006	
CUIS0009	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1604	2569.0000000	21FLA	19020006	
CUIS0009	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1900	2569.0000000	21FLA	19020006	
CUIS0010	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1610	2817.0000000	21FLA	19010054	
CUIS0010	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1905	2631.0000000	21FLA	19010054	
CUIS0012	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	0314	2569.0000000	21FLA	19010055	
CUIS0012	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	0632	2508.0000000	21FLA	19010055	
CUIS0012	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1312	2508.0000000	21FLA	19010055	
CUIS0012	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1615	2817.0000000	21FLA	19010055	
CUIS0012	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1910	2693.0000000	21FLA	19010055	
CUIS0013	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	0306	2569.0000000	21FLA	19010053	
CUIS0013	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	0625	2693.0000000	21FLA	19010053	
CUIS0013	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1558	2879.0000000	21FLA	19010053	
CUIS0013	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1849	2879.0000000	21FLA	19010053	
CUIS0014	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	0259	2755.0000000	21FLA	19020010	
CUIS0014	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	0619	2631.0000000	21FLA	19020010	
CUIS0014	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1554	2879.0000000	21FLA	19020010	
CUIS0014	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1840	2631.0000000	21FLA	19020010	
CUIS0014	00945 SULFATE, TOTAL (MG/L AS SO4)	901001	1130	3300.0000000	21FLA	19020010	
CUIS0015	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	0252	2693.0000000	21FLA	19010052	
CUIS0015	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	0613	2693.0000000	21FLA	19010052	
CUIS0015	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1546	2755.0000000	21FLA	19010052	
CUIS0015	00945 SULFATE, TOTAL (MG/L AS SO4)	820729	1833	2879.0000000	21FLA	19010052	
CUIS0016	00310 BOD, 5 DAY, 20 DEG C MG/L	651118	0800	157.0000000	1113S050	649025	
CUIS0018	00500 RESIDUE, TOTAL (MG/L)	710323	1230	28250.0000000	21FLA	19010012	
CUIS0018	00500 RESIDUE, TOTAL (MG/L)	710408	1506	20560.0000000	21FLA	19010012	
CUIS0018	00510 RESIDUE, TOTAL FIXED (MG/L)	710323	1230	21040.0000000	21FLA	19010012	
CUIS0018	00510 RESIDUE, TOTAL FIXED (MG/L)	710408	1506	15330.0000000	21FLA	19010012	
CUIS0018	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	710323	1230	28170.0000000	21FLA	19010012	
CUIS0018	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	710408	1506	20510.0000000	21FLA	19010012	
CUIS0019	00930 SODIUM, DISSOLVED (MG/L AS NA)	890503	1741	11000.0000000	11NPSWRD	CUIS_SM-1	
CUIS0019	00945 SULFATE, TOTAL (MG/L AS SO4)	890503	1741	2700.0000000	11NPSWRD	CUIS_SM-1	
CUIS0019	70300 RESIDUE, TOTAL FILTRABLE (DRIED AT 180C),MG/L	890503	1741	35800.0000000	11NPSWRD	CUIS_SM-1	

Water Quality Observations
Outside STORET Edit Criteria for CUIS
(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter	Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CUIS0021	00500 RESIDUE, TOTAL (MG/L)	710323	1245	36650.0000000	21FLA	19010013	
CUIS0021	00500 RESIDUE, TOTAL (MG/L)	710408	1205	31360.0000000	21FLA	19010013	
CUIS0021	00505 RESIDUE, TOTAL VOLATILE (MG/L)	710323	1245	13240.0000000	21FLA	19010013	
CUIS0021	00510 RESIDUE, TOTAL FIXED (MG/L)	710323	1245	23400.0000000	21FLA	19010013	
CUIS0021	00510 RESIDUE, TOTAL FIXED (MG/L)	710408	1205	23300.0000000	21FLA	19010013	
CUIS0021	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	710323	1245	36620.0000000	21FLA	19010013	
CUIS0021	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	710408	1205	31290.0000000	21FLA	19010013	
CUIS0021	00900 HARDNESS, TOTAL (MG/L AS CaCO3)	710408	1205	5100.0000000	21FLA	19010013	
CUIS0021	00940 CHLORIDE, TOTAL IN WATER MG/L	710408	1205	29100.0000000	21FLA	19010013	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	740123	1845	26200.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	740226	1740	27910.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	740320	1625	29000.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	740417	1535	30330.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	740529	1450	37210.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	740724	1800	31500.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	741016	1845	22640.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	741113	1645	30600.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	741211	1500	31800.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	750115	1800	23840.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	750212	1830	17580.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	750409	1400	23480.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	750507	1500	18700.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	750611	1810	28100.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	750709	1800	24500.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	750911	1630	17900.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	751016	1520	20300.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	751105	1720	25210.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	751218	1545	27700.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	760114	1500	25170.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	760211	1445	27130.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	760318	1740	20230.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	760512	1545	27890.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	760811	1815	30630.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	761021	1615	24320.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	761103	1545	29690.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	761209	1715	16230.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	770316	1500	16450.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	770413	1445	30840.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	770518	1725	32610.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	770615	1645	33610.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	770713	1607	38100.0000000	21GAEPD	08020001	

**Water Quality Observations
Outside STORET Edit Criteria for CUIS**
(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter	Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	770810	1510	37430.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	771012	1710	21820.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	771109	1600	28280.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	771207	1545	38690.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	780110	1745	19530.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	780420	1245	26420.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	780525	1815	22190.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	780622	1710	21580.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	780830	1610	25030.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	780912	1515	34350.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	781018	1810	34010.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	781114	1705	35020.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	790110	1645	35710.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	790206	1530	35580.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	790311	1700	24000.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	790411	1730	32120.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	790508	1700	31500.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	790606	1700	35260.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	790710	1830	25000.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	790808	1800	18120.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	791010	1805	15640.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	791114	1635	34120.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	791204	1705	30540.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	800114	0940	31520.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	800211	1430	27840.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	800317	1315	24640.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	800415	1200	23030.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	800512	1230	26940.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	800609	1105	31600.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	800714	1330	40560.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	800908	1350	36950.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	801006	1215	41210.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	801105	1300	35610.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	801208	1245	34900.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	810105	1115	37170.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	810202	1120	37170.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	810302	1107	24540.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	810414	1015	27240.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	810504	1220	38540.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	810601	1215	38030.0000000	21GAEPD	08020001
CUIS0023	00500	RESIDUE, TOTAL (MG/L)	810713	1045	41550.0000000	21GAEPD	08020001

Water Quality Observations
Outside STORET Edit Criteria for CUIS
(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter	Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	810810	1000	31130.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	810914	1300	29220.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	811012	1215	39270.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	811109	1015	36760.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	811207	1030	35020.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	820126	1330	33110.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	820223	1645	22400.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	820322	1430	20570.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	820420	1530	17260.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	820524	1800	27550.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	820622	1845	30110.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	820720	1800	21160.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	820824	1200	34450.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	820914	1445	21280.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	821011	1415	32220.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	821109	1400	39360.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	821228	1615	35720.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	850319	1400	27310.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	851121	1031	22430.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	860304	0940	16600.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	860603	1204	33240.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	860916	1355	26120.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	861209	0921	24160.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	870602	0830	29530.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	870820	1325	20820.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	871117	1204	31310.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	880531	1610	29390.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	880823	1158	29870.0000000	21GAEPD	08020001	
CUIS0023	00500 RESIDUE, TOTAL (MG/L)	881206	1320	28940.0000000	21GAEPD	08020001	
CUIS0023	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	730911		21240.0000000	21GAEPD	08020001	
CUIS0023	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	731009		23000.0000000	21GAEPD	08020001	
CUIS0023	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	731113		45800.0000000	21GAEPD	08020001	
CUIS0023	00515 RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	731218		33510.0000000	21GAEPD	08020001	
CUIS0023	00940 CHLORIDE,TOTAL IN WATER MG/L	780912	1515	26000.0000000	21GAEPD	08020001	
CUIS0023	00940 CHLORIDE,TOTAL IN WATER MG/L	810914	1300	22800.0000000	21GAEPD	08020001	
CUIS0023	00940 CHLORIDE,TOTAL IN WATER MG/L	811012	1215	25250.0000000	21GAEPD	08020001	
CUIS0023	00940 CHLORIDE,TOTAL IN WATER MG/L	811109	1015	31750.0000000	21GAEPD	08020001	
CUIS0023	00940 CHLORIDE,TOTAL IN WATER MG/L	811207	1030	22500.0000000	21GAEPD	08020001	
CUIS0023	00940 CHLORIDE,TOTAL IN WATER MG/L	820126	1330	22200.0000000	21GAEPD	08020001	
CUIS0023	00945 SULFATE, TOTAL (MG/L AS SO4)	850612	1100	2600.0000000	21GAEPD	08020001	
CUIS0025	00927 MAGNESIUM, TOTAL (MG/L AS MG)	920519	1515	1110.0000000	21FLSJWM	SM001	

**Water Quality Observations
Outside STORET Edit Criteria for CUIS**

(Disposition: X = Discarded, Blank = Retained)

NPS Station ID	Parameter		Date	Time	Parameter Value	Agency	STORET Station ID	Disposition
CUIS0025	00927	MAGNESIUM, TOTAL (MG/L AS MG)	920818	1400	1280.0000000	21FLSJWM	SM001	
CUIS0025	00929	SODIUM, TOTAL (MG/L AS NA)	920519	1515	9280.0000000	21FLSJWM	SM001	
CUIS0025	00929	SODIUM, TOTAL (MG/L AS NA)	920818	1400	10600.0000000	21FLSJWM	SM001	
CUIS0025	00929	SODIUM, TOTAL (MG/L AS NA)	921102	1100	7930.0000000	21FLSJWM	SM001	
CUIS0025	00937	POTASSIUM, TOTAL MG/L AS K)	920519	1515	333.0000000	21FLSJWM	SM001	
CUIS0025	00937	POTASSIUM, TOTAL MG/L AS K)	920818	1400	384.0000000	21FLSJWM	SM001	
CUIS0025	00937	POTASSIUM, TOTAL MG/L AS K)	921102	1100	245.0000000	21FLSJWM	SM001	
CUIS0025	00945	SULFATE, TOTAL (MG/L AS SO4)	920818	1400	2600.0000000	21FLSJWM	SM001	
CUIS0025	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	920519	1515	29100.0000000	21FLSJWM	SM001	
CUIS0025	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	920818	1400	35200.0000000	21FLSJWM	SM001	
CUIS0025	70300	RESIDUE,TOTAL FILTRABLE (DRIED AT 180C),MG/L	921102	1100	23900.0000000	21FLSJWM	SM001	
CUIS0027	00500	RESIDUE, TOTAL (MG/L)	710323	1205	21850.0000000	21FLA	19010014	
CUIS0027	00510	RESIDUE, TOTAL FIXED (MG/L)	710323	1205	16820.0000000	21FLA	19010014	
CUIS0027	00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C),MG/L	710323	1205	21550.0000000	21FLA	19010014	

APPENDICES

Appendix A
Computer Files Transmitted With
Park Baseline Water Quality Data Inventory and Analysis

Computer disk(s) accompanying this report include up to seven (depending on the presence or absence of certain data elements) compressed (ZIP) files containing digital copies of nearly all the tables, figures, and other materials used to produce this report. To decompress these files, you must use the commonly available shareware program PKUNZIP. The command to type at the DOS prompt is:

PKUNZIP -E *COMPRESS.ZIP FILENAME.EXT*

where *COMPRESS.ZIP* is the name of one of the seven compressed (ZIP) files listed below and *FILENAME.EXT* is the name of the file you wish to extract. If you want to decompress all of the files in *COMPRESS.ZIP*, simply omit the *FILENAME.EXT*. To obtain a listing of all the files compressed into a particular ZIP file, type the following:

PKUNZIP -V *COMPRESS.ZIP* |MORE

where *COMPRESS.ZIP* is the name of one of the seven compressed ZIP files listed below. If a ZIP file spans multiple disks, use the last disk of the series (span) when obtaining a listing of all the files compressed into a particular ZIP file. Once you see the file you wish to obtain, substitute this file name for *FILENAME.EXT* in the first command line above to extract and decompress this particular file.

Included on one of the disk(s) accompanying this report is a program named PRINTZIP. This program will decompress ZIP files which don't span multiple disks and print certain files to a Hewlett-Packard (or compatible) Laser Printer. To use PRINTZIP, however, you must still have a copy of PKUNZIP in a directory listed in your path or in the same directory as the PRINTZIP program. PRINTZIP provides an easy, menu-driven interface for using PKUNZIP to decompress files and then send them to the printer. PRINTZIP allows you to send individual files, groups of files, or all files to the printer. PRINTZIP will not work with ZIP files that span multiple disks.

The following compressed (ZIP) files are included on the disk(s) accompanying this report:

(1) CUISTABS.ZIP

This compressed file contains all the tables presented in the report. The files compressed into this file include:

- | | | |
|------------------|---|--|
| (a) CUISSITE.DOC | - | Descriptive listing of select fields from the industrial facilities discharges, drinking water intakes, and EPA-USGS stream gages databases. |
| (b) CUISAGNC.DOC | - | Contacts for agencies whose data were retrieved within the study area. |
| (c) CUISAGNQ.DOC | - | Number of stations, observations, and parameters retrieved by agency code within the study area and park. |

- (d) CUIISOV0.DOC - Overview of park and retrieved data.
- (e) CUIISOV1.DOC - Station period of record table.
- (f) CUIISOV2.DOC - Parameter period of record table.
- (g) CUIISOV3.DOC - Station/parameter period of record table.
- (h) CUISINV.DOC - Station by station descriptive statistics over the entire period of record and comparison against EPA Water Quality Criteria for each station.
- (i) CUISSEAN.DOC - Seasonal and annual water quality descriptive statistics at stations with water quality data meeting the default seasonal and annual criteria.
- (j) CUISEPAS.DOC - EPA Water Quality Criteria comparison for data at all stations combined within the study area.
- (k) CUISIDEA.DOC - Comparison of downloaded STORET data with NPS Servicewide Inventory and Monitoring Program "Level I" water quality parameters.
- (l) CUISBAD.DOC - Water quality observation values that were outside the range of one of 190 STORET edit criteria and were either discarded or retained.

All these compressed document files are in ASCII format and contain printer codes appropriate to Hewlett-Packard (or compatible) Laser Printers. While at the DOS prompt, any of these document files may be printed directly to a Hewlett-Packard (or compatible) Laser Printer by using the PRINT command. For example, if the document CUIISOV1.DOC is in the subdirectory C:\WATER, you could type: PRINT C:\WATER\CUIISOV1.DOC. This will print the file to your local or networked Hewlett-Packard (or compatible) Laser Printer attached to parallel port one (LPT1:). Alternatively, you can use the PRINTZIP program to decompress and print any of these files provided the ZIP file doesn't span multiple disks. These ASCII files can also be imported into word-processed documents, but the printer codes will then have to be removed.

(2) CUISEFIGS.ZIP

This compressed file contains graphics files for all the statistical figures (time series plots; annual box and whiskers plots; seasonal box and whiskers plots) in the report in two different formats: Computer Graphic Metafile (CGM) and Hewlett-Packard Printer Control Language (PCL). The files are named with the last three digits of the Station Name followed by the five digit STORET code. The file name extension begins with either a 1 (time series), 2 (annual), or 3 (seasonal) and then either GM for CGM or CL for PCL. For example, 00100300.2GM would denote the file contains an annual box and whiskers plot in CGM format for parameter 00300 (dissolved oxygen) at station CUIS0001. While at the DOS prompt, any PCL file can be printed directly to a Hewlett-Packard (or compatible) Laser Printer by using the COPY command. For example, if the graphic 00100300.2CL (an annual box and whiskers plot of parameter 00300, dissolved oxygen, at station CUIS0001) is in the subdirectory C:\WATER, you would type: COPY C:\WATER\00100300.2CL LPT1: /B. This will print the file to your local or networked Hewlett-Packard (or compatible) Laser Printer attached to parallel port one (LPT1:). The /B is necessary because the PCL file is in a binary format. Alternatively, you can use the PRINTZIP program to decompress and print any of the PCL files provided the ZIP file doesn't span multiple disks. The CGM files can be imported and/or edited in most graphics packages, including WordPerfect.

(3) CUISPARM.ZIP

This file compresses CUISPARM.DBF which contains all the actual values (raw data) of all the water quality data downloaded from STORET and summarized in the report. The detailed database structure for this file is contained in Appendix B.

(4) CUISSITE.ZIP

This compressed file contains up to five geo-referenced, DBASE III+ compatible site (point location) files documenting the location in the study area of water quality monitoring stations, industrial facilities discharges, drinking water intakes, water gages, and water impoundments. These files include:

- (a) CUISWQ.DBF - All water quality monitoring station locations within the project's study area downloaded from STORET.
- (b) CUISIFD.DBF - All municipal and industrial facility discharges within the project's study area downloaded from the IFD database.
- (c) CUISDRIN.DBF - All drinking water intakes within the project's study area downloaded from the DRINKS database.
- (d) CUISGAGE.DBF - All water gages within the project's study area downloaded from the GAGES database.
- (e) CUISDAMS.DBF - All water impoundments within the project's study area downloaded from the DAMS database.

The absence of any of these files indicates that none of the particular sites were found within the study area. Detailed database structures for each of these files are contained in Appendix B.

(5) CUISMISC.ZIP

This compressed file contains a variety of graphic and document files that are contained in the report. They are grouped into this miscellaneous compressed (ZIP) file because they don't fit neatly into any of the other compressed files. The files contained in this compressed file include:

- (a) CUISEXEC.DOC - WordPerfect Ver. 5.1 copy of the Executive Summary in the report.
- (b) CUISTOC.DOC - WordPerfect Ver. 5.1 copy of the report's Table of Contents.
- (c) INTRO.DOC - WordPerfect Ver. 5.1 copy of all the text in the report from the Introduction through the Interpretive Guide to Water Quality Results.
- (d) APPENDIX.DOC - WordPerfect Ver. 5.1 copy of all the Appendices in the report.
- (e) CUISREGI - PCL and CLP (Windows Clipboard) copies of map displaying the regional location of the park and study area.
- (f) CUISWQ - PCL and CLP (Windows Clipboard) copies of park maps displaying water quality station locations within the park's study area. If, due to scaling and aesthetic concerns, multiple maps were needed, these files will have alphabetically ordered suffixes (CUISWQA, CUISWQB, CUISWQC, etc.) and the index map name will end with an ampersand (&).

- (g) CUISIDG - PCL and CLP (Windows Clipboard) copies of park maps displaying locations of industrial facilities discharges, drinking water intakes, and stream gages within the park's study area. If, due to scaling and aesthetic concerns, multiple maps were needed, these files will have alphabetically ordered suffixes (CUISIDGA, CUISIDGB, CUISIDGC, etc.) and the index map name will end with an ampersand (&). If no industrial facilities discharges, drinking water intakes, water gages, or water impoundments exist within the park's study area, these files will not be in the compressed (ZIP) file.
- (h) CUISSEHY - PCL and CLP (Windows Clipboard) copies of the hydrographs or other materials used by WRD staff as the basis for a first attempt at a seasonal analysis of the park's water quality data.

Other materials may also be included in this miscellaneous compressed (ZIP) file as warranted by conditions at the park. As with CUISFIGS.ZIP and CUISTABS.ZIP, you can use the PRINTZIP program to print any of the PCL files in CUISMISC.ZIP provided the ZIP file doesn't span multiple disks. You should not, however, use PRINTZIP to print the WordPerfect document files. The CLP (Windows Clipboard) files can be imported (pasted) and/or edited in most Windows-based word processors and graphics packages.

(6) CUISRF3.ZIP

This compressed file contains the Environmental Protection Agency's River Reach File Ver. 3.0 provisional data for the USGS catalog unit(s) encompassing the study area. The attribute data exist in both ASCII and DBASE III+ format, while the geographic traces exist in ASCII format. This compressed file contains four files for each catalog unit that touches the study area. Catalog units are identified by unique 8-character numeric names which identify the region, subregion, accounting unit, and catalog unit. Examples (your 8-character numeric names will be different) of the file types included in this compressed file are:

- (a) 12345678.RF3 - ASCII formatted attribute file from the River Reach File for all hydrographic traces within the catalog unit.
- (b) 12345678.DBF - DBASE III+ formatted attribute file from the River Reach File for all hydrographic traces within the catalog unit.
- (c) 12345678.TRC - ASCII formatted geographic file from the River Reach File containing digital, geo-referenced descriptions of all hydrographic traces within the catalog unit at a scale of 1:100,000 suitable for import into a geographic information system.
- (d) 12345678.CUB - ASCII formatted geographic file from the River Reach File containing a digital, geo-referenced description of the catalog unit boundary suitable for import into a geographic information system.

Detailed database structures for RF3-related files are contained in Appendix B.

(7) CUISWQMW.ZIP

Between 2000 and 2002, all Baseline Water Quality Data Inventory and Analysis Reports were compiled or re-compiled in Microsoft Word 2000 (Ver. 9.0) format. This complete, digital version of the report will be made available through various means, including the Internet. Although the reports can be opened in Microsoft Word 1997 (Ver. 8.0), the time series and annual and seasonal box-plots may not be centered appropriately on a page due to discrepancies with how Word 2000 formats pictures and how Word 1997 formatted pictures. Consequently, Word 2000 is the recommended software for viewing the report. Prior to printing the report from Word, be sure to enable "Print Text as Graphics" or "Print True Type Font as Graphics" in the Printer Properties. This ensures a more faithful reproduction of the maps included in the Word document.

The Microsoft Word version of the Baseline Water Quality Data Inventory and Analysis Report may differ slightly from the original analog version. Reports issued during 1994-1996 didn't have as many "bells-and-whistles" as subsequent reports. In compiling digital Microsoft Word versions of these earlier reports, attempts were made to bring these 1994-1996 reports up to the current standard wherever feasible and practicable. Unfortunately, some changes were not feasible or practicable. For example, water quality criteria screens were added or modified over time when newer criteria became available. The digital Microsoft Word version of Appendix F presents the latest criteria screening parameters and values. Some of these parameters and/or values may not have been screened against in the EPA water quality criteria analyses for each station and the entire study area in the 1994-1996 analog versions of the report. Similarly, the Introduction, Methodology, and Interpretive Guide to Water Quality Results may mention certain features that aren't included in the 1994-1996 reports. Additionally, to prepare a Microsoft Word version of this report, data were processed through different versions of software than used originally. Consequently, some results presented in the Overview and Executive Summary may differ slightly from those presented in the analog report (eg. # of In Park and Longer Term Stations).

Appendix B

Water Quality Database File Structures

The following table provides the DBASE III+ database field structure for all the water quality parameter data downloaded from STORET. This data will allow parks or other interested parties to replicate the statistical analyses and graphics contained in this report; perform more sophisticated analyses; or to establish a baseline park water quality database.

Parameter Data File: CUISPARM.DBF in CUISPARM.ZIP				
Field Name	Start	Stop	Length	Field Description
NPSSTATID	1	8	8	NPS Station ID (NPS park code + 4 digit sequence number)
BEGDATE	9	14	6	Measurement Start Date [yymmdd]
BEGTIME	15	18	4	Measurement Start Time [hhmm]
PARMCODE	19	23	5	STORET Parameter Code
PARMVALU	24	39	16.7	Parameter Value
REMARK	40	40	1	Parameter Remark Value
				A=Value is Mean of 2 or More Determinations
				B=Results Based Upon Colony Counts Outside Acceptable Range
				C=Value Calculated
				D=Field Measurement
				E=Extra Sample Taken in Compositing Process
				F=Female Species
				G=Maximum of 2 or More Determinations
				H=Based on Field Kit Determination
				I=Value is Less Than Practical Quantitation Limit and Greater Than or Equal to the Method Detection Limit
				J=Estimated, Not the Result of Analytic Measurement
				K=Off-scale Low, Actual Value Not Known, But Known to be Less Than Value Shown
				L=Off-scale High, Actual Value Not Known, But Known to be Greater Than Value Shown

Parameter Data File: CUISPARM.DBF in CUISPARM.ZIP				
Field Name	Start	Stop	Length	Field Description
				M=Presence Verified, But Not Quantified, Below Quantification Limit; For Species, Male; For Oxygen Reduction Potential, Indicates a Negative Value
				N=Presumptive Evidence of Presence
				O=Analysis Lost
				P=Too Numerous to Count
				Q=Exceeded Normal Holding Time
				R=Significant Rain in Last 48 Hours
				S=Laboratory test
				T=Less Than Detection Criteria
				U=Analyzed For But Not Detected, Value is Detection Limit For Process Used; If Species, Undetermined
				V=Analyte was Detected in Sample and Method Blank
				W=Less Than Lowest Value Reportable Under Remark "T"
				X=Quasi Vertically-Integrated Sample
				Y=Analysis of Unpreserved Sample
				Z=Too Many Colonies Were Present to Count (TNTC), Value Represents Filtration Value
				\$=Calculated By Retrieval Software
MEDIA	41	46	6	Sample Media
DEPTH	47	55	9.3	Depth of Sample [in feet]
ENDDATE	56	61	6	Measurement End Date [yymmdd] [all composite samples]
ENDTIME	62	65	4	Measurement End Time [hhmm] [all composite samples]
SAMPTYPE	66	69	4	Type of Sample ["sophisticated" composite samples]
				C=Continuous Collection
				G=Collection of Individual Grab Samples
				GNxx=xx is the Number of Individual Grab Samples
				B=N/A

Parameter Data File: CUISPARM.DBF in CUISPARM.ZIP				
Field Name	Start	Stop	Length	Field Description
COMPTYPE	70	70	1	Composite Value Type ["sophisticated" composite samples]
				A=Average
				H=Maximum
				L=Minimum
				N=Number of Observations
				#=Number of Observations
				S=Standard Deviation
				U=Sum of Squares
				V=Variance
				C=Coefficient of Error
				X=Coefficient of Variance
				E=Skewness
				F=Kurtosis
				Z=Number of Observations That Exceed an Established Limit
				%=Precision
				\$=Accuracy
				B=N/A
				D=Indicates Replicate Sample
COMPST	71	71	1	Composite Space/Time Indicator
				S=Space
				T=Time
				B=Space and Time
				F=Flow Proportional
				1-9=Replicate Number

Note: DBASE III+ record lengths will be one greater than the last stop column displayed (71 here) because DBASE III+ reserves the first space/column of every record for a deletion flag. Hence, DBASE III+ will display a record length of 72 for this database.

The following table provides the DBASE III+ database field structure for all the water quality station locations downloaded from STORET. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

Water Quality Station Data File: CUISWQ.DBF in CUISSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
NPSSTATID	1	8	8	NPS Station ID (NPS park code + 4 digit sequence number)
AGENCY	9	16	8	Agency Code of Station Owner
STORIDP	17	31	15	STORET Primary Station Code
STORIDS1	32	43	12	STORET First Secondary Station Code
STORIDS2	44	55	12	STORET Second Secondary Station Code
STORIDS3	56	65	10	STORET Third Secondary Station Code
LATITUDE	66	73	8	Station Latitude [degrees:minutes:seconds]
LONGITUDE	74	82	9	Station Longitude [degrees:minutes:seconds]
LAT	83	93	11.6	Station Latitude [decimal degrees, (-) below equator]
LON	94	104	11.6	Station Longitude [decimal degrees, (-) western hemisphere]
LLPREC	105	105	1	Latitude/Longitude Precision Code
RMI	106	329	224	River Mile Index
STATLOC	330	377	48	Station Location Description
CNTYCODE	378	382	5	FIPS State/County Code
STNAME	383	398	16	State Name
CNTYNAME	399	418	20	County Name
HYDUNIT	419	426	8	Hydrologic Unit Code (MAJ/MIN/SUB = Catalog Unit)
MAJBASN	427	450	24	Major Basin Name
MINBASN	451	490	40	Minor Basin Name
STATTYPE	491	550	60	Station Type
STORDATE	551	556	6	Date Station was Stored in STORET
RF1INDEX	557	567	11	RF1 Reach Number Location [2]
RF1MILE	568	575	8.3	Mile Point on RF1 Reach [2]
RF1LOC	576	578	3	Indicates the Location as ON or OFF RF1 Reach [2]
RF1DIST	579	584	6.2	Distance From RF1 Reach

Water Quality Station Data File: CUISWQ.DBF in CUISSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
RF3INDEX	585	601	17	RF3 Reach Number Location [3]
RF3MILE	602	607	6.2	Mile point on RF3 Reach [3]
RF3LOC	608	610	3	Indicates the Location as ON or OFF RF3 Reach [2]
RF3DIST	611	616	6.2	Distance From RF3 Reach
DEPH2O	617	620	4	Depth of Water at Station Location [in feet]
ELEV	621	625	5	Station Elevation
ECOREG	626	628	3	ECO Region
H2OBODY	629	678	50	Waterbody ID
AQUIFERS	679	718	40	Aquifer Description
STATDESC1	719	790	72	Station Sentence Description
STATDESC2	791	862	72	Station Sentence Description
STATDESC3	863	934	72	Station Sentence Description
STATDESC4	935	1006	72	Station Sentence Description
STATDESC5	1007	1078	72	Station Sentence Description
STATDESC6	1079	1150	72	Station Sentence Description
STATDESC7	1151	1222	72	Station Sentence Description
STATDESC8	1223	1294	72	Station Sentence Description
STATDESC9	1295	1366	72	Station Sentence Description
STATDESC10	1367	1438	72	Station Sentence Description
STATDESC11	1439	1510	72	Station Sentence Description
STATDESC12	1511	1582	72	Station Sentence Description
STATDESC13	1583	1654	72	Station Sentence Description
STATDESC14	1655	1726	72	Station Sentence Description
STATDESC15	1727	1798	72	Station Sentence Description
STATLOCKED	1799	1799	1	Station Locked (Logical) True/False

The following table provides the DBASE III+ database field structures for the EPA Industrial Facilities Discharge database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

Industrial Facilities Discharges File: CUISIFD.DBF in CUISSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
SITEID	1	9	9	Site Identifier (NPDES Number)
LATITUDE	10	17	8	Facility Latitude (Degrees:Minutes:Seconds)
LONGITUDE	18	26	9	Facility Longitude (Degrees:Minutes:Seconds)
LAT	27	37	11.6	Facility Latitude (decimal degrees, (-) below equator)
LON	38	48	11.6	Facility Longitude (decimal degrees, (-) west. hem.)
RF1INDEX	49	59	11	RF1 Reach Number Location
RF1MILE	60	65	6.2	Mile Point on RF1 Reach
RF1DIST	66	71	6.2	Distance From RF1 Reach
RF3INDEX	72	88	17	RF3 Reach Number Location
RF3MILE	89	94	6.2	Mile Point on RF3 Reach
RF3DIST	95	100	6.2	Distance From RF3 Reach
ADR	101	125	25	Address
BFL	126	132	7.2	Total Direct Combined C&P Flow (1000 GPD)
CCFLG	133	133	1	Coastal County Flag "Y"/"N"/"E"=Estuary
CC1	134	138	5	City Code #1 (EPA Code)
CFL	139	145	7.2	Total Direct Cooling Flow (1000 GPD)
CNC	146	148	3	County Code (FIPS)
CTY	149	168	20	City Name
CZIP	169	177	9	Canadian Zip Code
DNB	178	186	9	Dunn & Bradstreet Number
DNBFLG	187	187	1	Dunn & Bradstreet PCS Source Flag
EGF	188	202	15.4	Flow From Effluent Guidelines (1000 GPD)
EGS	203	208	6	Effluent Guidelines Subcategory
EXPDT	209	216	8	Expiration Date (mm/dd/yy)
E308SN	217	220	4	Effluent Guidelines Survey Number
FAC	221	229	9	SCS Facility Identifier (Cross-Reference)
FDS	230	232	3	Facility Data Source

Industrial Facilities Discharges File: CUISIFD.DBF in CUISSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
FFL	233	239	7.2	Total Facility Flow (1000 GPD)
FHF	240	240	1	Fac. Hit Flag (Reach File) V=Versar Assumed
FLOTYP	241	243	3	I=Blow Down, R=Bottom Ash, S=Fly Ash
FLR	244	250	7.2	Flow Recvd-Industrial (1000 GPD) Permit Data
FRDS	251	259	9	FRDS ID# - XREF To Water Supply
FRW	260	289	30	Facility Receiving Water Name
FS1	290	293	4	Facility SIC Code (From PCS)
FS2	294	297	4	Facility SIC Code #1
FS3	298	301	4	Facility SIC Code #2
FS4	302	305	4	Facility SIC Code #3
FS5	306	309	4	Facility SIC Code #4
FUD	310	317	8	Facility Level Last Date Updated (mm/dd/yy)
IACC	318	318	1	Inactive/Active Indicator ("I" or "A")
ICAT	319	320	2	WQAB Industrial Category
ICAT2	321	322	2	WQAB Industrial Category 2
ICAT3	323	324	2	WQAB Industrial Category 3
IFL	325	331	7	Total Indirect Flow (1000 GPD)
IFT	332	332	1	Illinois Facility Type (A thru Z)
IG1	333	334	2	Facility Industrial Group #1
IG2	335	336	2	Facility Industrial Group #2
IJCN	337	346	10	Canadian Record Identifier
INACT	347	353	7	Inactive/Rescinded P=Based on Permit;A=Actual
INDCNT	354	357	4	Computed Number of Indirect Dischargers
LATLON	358	372	15	Polygon Retrieval Lat/Long.
MAJ	373	373	1	Major-Minor Flag (From PCS)
MAPID	374	377	4	Map Identifier
MJMN	378	381	4	Major/Minor Basin (EPA-STORET)
NAM	382	441	60	Facility Name
NDC	442	444	3	Number of Discharges (Pipes)

Industrial Facilities Discharges File: CUISIFD.DBF in CUISSITE.ZIP				
Field Name	Start	Stop	Length	Field Description
NDSFLO	445	451	7.2	NEEDS Flow (1000 GPD)
NDSIFLO	452	458	7.2	NEEDS Industrial Flow (1000 GPD)
NID	459	462	4	Number of Indirect Dischargers
NPC	463	463	1	NEEDS Pre-Treatment Code "Y"=Yes, "N"=No
NPS	464	464	1	NPDES Facility Source/Status
NSN	465	473	9	NEEDS Survey Number
NTC	474	474	1	NEEDS Treatment Code
OCP	475	480	6	Organic Chemical Producers ID Number
ODESCC	481	481	1	ODES Coastal County "Y"=Yes; "N"=No
OFL	482	488	7.2	Total Non-Direct Other Flow (1000 GPD)
OWN	489	491	3	Ownership Code
PFL	492	498	7.2	Total Direct Process Flow (1000 GPD)
REG	499	500	2	EPA Region
REGKEY	501	504	4	Region Key
RSLOFLO	505	511	7.2	Receiving Stream Low Flow
RSMNFLO	512	518	7.2	Receiving Stream Mean Flow
STA	519	520	2	State Postal Abbreviation
STAID	521	535	15	State Identifier
STC	536	537	2	State Code (FIPS)
STCITY	538	544	7	State/City Code
TFLOW	545	551	7.2	Type Flow (1000 GPD)
UFL	552	558	7.2	Total Direct Undefined Flow (1000 GPD)
XEGS	559	561	3	Effluent Guidelines Subcat Index
XKEY	562	562	1	"1","2","3","4","5","6","7","8","9"
XNME	563	565	3	GLP,DIR,F2C,ENF,CET,LAG,PPB,M85,M86
ZIP	566	570	5	Zip Code

The following table provides the DBASE III+ database field structures for drinking water intakes from the EPA DRINKS database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

<u>Drinking Water Intakes File: CUISDRIN.DBF in CUISSITE.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
SITEID	1	20	20	Site Identifier
LATITUDE	21	28	8	Facility Latitude (Degrees:Minutes:Seconds)
LONGITUDE	29	37	9	Facility Longitude (Degrees:Minutes:Seconds)
LAT	38	48	11.6	Facility Latitude (decimal degrees, (-) below equator)
LON	49	59	11.6	Facility Longitude (decimal degrees, (-) west. hem.)
RF1INDEX	60	70	11	RF1 Reach Number Location
RF1MILE	71	76	6.2	Mile Point on RF1 Reach
RF1DIST	77	82	6.2	Distance From RF1 Reach
RF3INDEX	83	99	17	RF3 Reach Number Location
RF3MILE	100	105	6.2	Mile Point on RF3 Reach
RF3DIST	106	111	6.2	Distance From RF3 Reach
AQCD	112	115	4	Aquifer Code
ASC	116	138	23	STORET Agency/Station Code
AVGD	139	142	4	Average Depth
BUY	143	143	1	Purchase Code
CC1	144	148	5	City Code #1 (EPA Code)
CNC	149	151	3	County Code (FIPS)
CNME	152	166	15	Contact Name
CNN	167	186	20	County Name
CTITLE	187	201	15	Contact Title
CTY	202	221	20	City Name
DUD	222	229	8	Date of Update
FRDS	230	238	9	FRDS ID# - Cross-Reference
GEOAG	239	258	20	Geologic Age
GEOCDE	259	261	3	Geologic Age Code
IDAT	262	269	8	Date (mm/dd/yy)

<u>Drinking Water Intakes File: CUISDRIN.DBF in CUISSITE.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
INTAKET	270	270	1	Type Source G/S/B
INTRVWR	271	285	15	Interviewer
MAXD	286	289	4	Maximum Depth
MILES	290	296	7.2	Miles
MIND	297	300	4	Minimum Depth
NAME	301	320	20	Name
NPD	321	329	9	NPDES# XREF to IFD Database
NWLS	330	332	3	Number of Wells
OWN	333	335	3	Ownership
PAVGF	336	342	7.2	Production Avg. Daily (Gal/Day)
PCTSUP	343	345	3	%Surface / %Ground
PHONE	346	355	10	Telephone Number
PMAXF	356	362	7.2	Production Max. Daily (Gal/Day)
POPSV	363	371	9	Population Served
REG	372	373	2	EPA Region
SHLAT	374	379	6	Sitehelp Latitude (DDMMSS)
SHLNG	380	386	7	Sitehelp Longitude (DDDMMSS)
SHMILES	387	393	7.2	Sitehelp Miles
SHNME	394	403	10	Sitehelp Source Name
SHPCT	404	410	7.2	Sitehelp Percent of Reach Miles
SRC	411	413	3	Sitehelp Source Code
STA	414	415	2	State Abbreviation
STC	416	417	2	State Code (FIPS)
TUF	418	424	7.2	Total Utility Flow
TYPCDE	425	425	1	Type Code
UHF	426	426	1	Utility Hit Flag (Reach File)
VCDE	427	427	1	Versar Code='V'=>25K; '*'=<25K POPSVD
WFPC	428	428	1	Wellfield Precision Code
WFTYP	429	429	1	Well Type (Cassing,Artesian,Infiltration,etc.)

<u>Drinking Water Intakes File: CUISDRIN.DBF in CUISSITE.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
WUN	430	449	20	Water Utility Name

The following table provides the DBASE III+ database field structures for the Water Gage database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

<u>Water Gage File: CUISGAGE.DBF in CUISSITE.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
SITEID	1	20	20	Site Identifier
LATITUDE	21	28	8	Facility Latitude (DDMMSS)
LONGITUDE	29	37	9	Facility Longitude (DDDMMSS)
LAT	38	48	11.6	Facility Latitude (decimal degrees, (-) below equator)
LON	49	59	11.6	Facility Longitude (decimal degrees, (-) west. hem.)
RF1INDEX	60	70	11	RF1 Reach Number Location
RF1MILE	71	76	6.2	Mile Point on RF1 Reach
RF1DIST	77	82	6.2	Distance From RF1 Reach
RF3INDEX	83	99	17	RF3 Reach Number Location
RF3MILE	100	105	6.2	Mile Point on RF3 Reach
RF3DIST	106	111	6.2	Distance From RF3 Reach
JAN	112	118	7.2	Monthly Flow - January
FEB	119	125	7.2	Monthly Flow - February
MAR	126	132	7.2	Monthly Flow - March
APR	133	139	7.2	Monthly Flow - April
MAY	140	146	7.2	Monthly Flow - May
JUN	147	153	7.2	Monthly Flow - June
JUL	154	160	7.2	Monthly Flow - July
AUG	161	167	7.2	Monthly Flow - August
SEP	168	174	7.2	Monthly Flow - September
OCT	175	181	7.2	Monthly Flow - October
NOV	182	188	7.2	Monthly Flow - November
DEC	189	195	7.2	Monthly Flow - December
RGN	196	197	2	Region Code
AREA	198	204	7.2	Drainage Area (SQ.MI.)
DUD	205	212	8	Date of Update

<u>Water Gage File: CUISGAGE.DBF in CUISSITE.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
FBCF	213	213	1	Flag - Basic Characteristic File ('Y')
FDFE	214	214	1	Flag - Daily Flows File ('Y')
FQMINV	215	224	10	IHS Pt. Files Index
GHF	225	225	1	Hit Flag (Reach File)
ICDE	226	226	1	Integrity Code
LFVEL	227	233	7.2	Low Flow Velocity
METHOD	234	236	3	Calculation Method Code
MFVEL	237	243	7.2	Mean Flow Velocity
MNFLO	244	250	7.2	USGS Mean Annual Flow
NME	251	298	48	Station Name
SHLAT	299	304	6	Sitehelp Latitude (DDMMSS)
SHLNG	305	311	7	Sitehelp Longitude (DDDMMSS)
SHMILES	312	318	7.2	Sitehelp Miles
SHNME	319	328	10	Sitehelp Source Name
SHPCT	329	335	7.2	Sitehelp Percent of Reach Miles
SITE	336	337	2	Site Location
SRC	338	340	3	Sitehelp Source Code
STCTY	341	345	5	State/County Numeric Code
SVTEN	346	352	7.2	USGS 7-10 Year Flow
BEG_WYR	353	356	4	Beginning Water Year
END_WYR	357	359	4	Ending Water Year
ELEV	361	368	8.2	Elevation (Feet)
WELL_DP	369	376	8.2	Well Depth (Feet)

The following table provides the DBASE III+ database field structures for the Water Impoundment database. As this file is geo-referenced, it should import easily into the park's Geographic Information System.

<u>Water Impoundment File: CUISDAMS.DBF in CUISSITE.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
SITEID	1	7	7	Site Identifier
SOURCE	8	10	3	Source of Data
ST1	11	12	2	Primary State Code Abbreviation
STCTY1	13	17	5	State/County Numeric Code
NAME	18	47	30	Official Name of Dam
LATITUDE	48	53	6	Facility Latitude (DDMMSS)
LONGITUDE	54	60	7	Facility Longitude (DDDMMSS)
LAT	61	70	10.6	Facility Latitude (decimal degrees, (-) below equator)
LON	71	81	11.6	Facility Longitude (decimal degrees, (-) west. hem.)
INME	82	111	30	Impoundment Name
RNME	112	139	28	River, Stream, or Tributary Name on Which Dam Built
CUSEGMI	140	149	10	Catalog Unit, Segment, and Segment Length
REGN	150	151	2	Water Resources Council Region Code
RGBSN	152	155	4	Water Resources Region/Basin Code
CU	156	163	8	Catalog Unit
SEG	164	166	3	Reach Segment of Dam
SEGL	167	171	5.2	Reach Segment Length
PURP	172	172	1	Major Purpose of Dam
				I=Irrigation
				H=Hydroelectric
				N=Navigation
				S=Water Supply
				R=Recreation
				P=Stock/Farm Pond
				D=Debris Control
				F=Flood Control

<u>Water Impoundment File: CUISDAMS.DBF in CUISSITE.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
				O=Other
FRF3	173	189	17	RF3 Reach Number Location
FRF3MI	190	194	5	Mile Point on RF3 Reach
PURPKEY	195	195	1	Purpose Key
PUR2	196	196	1	Purpose of Dam 2 (See Above)
PUR3	197	197	1	Purpose of Dam 3 (See Above)
PUR4	198	198	1	Purpose of Dam 4 (See Above)
PUR5	199	199	1	Purpose of Dam 5 (See Above)
PUR6	200	200	1	Purpose of Dam 6 (See Above)
PUR7	201	201	1	Purpose of Dam 7 (See Above)
PUR8	202	202	1	Purpose of Dam 8 (See Above)
PUR9	203	203	1	Purpose of Dam 9 (See Above)
PUR10	204	204	1	Purpose of Dam 10 (See Above)
TYPDAM	205	206	2	Major Dam Portion Type
				RE=Earth
				VA=Vaulted Arch
				CD=Buttress
				PG=Gravity
				ER=Rockfill
				MV=Multi-Arch
				OT=Other
YRCMP	207	210	4	Year Dam Completed
SHGT	211	214	4	Structural Height (Feet)
HHGT	215	218	4	Hydraulic Height (Feet)
VNORM	219	236	8	Normal Storage of Impoundment (Acre-Feet)
VMAX	227	234	8	Maximum Storage of Impoundment (Acre-Feet)
LCRST	235	239	5	Crest Length of Dam (Feet)
TSPL	240	240	1	Spillway Type
				C=Controlled

<u>Water Impoundment File: CUISDAMS.DBF in CUISSITE.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
				U=Uncontrolled
				N=None
				X=Unknown
WSPL	241	244	4	Dam Spillway Width (Feet)
QMAX	245	251	7	Maximum Spillway Discharge (CFS)
PINS	252	258	7.2	Quantity of Installed Power (Megawatts)
PPRO	259	265	7.2	Quantity of Proposed Power (Megawatts)
LOCK	266	266	1	Number of Navigational Locks
OWNR	267	290	24	Name of Impoundment Owner
PFOWN	291	291	1	Ownership Code
				N=Non-Federal
				G=Federal Government Agency
				C=Corps of Engineers
				X=Unknown
FEDR	292	292	1	Federally Regulated (Y=Yes, N=No, X=Unknown)
FLND	293	293	1	Private Dam on Federal Land (Y=Yes, N=No, X=Unknown)
SCSA	294	294	1	Type of Soil Conservation Service Assistance
				N=No Assistance
				T=Technical Assistance
				F=Financial Assistance
				B=Both Technical and Financial Assistance
				X=Unknown
DHAZ	295	295	1	Degree of Downstream Hazard
				1=High (More than a Few Lives Lost; Excessive Economic Loss)
				2=Significant (A Few Lives Lost; Appreciable Economic Loss)
				3=Low (No Lives Expected Lost; Minimal Economic Loss)
DCITY	296	319	24	Nearest Downstream City

<u>Water Impoundment File: CUISDAMS.DBF in CUISSITE.ZIP</u>				
Field Name	Start	Stop	Length	Field Description
POP	320	326	7	Population of Downstream City
DMILE	327	331	5.2	Distance of Downstream City From Dam (Miles)
RET	332	342	11.2	Retention Coefficient (Dimensionless)
MIX	343	353	11.2	Mixing Coefficient (Dimensionless)
SAREA	354	361	8	Surface Area of Impoundment (Acres)
SAFLG	362	362	1	Surface Area Flag (C=Calc., M=Measured, O=Other)
ILNTH	363	367	5	Length of Impoundment (Feet)
ILFLG	368	368	1	Impoundment Length Flag (C=Calc., M=Measured, O=Other)
UPKEY	369	374	6	Update Key (YYMMDD)

The following table provides the ASCII and DBASE III+ database field structures for the EPA River Reach File Ver. 3.0 (1:100,000 scale hydrography) attributes. The actual numeric file names will vary depending on the catalog unit(s). This information can be readily incorporated into the park's Geographic Information System.

RF3 Structure File: 12345678.RF3 and 12345678.DBF in CUISRF3.ZIP				
Field Name	Start	Stop	Length	Field Description
CATUNIT	1	8	8	Cataloging Unit (CU)
SEGM	9	12	4	Segment Number (SEG)
MI	13	17	5.2	Mile Point (MI)
UPMI	18	22	5.2	Upstream Mile Pt.
SEQNO	23	33	11.6	Hydro Sequence No.
RFLAG	34	34	1	Reach Flag (0,1)
OWFLAG	35	35	1	Open Water Flag (0,1)
TFLAG	36	36	1	Terminal Flag (0,1)
SFLAG	37	37	1	Start Flag (0,1)
RCHTYPE	38	38	1	Reach Type Code
LEV	39	40	2	Stream Level
JUNC	41	42	2	Level of Downstream Reach
DIVERGENCE	43	43	1	Divergence Code
STARTCU	44	51	8	Start CU
STRTSG	52	55	4	Start SEG
STOPCU	56	63	8	Stop CU
STOPSG	64	67	4	Stop SEG
USDIR	68	68	1	Upstream Direction
TERMID	69	73	5	Terminal Stream ID
TRMBLV	74	74	1	Terminal Base Level
PNAME	75	104	30	Primary Name
PNMCD	105	115	11	Primary Name Code
CNAME	116	145	30	Complement Name
CNMCD	146	156	11	Complement Name Code

RF3 Structure File: 12345678.RF3 and 12345678.DBF in CUISRF3.ZIP				
Field Name	Start	Stop	Length	Field Description
OWNAME	157	186	30	Open Water Name
OWNMCD	187	197	11	Open Water Name Code
DSCU	198	205	8	Downstream CU
DSSEG	206	209	4	Downstream SEG
DSMI	210	214	5.2	Downstream MI
CCU	215	222	8	Complement CU
CSEG	223	226	4	Complement SEG
CMILE	227	231	5.2	Complement MI
CDIR	232	232	1	Complement Direction
ULCU	233	240	8	Upstream Left CU
ULSEG	241	244	4	Upstream Left SEG
ULMI	245	249	5.2	Upstream Left MI
URCU	250	257	8	Upstream Right CU
URSEG	258	261	4	Upstream Right SEG
URMI	262	266	5.2	Upstream Right MI
SEGL	267	272	6.2	Reach Length (Miles)
RFORGFLAG	273	273	1	RF Orgin flag(1,2,3)
ALTPNMCD	274	281	8	Alt. Primary Name Code
ALTOWNMC	282	289	8	Alt. OW Name Code
DLAT	290	297	8.4	Downstream Latitude
DLONG	298	305	8.4	Downstream Longitude
ULAT	306	313	8.4	Upstream Latitude
ULONG	314	321	8.4	Upstream Longitude
MINLAT	322	329	8.4	Minimum Latitude
MINLONG	330	337	8.4	Minimum Longitude
MAXLAT	338	345	8.4	Maximum Latitude
MAXLONG	346	353	8.4	Maximum Longitude
NDLGREC	354	357	4	No. of DLG Records
LLIKEY1	358	367	10	Starting DLG LL Key1

RF3 Structure File: 12345678.RF3 and 12345678.DBF in CUISRF3.ZIP				
Field Name	Start	Stop	Length	Field Description
LL2KEY1	368	377	10	Ending DLG LL Key1
LL1KEY2	378	387	10	Starting DLG LL Key2
LL2KEY2	388	497	10	Ending DLG LL Key2
LL1KEY3	398	407	10	Starting DLG LL Key3
LL2KEY3	408	417	10	Ending DLG LL Key3
LL1KEY4	418	427	10	Starting DLG LL Key4
LL2KEY4	428	437	10	Ending DLG LL Key4
LL1KEY5	438	447	10	Starting DLG LL Key5
LL2KEY5	448	457	10	Ending DLG LL Key5
LL1KEY6	458	467	10	Starting DLG LL Key6
LL2KEY6	468	477	10	Ending DLG LL Key6
LL1KEY7	478	487	10	Starting DLG LL Key7
LL2KEY7	488	597	10	Ending DLG LL Key7
LL1KEY8	498	507	10	Starting DLG LL Key8
LL2KEY8	508	517	10	Ending DLG LL Key8
LL1KEY9	518	527	10	Starting DLG LL Key9
LL2KEY9	528	537	10	Ending DLG LL Key9
LL1KEY10	538	547	10	Start DLG LL Key 10
LL2KEY10	548	557	10	Ending DLG LL Key10
LN1AT2	558	561	4	DLG Line Attr. 1
LN2AT2	562	565	4	DLG Line Attr. 2
AREA1	566	569	4	DLG Area ID 1
AREA2	570	573	4	DLG Area ID 2
AR1AT2	574	577	4	DLG Area Attribute
AR1AT4	578	581	4	DLG Area Attribute
AR2AT2	582	585	4	DLG Area Attribute
AR2AT4	586	589	4	DLG Area Attribute
UPDATE1	590	595	6	Update Date #1 (mmddyy)
UPDTCD1	596	603	8	Update Type Code #1

RF3 Structure File: 12345678.RF3 and 12345678.DBF in CUISRF3.ZIP				
Field Name	Start	Stop	Length	Field Description
UPDTSRC1	604	611	8	Update Source #1
UPDATE2	612	617	6	Update Date #2 (mmddyy)
UPDTCDC2	618	625	8	Update Type Code#2
UPDTSRC2	626	633	8	Update Source #2
UPDATE3	634	639	6	Update Date #3 (mmddyy)
UPDTCDC3	640	647	8	Update Type Code #3
UPDTSRC3	648	655	8	Update Source #3
DIVCU	656	663	8	Divergent CU
DIVSEG	664	667	4	Divergent SEG
DIVMILE	668	672	5.2	Divergent MI
DLGID	673	678	6	DLG Number Special Use For Internal State Codes
FILLER	678	685	7	Filler: Future Use

Note: The structure for the .DBF file varies slightly from the RF3 structure displayed here in that the fields UPDATE1, UPDATE2, and UPDATE3 have a width of 8 and the last two fields, DLGID and FILLER, have been replaced with a field named ID of length 17. This ID field combines the CATUNIT, SEGM, and MI fields.

The following table provides the ASCII database field structures for the EPA River Reach File Ver. 3.0 (1:100,000 scale hydrography) traces. The actual numeric file names will vary depending on the catalog unit(s). This file contains the actual hydrographic network and is suitable for conversion into a variety of Geographic Information System formats.

RF3 Trace File: 12345678.TRC in CUISRF3.ZIP				
Field Name	Start	Stop	Length	Field Description
(Header Record)				
CATUNIT	1	8	8	Cataloging Unit
SEGM	9	12	4	Segment Number
MI	13	17	5.2	Mile Point
NPTS	18	21	4	Number of Lat/Lon Coordinates
(Coordinate Record)				
LATITUDE	1	8	8.4	Latitude in Decimal
LONGITUDE	9	16	8.4	Longitude in Decimal
FILLER	17	21	5	

The following table provides the ASCII database field structures for the EPA River Reach File Ver. 3.0 (1:100,000 scale hydrography) catalog unit boundary file. The actual numeric file names will vary depending on the catalog unit(s). This file contains the actual catalog unit boundary and is suitable for conversion into a variety of Geographic Information System formats.

<u>Catalog Unit Boundary File: 12345678.CUB in CUISRF3.ZIP</u>
First Line = Catalog Unit Number (8 Characters)
Subsequent Lines:
L=DDMMSS,L=DDMMSS,L=DDMMSS,L=DDMMSS,L=DDMMSS,L=DDMMSS, ...
Example:
02070010
L=391259,L=0770809,L=391220,L=0770749,L=391147,L=0770715,L=391120,L=0770633,
L=391058,L=0770535,L=391042,L=0770520,L=391016,L=0770427,L=390948,L=0770416,
L=390526,L=0765331,L=390500,L=0765149,L=390456,L=0765139,L=390357,L=0765123,
...
L=390744,L=0771007,L=390826,L=0771022,L=390910,L=0771022,L=390950,L=0771003,
L=391107,L=0770922,
There can be as many as four latitude/longitude pairs per line.

The following table provides the DBASE III+ database field structure of the Water Resources Division's "encyclopedia" file that documents the minimum and maximum parameter values found and the park(s) where they occurred. This file is intended for Water Resources Division internal use, but will be available to anyone upon request after Baseline Water Quality Data Inventory and Analysis reports have been completed for all parks.

<u>Encyclopedia File: WRD File For Internal Use Only</u>				
Field Name	Start	Stop	Length	Field Description
PARM	1	5	5	STORET Parameter Code
PARAMNAME	6	45	40	Parameter Name
MINVAL	46	61	16.7	Minimum Value
MINVALPARK	62	65	4	Park Unit with Minimum Value
MAXVAL	66	71	16.7	Maximum Value
MAXVALPARK	72	75	4	Park Unit with Maximum Value

Appendix C

STORET Water Quality Control/Edit Checking

The following table provides the high and low values used by STORET since November 1983 for 190 common water quality parameters to screen or error check data. Data entered into STORET prior to November 1983, however, were not subjected to this edit/bounds check. Additionally, data from the USGS WATSTORE system that is loaded into STORET is never subjected to these edit criteria and agencies entering data in STORET can override these edit criteria to enter data values that fall outside a range. As a consequence, all data downloaded from STORET for the purposes of this project were filtered through these edit criteria to document values outside the generally accepted ranges. Decisions were then made on a case-by-case basis to retain or discard obviously incorrect data. Refer to the Water Quality Observations Outside STORET Edit Criteria section of the Interpretive Guide To Water Quality Results chapter for more information on this subject.

STORET Code	STORET Parameter Description	High Value	Low Value
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	37.0	-2.0
00011	TEMPERATURE, WATER (DEGREES FAHRENHEIT)	98.0	31.0
00020	TEMPERATURE, AIR (DEGREES CENTIGRADE)	52.0	-40.0
00021	TEMPERATURE, AIR (DEGREES FAHRENHEIT)	125.0	-40.0
00026	TOXICS-IDENTIFY DATA COLLECTION BY EPA DIRECTIVE	1990.9	1977.0
00032	CLOUD COVER (PERCENT)	101.0	0.0
00035	WIND VELOCITY (MILES PER HOUR)	85.0	0.0
00036	WIND DIRECTION IN DEGREES FROM TRUE N (CLOCKWISE)	361.0	0.0
00045	PRECIPITATION, TOTAL (INCHES PER DAY)	15.0	0.0
00070	TURBIDITY, (JACKSON CANDLE UNITS)	1500.0	0.0
00074	TURBIDITY, TRANSMISSOMETER, PERCENT TRANSMISSION	101.0	0.0
00075	TURBIDITY, HELLIGE (PPM AS SILICON DIOXIDE)	500.0	0.0
00076	TURBIDITY,HACH TURBIDIMETER (FORMAZIN TURB UNIT)	1000.0	0.0
00077	TRANSPARENCY, SECCHI DISC (INCHES)	600.0	0.0
00080	COLOR (PLATINUM-COBALT UNITS)	500.0	0.0
00081	COLOR,APPARENT(UNFILTERED SAMPLE) PLAT-COB UNITS	500.0	0.0
00085	ODOR (THRESHOLD NUMBER AT ROOM TEMPERATURE)	250.0	0.0
00094	SPECIFIC CONDUCTANCE,FIELD (UMHOS/CM @ 25C)	60000.0	1.0
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	60000.0	1.0
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE (MG/L)	30.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
00300	OXYGEN, DISSOLVED (MG/L)	30.0	0.0
00301	OXYGEN, DISSOLVED, PERCENT OF SATURATION%	200.0	0.0
00310	BOD, 5 DAY, 20 DEG C (MG/L)	150.0	0.0
00335	COD, .025N K2CR2O7 (MG/L)	1000.0	0.0
00340	COD, .25N K2CR2O7 (MG/L)	1000.0	0.0
00365	CHLORINE DEMAND, 15 MINUTE (MG/L)	15.0	0.0
00400	PH (STANDARD UNITS)	12.0	0.9
00403	PH, LAB, STANDARD UNITS, (STANDARD UNITS)	12.0	0.9
00405	CARBON DIOXIDE (MG/L AS CO2)	100.0	0.0
00406	PH, FIELD (STANDARD UNITS)	12.0	0.9
00410	ALKALINITY, TOTAL (MG/L AS CaCO3)	1000.0	0.0
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)	750.0	0.0
00435	ACIDITY, TOTAL (MG/L AS CaCO3)	1000.0	0.0
00436	ACIDITY, MINERAL (METHYL ORANGE) (MG/L AS CaCO3)	1000.0	0.0
00437	ACIDITY, CO2 (PHENOLPHTHALEIN) (MG/L AS CaCO3)	750.0	0.0
00440	BICARBONATE ION (MG/L AS HCO3)	450.0	0.0
00445	CARBONATE ION (MG/L AS CO3)	100.0	0.0
00480	SALINITY - PARTS PER THOUSAND	40.0	0.0
00500	RESIDUE, TOTAL (MG/L)	15000.0	0.0
00505	RESIDUE, TOTAL VOLATILE (MG/L)	10000.0	0.0
00510	RESIDUE, TOTAL FIXED (MG/L)	10000.0	0.0
00515	RESIDUE, TOTAL FILTRABLE (DRIED AT 105C), (MG/L)	20000.0	0.0
00520	RESIDUE, VOLATILE FILTRABLE (MG/L)	10000.0	0.0
00525	RESIDUE, FIXED FILTRABLE (MG/L)	10000.0	0.0
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	10000.0	0.0
00535	RESIDUE, VOLATILE NONFILTRABLE (MG/L)	10000.0	0.0
00540	RESIDUE, FIXED NONFILTRABLE (MG/L)	10000.0	0.0
00545	RESIDUE, SETTLEABLE (ML/L)	1000.0	0.0
00546	RESIDUE, SETTLEABLE (MG/L)	1000.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
00550	OIL & GREASE (SOXHLET EXTRACTION) TOTAL,REC., (MG/L)	250.0	0.0
00600	NITROGEN, TOTAL (MG/L AS N)	100.0	0.0
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	15.0	0.0
00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	25.0	0.0
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	20.0	0.0
00615	NITRITE NITROGEN, TOTAL (MG/L AS N)	5.0	0.0
00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	50.0	0.0
00625	NITROGEN, KJELDAHL, TOTAL, (MG/L AS N)	50.0	0.0
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	55.0	0.0
00635	NITROGEN, AMMONIA & ORG., TOTAL 1 DET (MG/L AS N)	70.0	0.0
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	30.0	0.0
00653	PHOSPHATE, TOTAL SOLUBLE (MG/L)	30.0	0.0
00655	PHOSPHATE, POLY (MG/L AS PO4)	30.0	0.0
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	30.0	0.0
00665	PHOSPHORUS, TOTAL (MG/L AS P)	10.0	0.0
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	10.0	0.0
00680	CARBON, TOTAL ORGANIC (MG/L AS C)	100.0	0.0
00681	CARBON, DISSOLVED ORGANIC (MG/L AS C)	100.0	0.0
00685	CARBON, TOTAL INORGANIC (MG/L AS C)	100.0	0.0
00690	CARBON, TOTAL (MG/L AS C)	150.0	0.0
00720	CYANIDE, TOTAL (MG/L AS CN)	10.0	0.0
00745	SULFIDE, TOTAL (MG/L AS S)	1500.0	0.0
00746	SULFIDE, DISSOLVED (MG/L AS S)	1500.0	0.0
00760	SULFITE WASTE LIQUOR, PEARL BENSON INDEX (MG/L)	150.0	0.0
00900	HARDNESS, TOTAL (MG/L AS CaCO3)	5000.0	0.0
00910	CALCIUM (MG/L AS CaCO3)	3000.0	0.0
00915	CALCIUM, DISSOLVED (MG/L AS Ca)	1000.0	0.0
00916	CALCIUM, TOTAL (MG/L AS Ca)	1000.0	0.0
00920	MAGNESIUM (MG/L AS CaCO3)	3000.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
00925	MAGNESIUM, DISSOLVED (MG/L AS MG)	1000.0	0.0
00927	MAGNESIUM, TOTAL (MG/L AS MG)	1000.0	0.0
00929	SODIUM, TOTAL (MG/L AS NA)	5000.0	0.0
00930	SODIUM, DISSOLVED (MG/L AS NA)	5000.0	0.0
00931	SODIUM ADSORPTION RATIO	50.0	0.0
00935	POTASSIUM, DISSOLVED (MG/L AS K)	175.0	0.0
00937	POTASSIUM, TOTAL MG/L AS K)	175.0	0.0
00940	CHLORIDE, TOTAL IN WATER, (MG/L)	22000.0	0.0
00945	SULFATE, TOTAL (MG/L AS SO4)	2500.0	0.0
00946	SULFATE, DISSOLVED (MG/L AS SO4)	2500.0	0.0
00950	FLUORIDE, DISSOLVED (MG/L AS F)	15.0	0.0
00951	FLUORIDE, TOTAL (MG/L AS F)	15.0	0.0
00955	SILICA, DISSOLVED (MG/L AS SI02)	2000.0	0.0
00956	SILICA, TOTAL (MG/L AS SI02)	2000.0	0.0
01000	ARSENIC, DISSOLVED (UG/L AS AS)	5000.0	0.0
01002	ARSENIC, TOTAL (UG/L AS AS)	5000.0	0.0
01005	BARIUM, DISSOLVED (UG/L AS BA)	2000.0	0.0
01007	BARIUM, TOTAL (UG/L AS BA)	2000.0	0.0
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	2000.0	0.0
01012	BERYLLIUM, TOTAL (UG/L AS BE)	2000.0	0.0
01020	BORON, DISSOLVED (UG/L AS B)	5000.0	0.0
01022	BORON, TOTAL (UG/L AS B)	5000.0	0.0
01025	CADMIUM, DISSOLVED (UG/L AS CD)	500.0	0.0
01027	CADMIUM, TOTAL (UG/L AS CD)	500.0	0.0
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	2000.0	0.0
01032	CHROMIUM, HEXAVALENT (UG/L AS CR)	2000.0	0.0
01033	CHROMIUM, TRI-VAL (UG/L AS CR)	2000.0	0.0
01034	CHROMIUM, TOTAL (UG/L AS CR)	2000.0	0.0
01040	COPPER, DISSOLVED (UG/L AS CU)	2000.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
01042	COPPER, TOTAL (UG/L AS CU)	5000.0	0.0
01045	IRON, TOTAL (UG/L AS FE)	56000.0	0.0
01046	IRON, DISSOLVED (UG/L AS FE)	56000.0	0.0
01047	IRON, FERROUS (UG/L AS FE)	56000.0	0.0
01049	LEAD, DISSOLVED (UG/L AS PB)	1000.0	0.0
01051	LEAD, TOTAL (UG/L AS PB)	1000.0	0.0
01055	MANGANESE, TOTAL (UG/L AS MN)	5000.0	0.0
01056	MANGANESE, DISSOLVED (UG/L AS MN)	5000.0	0.0
01065	NICKEL, DISSOLVED (UG/L AS NI)	2000.0	0.0
01067	NICKEL, TOTAL (UG/L AS NI)	2000.0	0.0
01075	SILVER, DISSOLVED (UG/L AS AG)	5000.0	0.0
01077	SILVER, TOTAL (UG/L AS AG)	5000.0	0.0
01090	ZINC, DISSOLVED (UG/L AS ZN)	25000.0	0.0
01092	ZINC, TOTAL (UG/L AS ZN)	25000.0	0.0
01105	ALUMINUM, TOTAL (UG/L AS AL)	20000.0	0.0
01106	ALUMINUM, DISSOLVED (UG/L AS AL)	20000.0	0.0
01145	SELENIUM, DISSOLVED (UG/L AS SE)	100.0	0.0
01501	ALPHA, TOTAL	200.0	0.0
01503	ALPHA, DISSOLVED	75.0	0.0
01505	ALPHA, SUSPENDED	150.0	0.0
03501	BETA, TOTAL	3500.0	0.0
03503	BETA, DISSOLVED	3000.0	0.0
03505	BETA, SUSPENDED	1500.0	0.0
09503	RADIUM 226, DISSOLVED	500.0	0.0
13501	STRONTIUM 90, TOTAL	500.0	0.0
22703	URANIUM, NATURAL, DISSOLVED	500.0	0.0
31501	COLIFORM, TOT, MEMBRANE FILTER, IMMED. M-ENDO MED, 35C	24000000.0	0.0
31502	COLIFORM, TOTAL, 10/ML	24000000.0	0.0
31503	COLIFORM, TOT, MEMBR FILTER, DELAYED, M-ENDO MED, 35C	24000000.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
31504	COLIFORM, TOT, MEMBR FILTER, IMMED, LES ENDO AGAR, 35C	24000000.0	0.0
31613	FECAL COLIFORM, MEMBR FILTER, M-FC AGAR, 44.5C, 24HR	10000000.0	0.0
31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	10000000.0	0.0
31616	FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5C	10000000.0	0.0
31672	FECAL STREPTOCOCCI, PLATE COUNT M-ENTER AGAR, 35C, 48HR	500000.0	0.0
31673	FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	500000.0	0.0
31677	FECAL STREPTOCOCCI, MPN, AD-EVA, 35C (TUBE 31678)	500000.0	0.0
31679	FECAL STREPTOCOCCI, MF M-ENTEROCOCCUS AGAR, 35C, 48H	500000.0	0.0
31749	PLATE COUNT, TOTAL, TPC AGAR, 20C, 48 HRS	99999999.0	0.0
31751	PLATE COUNT, TOTAL, TPC AGAR, 35C, 24 HRS	99999999.0	0.0
32210	CHLOROPHYLL-A UG/L TRICHROMATIC UNCORRECTED	500.0	0.0
32211	CHLOROPHYLL-A UG/L SPECTROPHOTOMETRIC ACID. METH.	750.0	0.0
32212	CHLOROPHYLL-B UG/L TRICHROMATIC UNCORRECTED	1000.0	0.0
32214	CHLOROPHYLL-C UG/L TRICHROMATIC UNCORRECTED	200.0	0.0
32217	CHLOROPHYLL A UG/L FLUOROMETRIC UNCORRECTED	500.0	0.0
32218	PHEOPHYTIN-A UG/L SPECTROPHOTOMETRIC ACID. METH.	200.0	0.0
32219	PHEOPHYTIN RATIO(OD 663)SPECTRO,BEFORE/AFTER ACID	2.0	0.0
32221	CHLOROPHYLL A,% OF(PHEOPHYTIN A+CHL A),SPEC-ACID.	101.0	0.0
32230	CHLOROPHYLL A (MG/L)	0.5	0.0
32231	CHLOROPHYLL B (MG/L)	0.8	0.0
32232	CHLOROPHYLL C (MG/L)	0.2	0.0
32234	CHLOROPHYLL, TOTAL (A+B+C) (MG/L)	1.0	0.0
32270	CHLOROFORM EXTRACTABLES TOTAL IN MG PER LITER	5.0	0.0
32730	PHENOLICS, TOTAL, RECOVERABLE (UG/L)	1500.0	0.0
38260	METHYLENE BLUE ACTIVE SUBST. (DETERGENTS, ETC.)	10.0	0.0
39330	ALDRIN IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39340	GAMMA-BHC(LINDANE), WHOLE WATER, (UG/L)	20.0	0.0
39350	CHLORDANE(TECH MIX & METABS), WHOLE WATER, (UG/L)	20.0	0.0
39360	DDD IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0

STORET Code	STORET Parameter Description	High Value	Low Value
39365	DDE IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39370	DDT IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39380	DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39400	TOXAPHENE IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39410	HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39480	METHOXYCHLOR IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39516	PCBS IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39530	MALATHION IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39540	PARATHION IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39600	METHYL PARATHION IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	20.0	0.0
50060	CHLORINE, TOTAL RESIDUAL (MG/L)	5.0	0.0
60050	ALGAE, TOTAL (CELLS/ML)	700000.0	0.0
70300	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), (MG/L)	4000.0	0.0
70505	PHOSPHATE, TOTAL,COLORIMETRIC METHOD (MG/L AS P)	10.0	0.0
70507	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	10.0	0.0
71850	NITRATE NITROGEN, TOTAL (MG/L AS NO3)	65.0	0.0
71886	PHOSPHORUS, TOTAL, AS PO4 - (MG/L)	30.0	0.0
71890	MERCURY, DISSOLVED (UG/L AS HG)	10.0	0.0
71895	MERCURY, SUSPENDED (UG/L AS HG)	10.0	0.0
71900	MERCURY, TOTAL (UG/L AS HG)	10.0	0.0
74010	IRON, TOTAL (MG/L AS FE)	56000.0	0.0

Appendix D

STORET Administrative Parameters

STORET Code	Description of STORET Administrative Parameters
00022	LENGTH OF EXPOSURE OF SAMPLE OR TEST - DAYS
00026	TOXICS-IDENTIFY DATA COLLECTION BY EPA DIRECTIVE
00027	CODE NO FOR AGENCY COLLECTING SAMPLE
00028	CODE NO FOR AGENCY ANALYZING SAMPLE
00029	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE
00063	SAMPLING POINTS, NUMBER OF IN A CROSS SECTION
00073	SAMPLE LOC CODE DEFINED BY THERMAL STRUCT & DEPTH
00111	RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCCI
00115	SAMPLE TREATMENT CODE (1=RAW,2=TREATED)
00116	INTENSIVE SURVEY IDENTIFICATION NUMBER
00145	TOTAL PRODUCTION OF PRODUCT MANUFACTURED TONS/DAY
01273	TOTAL ACID PRIORITY POLLUTANTS MG/L
01274	TOTAL BASE-NEUTRAL PRIORITY POLLUTANTS MG/L
01275	TOTAL VOLATILE PRIORITY POLLUTANTS MG/L
01365	ANALYSIS DATE (DIOXIN) (YYMMDD)
04177	SAMPLE STABILIZATION, RECOVERY TEST CODE
04178	FIELD PROTOCOL(CONFDNCE ASSIGNED FIELD SAMPLE) CODE
04179	SAMPLE STATION LOCKED CODE
04180	CONDITION OF STATION SITE CODE
04181	LABORATORY QA/QC PLAN CONFIDENCE CODE
04182	SAMPLE TYPE CODE
04183	SAMPLE REMARKS CODE
30333	BAG MESH SIZE, BEDLOAD SAMPLER, MM
34772	NPDES NUMBER, CROSS REFERENCE CODE
34785	GAGE TYPE, METHOD CODE

STORET Code	Description of STORET Administrative Parameters
45575	GC MAKE AND MODEL INFORMATION CODE
45576	GC DETECTOR TYPE CODE
45577	GC COLUMN TYPE CODE
45580	METHOD OF ANALYSIS CODE
45581	LABORATORY LOCATION CODE
46107	SAMPLE LOCATION CODE (TREATMENT PLANT OPERATION)
46390	TOXICITY CHARACTERISTIC LEACHING PROCEDURE P OR F
46396	PROCESS TO SIGNIFICANTLY REDUCE PATHOGENS YES OR NO
46397	PROCESS TO FURTHER REDUCE PATHOGENS YES OR NO
47001	PERMIT EXPIRATION DATE (JULIAN CALENDAR)
47044	OBSERVATIONS,WASTE SITE-SEVERITY OF PROBLEMS CODE
47460	SUBSAMPLE - DECIMAL FRACTION OF WHOLE NUMBER
47477	COMPOSITION AND/OR DISPOSITION OF CATCH NUM CODE
70231	CURRENT DIRECTION (DEGREES FROM DOWNSTREAM FLOW)
71999	SAMPLE PURPOSE CODE
72032	NUMBER OF SPILLWAY GATES OPEN
73672	DATE OF ANALYSIS YYMMDD
73673	DATE OF EXTRACTION YYMMDD
74031	GRANT, PROJECT COST ELIGIBLE FOR CONSTRUCTION
74032	GRANT, AMOUNT OF PL 660 GRANT FOR THIS PROJECT
74033	GRANT, FEDERAL, OTHER THAN PL 660 GRANT
74034	GRANT, FUTURE PL 660 WHICH MAY APPLY TO THIS PROJ
74035	GRANT, TOTAL FEDERAL, WHICH APPLIES TO THIS PROJ
74036	GRANT, PROJ NUMBER ASSIGNED TO THIS APPLICATION
74037	GRANT, TYPE OF PROJECT TO WHICH GRANT APPLIES
74038	GRANT, STATUS OF PROJECT TO WHICH GRANT APPLIES
74039	PCS/STORET WATER QUALITY FILE INTERFACE YR/MO/DAY
74040	SURVEY NUMBER YYMMNO
74041	STORET STORAGE TRANSACTION DATE YR/MO/DAY

STORET Code	Description of STORET Administrative Parameters
74050	RADIOACTIVITY, GENERAL (PERMIT)
74051	ALGICIDES, GENERAL (PERMIT)
74052	CHLORINATED HYDROCARBONS, GENERAL (PERMIT)
74053	PESTICIDES, GENERAL (PERMIT)
74056	COLIFORM, TOTAL, GENERAL (PERMIT)
74065	STREAM FLOW CLASS
74066	ANNUAL RUNOFF
74067	SOIL CLASSIFICATION
74068	WATER QUALITY DESIGNATED USE CLASSIFICATION (IA)
74100	PRIMARY 1972 SIC CODE
74101	SECONDARY 1972 SIC CODE
74102	SECONDARY 1972 SIC CODE
74103	SECONDARY 1972 SIC CODE
74200	SAMPLE PRESERVATION METHODS ONE OR MORE IN COMB.
74205	LAND RESOURCE AREA (IOWA)
74206	SOIL EROSION POTENTIAL (IOWA)
74209	WATER QUALITY INDEX - STATE OF ILLINOIS, EPA
74210	FOREST STREAM WATER QUALITY INDEX CALC. NUMBER
74990	FISH SPECIES NUMERIC CODE - F&W SERVICE
74995	ANATOMY CODE
75000	SPECIES CODE-REMARK=SEX (M=MALE,F=FEMALE,U=UNK.)
81028	WITHDRAWAL OF GROUNDWATER (MILLION GAL/DAY)
82258	WATER CLASSIFICATION CODE (1-9) CODE
82292	DATA RELAY GROUND STATION SOURCE NODE CODE, CODE
82309	CONTAMINATION SOURCE POSSIBLE CODES NUMERIC CODE
82310	DEPTH CONFIDENCE IN REPORTED VALUES NUMERIC CODES
82373	FREQUENCY OF SAMPLING M=MON,Q=QUAR,Y=YR,R=RNFFCODE
82519	DRILLER REGISTRATION NUMBER ALPHA-NUMERIC CODE
82562	NARRATIVE REQUIREMENT EXCEEDANCES INTEGER

STORET Code	Description of STORET Administrative Parameters
82576	DAILY EXCURSION TIME, WATER MIN
82577	MONTHLY EXCURSION TIME, WATER TOTAL MIN
82578	DAY/MAXIMUM EXCURSION TIME, WATER MIN
82579	CODE NUMBER FOR PERSON COLLECTING SAMPLE
84002	CODE, GENERAL INFORMATION - ALPHA, NUMERIC CODE
84003	WATER SHED ID NUMBER (IOWA)
84005	FISH SPECIES CODE-FISH & WILDLIFE SER
84006	OWNERSHIP CLASSIFICATION OF LAKE, ILLINOIS SYSTEM
84010	PUBLIC ACCESS TO LAKE ILLINOIS SYSTEM
84011	CONFIDENCE CODE FOR GLC CONFIRMATION CODE
84012	PATIENT PARAMETERS (AGE, SEX, WT, ETC.) CODE
84013	SAMPLE PARAMETERS D=DESIGN SPECIMEN, S=SURPLUS
84027	CODE NUMBER FOR AGENCY COLLECTING SAMPLE
84028	CODE NO FOR AGENCY ANALYZING SAMPLE
84029	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE FIELD
84033	EGD ANALYTICAL DATA COMPLETENESS Y=YES N=NO CODE
84034	EGD SMPL NO.(SMPL.IDENT) NUMERIC=SCS ALPH+4NUM=JRB
84035	EGD SAMPLE CLASSIFICATION CATEGORY ALPHA CODE
84036	EGD INDUSTRIAL CATEGORY NUMERIC CODE
84037	EGD INDUSTRIAL CATEGORY NAME ALPHA CODE
84038	EGD LABORATORY NUMERIC CODE
84039	EGD LABORATORY NAME ALPHA CODE
84040	EGD SAMPLE STATUS (1-5,9,AND BLANK) NUMERIC CODE
84041	EGD ACID STATUS (1-5,9,AND BLANK) NUMERIC CODE
84042	EGD BASE STATUS (1-5,9AND BLANK) NUMERIC CODE
84043	EGD PESTICIDE STATUS (1-5,9,AND BLANK) NUMERIC CODE
84044	EGD VOA FRACT. STATUS INDICATOR (1-5,9,BLANK) CODE
84045	EGD ACID EXTRACT DATE (YYMMDD) NUMERIC CODE
84046	EGD BASE EXTRACTION DATE (YYMMDD) NUMERIC CODE

STORET Code	Description of STORET Administrative Parameters
84047	EGD PESTICIDE EXTRACTION DATE (YYMMDD) NUMERIC CODE
84048	EGD VOA FRACTION INJECTION DATE YYMMDD NUMERIC CODE
84049	EGD ACID CONC. FACTOR (FIVE NUMERIC DIGITS) CODE
84050	EGD BASE CONC.FACTOR (FIVE NUMERIC DIGITS) CODE
84051	EGD PESTICIDE CONC.FACTOR (FIVE NUMERIC DIGITS) CODE
84052	EGD VOA FRACTION CONC. FACTOR (5 NUMERIC DIGITS) CODE
84053	SAMPLE TYPE AND FREQUENCY OF COLLECTION CODE
84054	LITHOLOGY ALPHA-NUMERIC CODE
84055	AVAILABLE LOGS ALPHA-NUMERIC CODE
84056	WATER USE CATEGORY ALPHA-NUMERIC CODE
84057	INSPECTION TYPE ALPHA-NUMERIC CODE
84058	HYDROGEOLOGIC SYSTEM ALPHA-NUMERIC CODE
84059	WELL OWNERSHIP ALPHA-NUMERIC CODE
84060	TOPOGRAPHY ALPHA-NUMERIC CODE
84061	WELL USE ALPHA-NUMERIC CODE
84062	MEASURING POINT DESCRIPTION ALPHA-NUMERIC CODE
84063	DRILLING METHOD ALPHA-NUMERIC CODE
84064	WELL DATA AVAILABILITY ALPHA-NUMERIC CODE
84065	PERMIT COMPLIANCE DATA ALPHA-NUMERIC CODE
84067	NATURE OF MONITORING ALPHA-NUMERIC CODE
84073	REPLACES EXISTING WELL ALPHA-NUMERIC CODE
84074	AQUIFER TYPE (SEE USGS HANDBOOK) ALPHA CODE
84075	WELL PERMIT NUMBER ALPHA-NUMERIC CODE
84076	TSD MONITORING WELL TYPE ALPHA CODE
84077	TSD MONITORING WELL SAMPLING METHOD ALPHA CODE
84083	POLLUTION VERIFICATION ALPHA CODE
84084	WELL SAMPLE PURPOSE ALPHA CODE
84090	SAMPLE FILE CONTROL PROJECT IDENTIFICATION A-CODE
84091	INFILTRATION DATE/BEGINNING 'YYMMDD'

STORET Code	Description of STORET Administrative Parameters
84092	INFILTRATION DATE/ENDING 'YYMMDD'
84093	ENFORCEMENT FORM #2-C, DATA IDENTIFICATION CODE
84102	SAMPLE SPECIES-SUB ID ALPHA CODE
84103	DIOXIN LABORATORY ALPHA CODE
84104	DIOXIN STUDY ALPHA CODE
84112	SOURCE OF GEOHYDROLOGIC DATA CODE
84119	SOURCE OF EVACUATION DATA CODE
84121	REGULATING AGENCY CODE
84122	SAMPLE PURPOSE CODE
84126	SOURCE OF DEPTH DATA CODE
84127	METHOD OF DEPTH MEASUREMENT CODE
84128	SOURCE OF WATER-LEVEL DATA CODE
84129	DATA QUALITY
84141	LAKE, PHYSICAL CONDITION AT SAMPLE TIME, 1-5, CODE
84142	LAKE, RECREATIONAL SUITABILITY @ SMPL TIME, 1-5, CODE
84164	SAMPLER TYPE, CODE
85300	PROBLEM CODE NES SURVEY
85327	WATER LEVEL AT SAMPLE COLLECTION TIME-CODE-NES
85332	CLOUD COVER AT SAMPLE COLLECTION TIME-CODE-NES
85553	WELL COMPLETION DATE (MONTH/YEAR)
85554	WELL WORKOVER DATE, LATEST (MONTH/YEAR)

Appendix E

STORET Parameters Not Suitable for Statistical Analysis

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
00001	X-SEC. LOC., HORIZ (FT. FROM R BANK LOOK UPSTR.)
00002	X-SEC. LOC., HORIZ (% FROM R BANK LOOK UPSTR.)
00003	SAMPLING STATION LOCATION, VERTICAL (FEET)
00005	X-SEC. LOC., VERTICAL (PERCENT OF TOTAL DEPTH)
00006	DISTANCE FROM LOCATION IN X MILES
00007	DISTANCE FROM LOCATION IN Y MILES
00008	NUMBER USED IN SAMPLE ACCOUNTING PROCEDURE
00009	X-SEC. LOC.(FT FROM LEFT BANK LOOKING DOWNSTRM)
00027	CODE NO FOR AGENCY COLLECTING SAMPLE
00028	CODE NO FOR AGENCY ANALYZING SAMPLE
00033	WEATHER CODE FOR OCEAN-OBSERV. (WMO CODE 4677)
00037	WIND FORCE (BEAUFORT UNITS)
00038	WIND DIRECTION (WMO CODES 0885 + 0887)
00041	WEATHER (WMO CODE 4501)
00042	ALTITUDE IN FEET ABOVE MEAN SEA LEVEL
00043	CLOUD TYPE (WMO CODE 0500)
00044	CLOUD AMOUNT (WMO CODE 2700)
00047	TOTAL PARTIAL PRESSURE DISSOLVED GASES (MM HG)
00048	TOTAL PARTIAL PRESSURE DISSOLVED GASES (% SAT)
00049	SURFACE AREA IN SQUARE MILES
00050	EVAPORATION, TOTAL (INCHES PER DAY)
00051	SURFACE AREA IN SQUARE FEET
00053	SURFACE AREA, ACRES
00054	RESERVOIR STORAGE - ACRE FEET
00063	SAMPLING POINTS, NUMBER OF IN A CROSS SECTION
00067	TIDE STAGE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
00069	SEA WAVES(0=NONE;1=0-3";2=4-20";3=21-48";4=4-8')
00097	SAMPLING STATION LOCATION, VERTICAL (FEET)
00098	SAMPLING STATION LOCATION, VERTICAL (METERS)
00111	RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCCI
00115	SAMPLE TREATMENT CODE (1=RAW,2=TREATED)
01300	OIL-GREASE (SEVERITY)
01305	DETERGENT SUDS (SEVERITY)
01310	GAS BUBBLES (SEVERITY)
01315	SLUDGE, FLOATING (SEVERITY)
01320	GARBAGE, FLOATING (SEVERITY)
01325	ALGAE, FLOATING MATS (SEVERITY)
01330	ODOR, ATMOSPHERIC (SEVERITY)
01331	TASTE (SEVERITY)
01335	SEWAGE SOLIDS, FRESH, FLOATING (SEVERITY)
01340	FISH, DEAD (SEVERITY)
01345	DEBRIS, FLOATING (SEVERITY)
01350	TURBIDITY (SEVERITY)
01351	FLOW, STRM,1DRY,2LOW,3NORM,4FLOOD,5ABOVE NORM,CODE
01355	ICE COVER, FLOATING OR SOLID (SEVERITY)
03595	BIOASSAY (96 HR), EFFLUENT, TOTAL CODE
03596	BIOASSAY (48 HR), EFFLUENT, TOTAL CODE
03597	BIOASSAY (24 HR), EFFLUENT, TOTAL CODE
03598	TOXICITY, EFFLUENT, TOTAL CODE
03599	TOXICITY, CHOICE OF SPECIES, EFFLUENT CODE
03600	TOXICITY, TROUT, EFFLUENT, TOTAL CODE
03601	TOXICITY, SAND DOLLAR, EFFLUENT CODE
03602	BIOCHEMICAL OXYGEN DEMAND, EFFLUENT, TOTAL CODE
03603	SOLIDS, TOTAL SUSPENDABLE, EFFLUENT, TOTAL CODE
03605	FLOW METER CALIBRATION, WATER CODE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
03717	ONCORHYNCHUS MYKISS, WATER CODE
04117	TETHER LINE USED FOR COLLECTING SAMPLE CODE
04160	HALOCARBONS, PURGEABLE, SCAN, EFFLUENT CODE
04161	HALOCARBONS, PURGEABLE, SCAN, SLUDGE CODE
04162	AROMATIC, PURGEABLE, SCAN, EFFLUENT CODE
04163	AROMATIC, PURGEABLE, SCAN, SLUDGE CODE
04164	PHENOLIC, TOTAL, SCAN, EFFLUENT CODE
04165	PHENOLIC, TOTAL, SCAN, SLUDGE CODE
04166	PCB, TOTAL, SCAN, EFFLUENT CODE
04167	PCB, TOTAL, SCAN, SLUDGE CODE
04174	FREE LIQUIDS IN SEWAGE SLUDGE CODE
34765	AVIAN NUMERICAL SPECIES CODE (BIRDS)
34766	MAMMALIAN NUMERICAL SPECIES CODE
34771	MACROPHYTE, INSTREAM, VISUAL SIGHTING CODE
34773	ODOR, AMBIENT WATER CODE
34774	FISH, INSTREAM, VISUAL SIGHTING CODE
34775	STREAMBANK CHANNEL ALTERATIONS CODE
34776	HYDRAULIC STRUCTURES, INSTREAM CODE
34780	LAND USE, ADJACENT STREAM CODE
34781	SAMPLE POINTS, # OF LONGTDNL TRANSECTS, REACH CODE
34782	STREAM STAGE TREND CODE
34789	HABITATS, TYPES SAMPLED CODE
45613	FLOATING SOLIDS/VISIBLE FOAM, VISUAL, YES=1, NO=0, CODE
45614	SANITARY WASTE DISCHARGE ASSESSMENT, YES=1, NO=0, CODE
45615	INTERMITTENT DISCHARGE ASSESSMENT, YES=1, NO=0, CODE
46001	WATER APPEARANCE CODE (BASED ON FIELD ASSESSMENT)
46478	EQUIPMENT INSPECTION, VISUAL CODE
46486	TOXICITY, ACUTE 24HR (STATIC) CERIODAPHNIA (P/F) CODE
47454	FLOW METER REVOLUTIONS NUMBER

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
47455	LATITUDE, STARTING, OF A SAMPLE TOW DDMMS
47456	LONGITUDE, STARTING, OF A SAMPLE TOW DDDMMSS
47457	LATITUDE, FINISHING, OF A SAMPLE TOW DDMMS
47458	LONGITUDE, FINISHING, OF A SAMPLE TOW DDDMMSS
47459	LENGTH FREQUENCY NUMBER
47461	TIME THAT THE EQUIPMENT WAS SAMPLING MINUTES
47476	DIRECTION OF TOW IN RELATION TO CURRENT NUM CODE
50044	HYDROGRAPH LIMB, 1BASE, 2RISING, 3PEAK, 4FALLING, CODE
61390	DIATOMS,FIRST DOMINANT SPECIES OF UNITS - CODE
61391	DIATOMS,SECOND DOMINANT SPECIES OF UNITS - CODE
61392	DIATOMS,THIRD DOMINANT SPECIES OF UNITS - CODE
61393	DIATOMS,FOURTH DOMINANT SPECIES OF UNITS - CODE
70220	WAVE DIRECTION (WMO CODES 0885 + 0887)
70222	WAVE HEIGHT (WMO CODE 1555)
70223	WAVE PERIOD (WMO CODE 3155)
71090	BIVALVE SPECIES CODE
71500	EQUITABILITY INDEX,BENTHIC MACROINVER CODE
72000	ELEVATION OF LAND SURFACE DATUM (FT. ABOVE MSL)
72001	DEPTH, TOTAL OF HOLE (FT BELOW LAND SURFACE DATUM)
72002	DEPTH TO TOP OF WATER-BEARING ZONE SAMPLED (FT)
72003	DEPTH TO BOTTOM OF WATER-BEARING ZONE SAMPLED (FT)
72004	PUMP OR FLOW PERIOD PRIOR TO SAMPLING MINUTES
72005	SAMPLE SOURCE CODE (BM WELL DATA)
72006	SAMPLING CONDITION CODE (BM WELL DATA)
72007	FORMATION NAME CODE (BM WELL DATA)
72017	SERIES CODE (BM WELL DATA)
72018	SYSTEM CODE (BM WELL DATA)
72111	DIRECT READOUT GROUND STATN TRANSMIT ERROR CODE NUM
74054	FECAL STREPTOCOCCI, GENERAL (PERMIT)

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
74055	FECAL COLIFORM, GENERAL (PERMIT)
80889	ACTIVATED SLUDGE PROCESS MODIFICATION CODE
81024	DRAINAGE AREA IN SQUARE MILES (SQ. MI.)
81637	SHELLFISH SPECIES NUMERIC CODE
82289	LAGOON OBSERVATION, VISUAL, Y=YES N=NO CODE
82398	SAMPLING METHOD (CODES)
82524	STORAGE COEFFICIENT NUMERICAL CODE
82923	ATMOSPHERIC DEPOSITION TYPE, WET CODE
83205	ATMOSPHERIC DEPOSITION TYPE, BULK CODE
84000	GEOLOGIC AGE CODE (SEE USGS CATALOG)
84001	AQUIFER NAME CODE (SEE USGS CATALOG)
84004	LAKE TYPE ILLINOIS CLASSIFICATION SYSTEM
84007	ANATOMY ALPHA CODE
84008	LIFE STYLE/HABITAT OF THE INDIVIDUALS IN THE SAMPLE
84009	SHELLFISH SPECIES ALPHANUMERIC CODE
84014	SPECIES SEX CODE
84030	CLOUD AMOUNT ALPHA WEATHER CODES
84031	PHYSICAL WEATHER ALPHA WEATHER CODES
84032	STREAM CONDITION ALPHA WEATHER CODES
84066	OIL AND GREASE, VISUAL, ALPHA-NUMERIC CODE
84068	SERIES CODE ALPHA-NUMERIC CODE
84069	FORMATION CODE ALPHA-NUMERIC CODE
84070	METHOD OF TESTING WELL YIELD ALPHA-NUMERIC CODE
84071	WATER LEVEL MEASUREMENT CONDITIONS ALPHA-NUM CODE
84072	WATER LEVEL MEASUREMENT METHOD ALPHA-NUMERIC CODE
84078	GIARDIA LAMBLIA, 2HSO4 OR SUC GRAD, MICRO, CODE
84079	BACTERIA, CELLUOLYTIC, AEROBIC-ANAEROBIC, RT 5-7, CODE
84080	BACTERIA, HYDROCARBONOCLASTIC, SHAKE INC 32C/WK, CODE
84081	YERSINIA ENTEROCOLITICA, SB BROTH, MAC AGAR,22C, CODE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
84082	SALMONELLA/SHIGELLA, QUANT OR QUAL, HVF OR SWAB, CODE
84085	ORGANICS, VOLATILE, DETECTED, NUMERIC CODE, CODE
84086	MACROINVERTEBRATE SPECIES NUMERIC CODE
84087	MACROINVERTEBRATE HABITAT CODE
84088	BIOLOGY 1 MACROINVERTEBRATE CODE
84089	BIOLOGY 2 MACROINVERTEBRATE CODE
84094	PHYTOPLANKTON SPECIES CODE, NUMERIC
84095	PHYTOPLANKTON SPECIES CODE, ALPHA
84096	SEVERITY OF NON-PLANKTON ALGAE-MAT COVERAGE CODE
84097	LAGOON MOUTH CONDITION CODE
84098	COLOR OF NON-PLANKTONIC ALGAE CODE
84099	WATER - RELATIVE WATER LEVEL CODE
84100	SEX(1-MALE,2-FEMALE,3-MIXED,4-UNKNOWN) NUM CODE
84101	METAFORM, BENTHIC, ADULT(A), PUPAE(P), LARVAE(L) CODE
84105	OIL-SEPARATOR OBSERVATION ASSESS (0=DID NOT,1=DID)
84106	EVAPORAT/BED OBS ASSESS (0=DID NOT LOOK, 1=DID LOOK)
84107	AREA INSPECTION, VISUAL (0=DID NOT, 1=DID) CODE
84108	DRAIN FIELD INSPECTION ASSESS (0=DID NOT, 1=DID) CODE
84109	SLUDGE BUILD-UP IN WATER (0=DID NOT OBS, 1=OBS) CODE
84110	POND OBSERVATION ASSESS WATER (0=DID NOT, 1=DID) CODE
84111	LITHOLOGIC MODIFIER CODE
84113	WELL INTAKE FINISH CODE
84114	WELL CASING MATERIAL CODE
84115	TYPE OF MATERIAL FROM WHICH OPENING IS MADE CODE
84116	DRILLING FLUID CODE
84117	TYPE OF SURFACE SEAL CODE
84118	METHOD OF DEVELOPMENT CODE
84120	PACKING MATERIAL CODE
84124	METHOD OF EVACUTAION CODE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
84125	METHOD OF WATER-LEVEL MEASUREMENT CODE
84130	OUTFALL OBSERVATION, VISUAL, Y=YES N=NO CODE
84131	SAMPLING METHOD, CONFIDENCE CODE (A,B,C,D) CODE
84132	STREAMBANK, VEGETATIVE STABILITY RATING CODE
84133	STREAMBANK, STABILITY (BANK EROSION) RATING CODE
84134	PARTICLES, DEGREE SURROUNDED BY FINE SEDIMENT, CODE
84135	STREAMSIDE, (SHORELINE) COVER RATING CODE
84136	CANOPY TYPE CODE
84137	CHANNEL STABILITY RATING CODE (E,G,F,P) CODE
84138	COLIFORM, TOTAL, WATER, WHOLE, MPN, PRES=1, ABSNT=2, CODE
84139	ENTEROBACTER AGGLOMERANS, WTR, MF, PRES=1, ABSNT=2, CODE
84140	KLEBSIELLA PNEUMONIAE, WTR, WH, MF, PRES=1, ABSNT=2, CODE
84143	WELL, PURGING CONDITION CODE
84144	WELL, SELECTION CRITERIA CODE
84145	PROJECT COMPONENT CODE
84146	LAND USE, PREDOMINANT, WITHIN 100 FT OF WELL, CODE
84147	LAND USE, PREDOMINANT, 1/4 MI.RADIUS OF WELL, CODE
84148	LAND USE, PREDMNT., FRAC., WITHIN 1/4 MI OF WELL, CODE
84149	LAND USE, CHANGE, LAST 10 YRS, WITHIN 1/4MI WELL, CODE
84150	HABITAT QUALITY INDEX RATING CODE
84151	AQUATIC LIFE, USE CLASSES CODE
84152	STREAM, STAGE CLASS CODE
84153	STREAMBANKS, GRAZING DAMAGE CODE
84154	CHANNEL, MAJOR ALTERATIONS CODE
84155	RIFFLE/RUNS, OCCURRENCE CODE
84156	POOL, DESCRIPTION CODE
84157	SANDBARS, LARGE, OCCURRENCE CODE
84158	LAND USE, NEAR STREAM, PREDOMINANT CODE
84159	STREAM,COVER (INSTREAM SHELTER FOR ADULT FISH), CODE

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
84160	STREAM, DEGRADATION RATING CODE
84161	STREAM, ORDER CODE
84162	LAND RESOURCE AREA CODE
84163	FLOW, STREAM, CLASSIFICATION CODE
84165	DISCHARGE EVENT OBSERVATION, YES=1 NO=0, CODE
84166	STORM HYDROGRAPH, DIRECTION, (RISE,FALL), CODE
84167	MICROSCOPIC EXAMINATION CODE
84168	AVIAN SPECIES ALPHA CODE (BIRDS)
84169	MAMMALIAN ALPHA SPECIES CODE
84170	ALPHA AGE TEXT CODE
84200	LATITUDE/LONGITUDE COORDINATES OF WELL, METHOD CODE
84201	NATIONAL REFERENCE DATUM, ALTITUDE(VERTICAL) CODE
84202	ALTITUDE METHOD CODE
85000	STREAM MILE, ACTUAL MILES
85014	HABITAT, 1970 ACRES THIS TYPE FOR THIS STATION
85015	HAB., ESTIMATED ACRES THIS TYPE THIS STATION
85016	HAB., ESTIMATED ACRES THIS TYPE THIS STA. BY 1990
85017	HAB., ESTIMATED ACRES THIS TYPE THIS STA. BY 2000
85018	TYPE CODES: 1=CLEAR CUT/2=SELECT CUT/3=RNGE DEVL P
85019	ACRES, NO. ALTERED FROM 1965-1970 (0-5 YEARS OLD)
85020	ACRES, NO. ALTERED 1960-1965 (5-10 YEARS OLD)
85021	ACRES, NO. ALTERED 1955-1960 (10-15 YEARS OLD)
85022	ACRES, NO. ALTERED 1950-1955 (15-20 YEARS OLD)
85023	ACRES, NO. ALTERED BEFORE 1950 (20+ YEARS OLD)
85024	ACRES,PREDICTED YRLY.AVE.TO BE ALTERED IN FUTURE
85025	LANDOWNERS, CODES FOR ALL IN STATE OF OREGON
85026	ACRES, CURRENT OWNED THIS LANDOWNER THIS STATION
85027	ACRES, ESTIMATED OWNED BY L-O THIS STA. BY 1980
85028	ACRES, ESTIMATED OWNED BY L-O THIS STA. BY 1990

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
85029	ACRES, ESTIMATED OWNED BY L-O THIS STA. BY 2000
85030	LAND USES, CODES FOR ALL IN STATE OF OREGON
85031	ACRES, CURRENT DEDICATED TO THIS USE THIS STATION
85032	ACRES, ESTM. DEDICTD TO THIS USE THIS STA BY 1980
85033	ACRES, ESTM. DEDICTD TO THIS USE THIS STA BY 1990
85034	ACRES, ESTM. DEDICTD TO THIS USE BY YR.2000 --STA.
85035	HAB., INDICATED ANIMAL USES THIS TYPE IN WINTER
85036	HAB., INDICATED ANIMAL USES THIS TYPE IN SPRING
85037	HAB., INDICATED ANIMAL USES THIS TYPE IN SUMMER
85038	HAB., INDICATED ANIMAL USES THIS TYPE IN FALL
85039	HAB., INDICATED ANML USES THIS TYPE FOR WINTERING
85040	HAB., INDICATED ANML USES THIS TYPE FOR FEEDING
85041	HAB., INDICATED ANML USES TYPE FOR REARING YOUNG
85042	HAB., INDICATED BIRD USES THIS TYPE FOR NESTING
85043	HAB., INDICATED ANML USES THIS TYPE FOR SHELTER
85044	HAB., INDICATED ANML USES THIS TYPE FOR REST AREA
85045	ANML, SHOWS PRESENCE/ABSNC OF COMMENTS ON THIS ANML
85046	HAB.,ACRES OCCUPIED BY THIS ANML THIS UNIT & CO.
85050	ANIMALS ARE NOT PRESENT THIS STATION
85051	ANIMALS, ONLY A FEW ARE PRESENT THIS STATION
85052	ANIMALS COMMONLY SEEN; USE MODERATE THIS STATION
85053	ANIMALS FREQUENTLY SEEN; USE HEAVY THIS STATION
85070	OWNERSHIP (.1) AND ACCESS (.2) BY YEAR
85071	PRIVATE OWNERSHIP AND ACCESS MILEAGE
85072	FEDERAL OWNERSHIP AND ACCESS MILEAGE
85073	STATE OWNERSHIP AND ACCESS MILEAGE
85074	COUNTY OWNERSHIP AND ACCESS MILEAGE
85075	CITY OWNERSHIP AND ACCESS MILEAGE
85076	WATER YEAR DATA REFERS TO

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
85077	CALENDAR YEAR DATA REFERS TO
85088	MONTHS POLLUTION IS A PROBLEM JAN THRU JUNE
85089	MONTHS POLLUTION IS A PROBLEM JULY TO DECEMBER
85090	MAN-CAUSED CHANNEL CHANGE IN MILES
85091	STREAM BANK HABITAT DESTROYED IN MILES
85092	STREAMBED SILTED IN MILES
85093	TURBIDITY PROBLEM IN MILES
85094	SEVERITY: 1=ELIMINATES 2=INTERFERES 3=NO PROBLEM
85095	DURATION OF TURBIDITY PROBLEM IN MONTHS
85096	SEASON OF NATURAL DRY CHANNEL 1=SP 2=SU 3=F 4=W
85097	NATURAL DRY CHANNEL IN MILES
85098	MAN-CAUSED DRY CHANNEL SEASON 1=SP 2=SU 3=F 4=W
85099	MAN-CAUSED DRY CHANNEL IN MILES
85100	YEAR BARRIER IS PRESENT
85101	NUMBER OF NATURAL BARRIERS
85102	MILES BLOCKED BY NATURAL BARRIERS
85103	NUMBER OF NATURAL BARRIERS TO BE REMOVED
85104	NUMBER OF DAMS AND MAN CAUSED OBSTRUCTIONS
85105	MILES BLOCKED BY DAMS OR MAN CAUSED OBSTRUCTIONS
85106	NUMBER OF DAMS TO BE ALTERED
85107	MILES OF STREAM OCCUPIED BY IMPOUNDMENT
85108	LOWER END OF SECTION COVERED BY THIS FORM
85109	UPPER END OF SECTION COVERED BY THIS FORM
85110	LOWER LIMIT THIS SPECIES THIS FORM BY RIVER MILE
85111	UPPER LIMIT THIS SPECIES THIS FORM BY RIVER MILE
85112	STREAM SURVEY:1=COMPLETE 2=INCOMPLETE 3=NONE
85113	ABUNDANCE: 1=FSHWY/TAG&R 2=SURVEY 3=EST PLUS 4=EST
85114	ABUNDANCE: N=S&ST 1=ABUNDANT 4=SCARCE RGH FSH 3=SCARCE
85116	SQUARE YARDS OF SPAWNING AREA IN 1970

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
85117	SQUARE YARDS OF SPAWNING AREA IN 1980
85118	SQUARE YARDS OF SPAWNING AREA IN 1990
85119	SQUARE YARDS OF SPAWNING AREA IN 2000
85120	MILES OF REARING AREA IN 1970
85121	MILES OF REARING AREA IN 1980
85122	MILES OF REARING AREA IN 1990
85123	MILES OF REARING AREA IN 2000
85124	CATCH BY SPORT ANGLING IN 1970
85125	RECREATION DAYS SPENT ANGLING IN 1970
85126	RECREATION DAYS SPENT ANGLING IN 1980
85127	RECREATION DAYS SPENT ANGLING IN 1990
85128	RECREATION DAYS SPENT ANGLING IN 2000
85129	CONTRIBUTION TO COMMERCIAL CATCH IN 1970
85130	PERCENT OF TOTAL FISHING DONE FROM BOAT IN 1970
85131	PERCENT OF TOTAL FISHING DONE FROM BANK IN 1970
85132	PERCENT OF TOTAL FISHING DONE WITH LURE IN 1970
85133	PERCENT OF TOTAL FISHING DONE WITH BAIT IN 1970
85134	PERCENT OF TOTAL FISHING DONE WITH A FLY IN 1970
85146	YEAR THIS FACTOR HAS A LIMITING EFFECT
85157	MAN DAYS OF WATER SKIING
85158	SEVERITY: 1=INTERFERES 2=NO INTER. 3=NO ACTIVITY
85159	MAN DAYS OF BOATING OTHER THAN ANGLING
85160	SEVERITY: 1=INTERFERES 2=NO INTER. 3=NO ACTIVITY
85161	MAN DAYS OF SWIMMING
85162	SEVERITY: 1=INTERFERES 2=NO INTER. 3=NO ACTIVITY
85163	SEVERITY: 1=INTERFERES 2=NO INTER. 3=NOT PRESENT
85165	NUMBER OF MONTHS SUSPENDED SOLIDS ARE A PROBLEM
85167	NUMBER OF MONTHS PLANKTON IS A PROBLEM
85168	1=ELIMINATE PROD 2=REDUCE 3=NO INTER. 4=NOT PRES

STORET Code	Description of STORET Parameters Not Suitable for Statistical Analysis
85169	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85170	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85171	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85172	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85173	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85174	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85175	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85176	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85177	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85178	1=ELIMINATE PROD 2=UNDESIRABLE 3=REDUCE 4=NO PROB
85179	YEAR THIS NUMBER OF FACILITIES PRESENT
85180	NUMBER OF BOAT RAMPS
85181	NUMBER OF MOORAGES
85182	NUMBER OF PICNIC AREAS
85183	NUMBER OF CAMP AREAS
85184	NUMBER OF RESORTS
85185	YEAR THIS ZONED AREA PRESENT
85186	ACRES SET ASIDE FOR OTHER BOATING
85187	ACRES SET ASIDE FOR WATER SKIING
85188	MILES OF SHORE LOST TO ACCESS BY HOME SITES
85189	TOTAL MILES OF SHORELINE
85193	WILL RECR BE INC BY RELEASE OF FINGERL 0=NO 1=YES
85195	CATCH AND RECREATION ESTIMATE 1=BEST 4=POOREST
85333	PRECIPITATION-SAMPLE COLLECTION TIME-CODE- NES
85538	GAMMA SCAN DATE (YR,MO,DAY)
85539	DATE OF REPORT (YR,MO,DAY)
85658	TIME NIGHT CO2 HR
85661	TIME, INTERVAL DAY CO2 HR

Appendix F

National EPA Water Quality Criteria Summary¹

The following table presents the national water quality criteria that were used to assess water quality data on a station-by-station basis and within the entire study area. Criteria are, for the most part, maximum values (except for dissolved oxygen, pH, and as noted). Criteria exist in any of four categories: Fresh Acute, Drinking Water, Marine Acute, and Other. Acute criteria are the highest 1-hour average concentrations which should not result in unacceptable impacts to aquatic organisms in either fresh or marine waters, respectively. The Drinking Water criteria are intended for human consumption; while the Other criteria represents National Park Service or other concerns. Parameters are listed in ascending order by STORET code. It is important to note that similar parameters often have non-consecutive codes. Consequently, scanning the entire list is necessary to obtain the criteria for all parameters of a particular type (eg. lead, copper, etc.). Refer to the Parameter Period of Record Tabulation to obtain the STORET code for any parameter measured in the park.

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
	00070				50 ^l	TURBIDITY, JACKSON CANDLE UNITS	JTU	Physical
	00076				50 ^l	TURBIDITY, HACH TURBIDIMETER, FORMAZIN TUR. UNITS	FTU	Physical
14808798	00154		250 ^s			SULFATE (AS S) WHOLE WATER	MG/L	General Inorganic
7782447	00299				4.0 ^u	OXYGEN, DISSOLVED, ANALYSIS BY PROBE	MG/L	Dissolved Oxygen
7782447	00300				4.0 ^u	OXYGEN, DISSOLVED	MG/L	Dissolved Oxygen
	00400				≤6.5, ≥9.0 [#]	PH	SU	Physical
	00403				≤6.5, ≥9.0 [#]	PH, LAB	SU	Physical
	00406				≤6.5, ≥9.0 [#]	PH, FIELD	SU	Physical

¹Sources: (1) U.S. Environmental Protection Agency, Quality Criteria for Water 1995, Final Draft; (2) U.S. Environmental Protection Agency, 40 CFR 141 - National Primary Drinking Water Regulations, and 40 CFR 143 - National Secondary Drinking Water Regulations, July 1, 1994; and (3) Others as Noted in Footnotes.

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
471341	00409				<200"	ALKALINITY, TOTAL, LOW LEVEL GRAN ANALYSIS	UEQ/L	General Inorganic
17778880	00613		1			NITRITE NITROGEN, DISSOLVED AS N	MG/L	Nitrogen
17778880	00615		1			NITRITE NITROGEN, TOTAL AS N	MG/L	Nitrogen
17778880	00618		10			NITRATE NITROGEN, DISSOLVED AS N	MG/L	Nitrogen
17778880	00620		10			NITRATE NITROGEN, TOTAL AS N	MG/L	Nitrogen
17778880	00628		10			NITRITE + NITRATE, SUSPENDED AS N	MG/L	Nitrogen
17778880	00630		10			NITRITE PLUS NITRATE, TOTAL 1 DET.	MG/L	Nitrogen
17778880	00631		10			NITRITE PLUS NITRATE, DISSOLVED 1 DET.	MG/L	Nitrogen
57125	00718	22	200	1.0		CYANIDE, WEAK ACID, DISSOCIABLE, WATER, WHOLE	UG/L	General Inorganic
57125	00719	22	200	1.0		CYANIDE, FREE,IN WATER&WASTEWATERS, HBG METHOD	UG/L	General Inorganic
57125	00720	0.022	0.2	0.001		CYANIDE, TOTAL	MG/L	General Inorganic
57125	00722	0.022	0.2	0.001		CYANIDE, FREE (AMENABLE TO CHLORINATION)	MG/L	General Inorganic
57125	00723	22	200	1.0		CYANIDE, DISSOLVED STD METHOD	UG/L	General Inorganic
57125	00724	22	200	1.0		CYANIDE COMPLEXED TO A RANGE OF COMPNDS, WATER	UG/L	General Inorganic
16887006	00940	860	250 ⁸			CHLORIDE,TOTAL IN WATER	MG/L	General Inorganic
16887006	00941	860	250 ⁸			CHLORIDE, DISSOLVED IN WATER	MG/L	General Inorganic
14808798	00945		250 ⁸			SULFATE, TOTAL (AS SO4)	MG/L	General Inorganic
14808798	00946		250 ⁸			SULFATE, DISSOLVED (AS SO4)	MG/L	General Inorganic
1332214	00948		7000000			ASBESTOS, WHOLE SAMPLE	CNT/L	General Inorganic
16984488	00950		4.0			FLUORIDE, DISSOLVED AS F	MG/L	General Inorganic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
16984488	00951		4.0			FLUORIDE, TOTAL AS F	MG/L	General Inorganic
7782414	00953		4000			FLUORINE, TOTAL	UG/L	General Inorganic
7440382	00978	360	50	69		ARSENIC, TOTAL RECOVERABLE IN WATER AS AS	UG/L	Metal
7782492	00981	20	50	300		SELENIUM, TOTAL RECOVERABLE IN WATER AS SE	UG/L	Metal
7440280	00982	1400*	2.0	2130*		THALLIUM, TOTAL RECOVERABLE IN WATER AS TL	UG/L	Metal
7782492	00990	20	50	300		SELENITE, TOTAL RECOVERABLE INORGANIC	UG/L	Metal
7440382	00991	360	50	69		ARSENIC, TOTAL RECOVERABLE TRIVALENT INORGANIC	UG/L	Metal
7440382	00995	360	50	69		ARSENIC, INORGANIC DISS	UG/L	Metal
7440382	00996	360	50	69		ARSENIC, INORGANIC SUSP	UG/L	Metal
7440382	00997	360	50	69		ARSENIC, INORGANIC TOT	UG/L	Metal
7440417	00998	130*	4.0			BERYLLIUM, TOTAL RECOVERABLE IN WATER AS BE	UG/L	Metal
7440382	01000	360	50	69		ARSENIC, DISSOLVED	UG/L	Metal
7440382	01001	360	50	69		ARSENIC, SUSPENDED	UG/L	Metal
7440382	01002	360	50	69		ARSENIC, TOTAL	UG/L	Metal
7440393	01005		2000			BARIUM, DISSOLVED	UG/L	Metal
7440393	01006		2000			BARIUM, SUSPENDED	UG/L	Metal
7440393	01007		2000			BARIUM, TOTAL	UG/L	Metal
7440393	01009		2000			BARIUM, TOTAL RECOVERABLE IN WATER AS BA	UG/L	Metal
7440417	01010	130*	4.0			BERYLLIUM, DISSOLVED	UG/L	Metal
7440417	01011	130*	4.0			BERYLLIUM, SUSPENDED	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7440417	01012	130 ⁺	4.0			BERYLLIUM, TOTAL	UG/L	Metal
7440439	01025	3.9 ⁺	5.0	43		CADMIUM, DISSOLVED	UG/L	Metal
7440439	01026	3.9 ⁺	5.0	43		CADMIUM, SUSPENDED	UG/L	Metal
7440439	01027	3.9 ⁺	5.0	43		CADMIUM, TOTAL	UG/L	Metal
7440473	01030		100			CHROMIUM, DISSOLVED	UG/L	Metal
7440473	01031		100			CHROMIUM, SUSPENDED	UG/L	Metal
7440473	01032	16	100	1100		CHROMIUM, HEXAVALENT	UG/L	Metal
16065831	01033	1700 ⁺	100	10300 ⁺		CHROMIUM, TRI-VAL	UG/L	Metal
7440473	01034		100			CHROMIUM, TOTAL	UG/L	Metal
7440508	01040	18 ⁺	1300 ^a	2.9		COPPER, DISSOLVED	UG/L	Metal
7440508	01041	18 ⁺	1300 ^a	2.9		COPPER, SUSPENDED	UG/L	Metal
7440508	01042	18 ⁺	1300 ^a	2.9		COPPER, TOTAL	UG/L	Metal
7439921	01049	82 ⁺	15 ^a	220		LEAD, DISSOLVED	UG/L	Metal
7439921	01050	82 ⁺	15 ^a	220		LEAD, SUSPENDED	UG/L	Metal
7439921	01051	82 ⁺	15 ^a	220		LEAD, TOTAL	UG/L	Metal
7440280	01057	1400 ⁺	2.0	2130 ⁺		THALLIUM, DISSOLVED	UG/L	Metal
7440280	01058	1400 ⁺	2.0	2130 ⁺		THALLIUM, SUSPENDED	UG/L	Metal
7440280	01059	1400 ⁺	2.0	2130 ⁺		THALLIUM, TOTAL	UG/L	Metal
7440020	01065	1400 ⁺	100	75		NICKEL, DISSOLVED	UG/L	Metal
7440020	01066	1400 ⁺	100	75		NICKEL, SUSPENDED	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7440020	01067	1400 ⁺	100	75		NICKEL, TOTAL	UG/L	Metal
7440020	01074	1400 ⁺	100	75		NICKEL, TOTAL RECOVERABLE IN WATER AS NI	UG/L	Metal
7440224	01075	4.1 ⁺	100 ^s	0.12		SILVER, DISSOLVED	UG/L	Metal
7440224	01076	4.1 ⁺	100 ^s	0.12		SILVER, SUSPENDED	UG/L	Metal
7440224	01077	4.1 ⁺	100 ^s	0.12		SILVER, TOTAL	UG/L	Metal
7440224	01079	4.1 ⁺	100 ^s	0.12		SILVER, TOTAL RECOVERABLE IN WATER AS AG	UG/L	Metal
7440508	01089	0.018 ⁺	1.3 ^a	0.0029		COPPER AS SUSPENDED BLACK OXIDE IN WATER	MG/L	General Inorganic
7440666	01090	120 ⁺	5000 ^s	95		ZINC, DISSOLVED	UG/L	Metal
7440666	01091	120 ⁺	5000 ^s	95		ZINC, SUSPENDED	UG/L	Metal
7440666	01092	120 ⁺	5000 ^s	95		ZINC, TOTAL	UG/L	Metal
7440666	01094	120 ⁺	5000 ^s	95		ZINC, TOTAL RECOVERABLE IN WATER AS ZN	UG/L	Metal
7440360	01095	88 ^p	6.0	1500 ^p		ANTIMONY, DISSOLVED	UG/L	Metal
7440360	01096	88 ^p	6.0	1500 ^p		ANTIMONY, SUSPENDED	UG/L	Metal
7440360	01097	88 ^p	6.0	1500 ^p		ANTIMONY, TOTAL	UG/L	Metal
7440439	01113	3.9 ⁺	5.0	43		CADMIUM, TOTAL RECOVERABLE IN WATER AS CD	UG/L	Metal
7439921	01114	82 ⁺	15 ^a	220		LEAD, TOTAL RECOVERABLE IN WATER AS PB	UG/L	Metal
7440473	01118		100			CHROMIUM TOTAL RECOVERABLE IN WATER AS CR	UG/L	Metal
7440508	01119	18 ⁺	1300 ^a	2.9		COPPER, TOTAL RECOVERABLE IN WATER AS CU	UG/L	Metal
7440280	01124	1400 [*]	2.0	2130 [*]		THALLIUM, ACID SOLUBLE, WATER, WHOLE	UG/L	Metal
7440280	01128	1400 [*]	2.0	2130 [*]		THALLIUM, TOTAL RECOVERABLE <95%	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7782492	01145	20	50	300		SELENIUM, DISSOLVED	UG/L	Metal
7782492	01146	20	50	300		SELENIUM, SUSPENDED	UG/L	Metal
7782492	01147	20	50	300		SELENIUM, TOTAL	UG/L	Metal
7782492	01167	20	50	300		SELENIUM, ACID SOLUBLE, WATER, WHOLE	UG/L	Metal
18540299	01220	16	100	1100		CHROMIUM, HEXAVALENT, DISSOLVED	UG/L	Metal
7440360	01268	88 ^p	6.0	1500 ^p		ANTIMONY (SB), WATER, TOTAL RECOVERABLE	UG/L	Metal
57125	01291	22	200	1.0		CYANIDE, FILTERABLE, TOTAL IN WATER	UG/L	General Inorganic
7440666	01303	0.120 ⁺	5.0 ^s	0.095		ZINC, POTENTIALLY DISSOLVED WATER	MG/L	Metal
7440224	01304	0.0041 ⁺	0.1 ^s	0.00012		SILVER, POTENTIALLY DISSOLVED WATER	MG/L	Metal
7440508	01306	0.018 ⁺	1.3 ^a	0.0029		COPPER, POTENTIALLY DISSOLVED WATER	MG/L	Metal
18540299	01307	0.016	0.1	1.1		CHROMIUM, HEXAVALENT, POTENTIALLY DISSOLVED	MG/L	Metal
7440382	01309	0.36	0.05	0.069		ARSENIC, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440393	01311		2.0			BARIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440417	01312	0.13 [*]	0.004			BERYLLIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440439	01313	0.0039 ⁺	0.005	0.043		CADMIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
16065831	01314	1.7 ⁺	0.1	10.3 [*]		CHROMIUM, TRIVALENT, POTENTIALLY DISSOLVED	MG/L	Metal
7439921	01318	0.082 ⁺	0.015 ^a	0.220		LEAD, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7439976	01321	0.0024	0.002	0.0021		MERCURY, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440020	01322	1.4 ⁺	0.1	0.075		NICKEL, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7782492	01323	0.020	0.050	0.300		SELENIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7440280	01324	1.4 ⁺	0.002	2.13 ⁺		THALLIUM, POTENTIALLY, DISSOLVED, WATER	MG/L	Metal
7440611	01326		0.020 ^c			URANIUM, POTENTIALLY DISSOLVED, WATER	MG/L	Metal
7440224	01523	4.1 ⁺	100 ^s	0.12		SILVER, IONIC	UG/L	Metal
50328	03648		0.2			BENZO (A) PYRENE, LIQUID FRACTION, ELUTRIATE	UG/L	General Organic
122349	04035		4.0			SIMAZINE, DISSOLVED, WATER, TOTAL RECOVERABLE	UG/L	Pesticide
10028178	04124		20 ^r			TRITIUM, TOTAL, WATER	PC/ML	Radiological
10028178	07000		20000 ^r			TRITIUM, TOTAL	PC/L	Radiological
10028178	07005		20000 ^r			TRITIUM, DISSOLVED	PC/L	Radiological
10028178	07010		20000 ^r			TRITIUM, SUSPENDED	PC/L	Radiological
	09501		5.0			RADIUM 226, TOTAL	PC/L	Radiological
	09503		5.0			RADIUM 226, DISSOLVED	PC/L	Radiological
	09505		5.0			RADIUM 226, SUSPENDED	PC/L	Radiological
	11500		5.0			RADIUM 226 + RADIUM 228, DISSOLVED	PC/L	Radiological
	11501		5.0			RADIUM 228, TOTAL	PC/L	Radiological
	11503		5.0			RADIUM 226 + RADIUM 228, TOTAL	PC/L	Radiological
10098972	13501		8.0 ^r			STRONTIUM 90, TOTAL	PC/L	Radiological
10098972	13503		8.0 ^r			STRONTIUM 90, DISSOLVED	PC/L	Radiological
10098972	13505		8.0 ^r			STRONTIUM 90, SUSPENDED	PC/L	Radiological
7782492	22675	20	50	300		SELENIUM, DISSOLVED ORGANIC	UG/L	Metal
7782492	22676	20	50	300		SELENIUM, HEXAVALENT, DISSOLVED	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7782492	22677	20	50	300		SELENIUM, TETRAVALENT, DISSOLVED	UG/L	Metal
7440382	22678	360	50	69		ARSENIC, DISSOLVED ORGANIC	UG/L	Metal
7440382	22679	850*	50	2319*		ARSENIC, PENTAVALENT, DISSOLVED	UG/L	Metal
7440382	22680	360	50	69		ARSENIC, TRIVALENT, DISSOLVED	UG/L	Metal
7440611	22703		20°			URANIUM, NATURAL DISSOLVED	UG/L	Metal
7440611	22705		20°			URANIUM, NATURAL SUSPENDED	UG/L	Metal
7440611	22706		20°			URANIUM, TOTAL AS U308	UG/L	Metal
7440611	22708		0.020°			URANIUM, NATURAL, TOTAL	MG/L	Radiological
7440611	28011		20°			URANIUM, NATURAL, TOTAL	UG/L	Radiological
88857	30191		7.0			DINOSEB, WATER, WHOLE RECOVERABLE	UG/L	Pesticide
75990	30200		200			DALAPON, WATER, WHOLE RECOVERABLE	UG/L	Pesticide
106934	30203		0.05			ETHANE, 1,2-DIBROMO-, WATER, WHOLE, RECOVERABLE	UG/L	Pesticide
	31501		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MEMBRANE FILTER, IMMED.	CFU/100ML	Bacteriological
	31503		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MEMBRANE FILTER, DELAY. M-ENDO	CFU/100ML	Bacteriological
	31504		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MEMBRANE FILTER, IMMED. LES-ENDO	CFU/100ML	Bacteriological
	31505		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MPN, CONF. TEST 35C (TUBE 31506)	MPN/100ML	Bacteriological
	31506		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MPN, CONF. TEST, TUBE CONFIG	MPN/100ML	Bacteriological
	31507		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MPN, COMP. TEST 35C (TUBE 31508)	MPN/100ML	Bacteriological
	31508		1.0 ⁿ		1000 ^b	COLIFORM, TOTAL, MPN, COMP. TEST, TUBE CONFIG	MPN/100ML	Bacteriological
	31613				200 [^]	FECAL COLIFORM, MEMBRANE FILTER, AGAR	CFU/100ML	Bacteriological

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
	31614				200 [^]	FECAL COLIFORM, MPN, TUBE CONFIGURATION	MPN/100ML	Bacteriological
	31615				200 [^]	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	MPN/100ML	Bacteriological
	31616				200 [^]	FECAL COLIFORM, MEMBRANE FILTER, BROTH, 44.5C	CFU/100ML	Bacteriological
	31617				200 [^]	FECAL COLIFORM, MPN, EUKMAN, 44.5C (TUBE 31618)	MPN/100ML	Bacteriological
	31625				200 [^]	FECAL COLIFORM, MF, M-FC, 0.7 UM	CFU/100ML	Bacteriological
	31648				126 [^]	E. COLI, MTEC, MF	CFU/100ML	Bacteriological
	31649				33 [^]	ENTEROCOCCI, ME, MF	CFU/100ML	Bacteriological
67663	32003	28900*	100 ⁱ			CARBON CHLOROFORM AND CARBON ALCOHOL EXTRS.,TOTAL	UG/L	General Organic
67663	32005	28900*	100 ⁱ			CARBON CHLOROFORM EXTRACTABLES	UG/L	General Organic
67663	32021	28900*	100 ⁱ			CARBON CHLOROFORM EXTRACTS, ETHER INSOLUBLES OF	UG/L	General Organic
67663	32022	28900*	100 ⁱ			CARBON CHLOROFORM EXTRACTS, WATER SOLUBLES OF	UG/L	General Organic
75274	32101		100 ⁱ			BROMODICHLOROMETHANE, WHOLE WATER	UG/L	General Organic
56235	32102	35200*	5.0	50000*		CARBON TETRACHLORIDE, WHOLE WATER	UG/L	General Organic
107062	32103	118000*	5.0	113000*		1,2-DICHLOROETHANE,WHOLE WATER	UG/L	General Organic
75252	32104		100 ⁱ			BROMOFORM, WHOLE WATER	UG/L	General Organic
124481	32105		100 ⁱ			DIBROMOCHLOROMETHANE, WHOLE WATER	UG/L	General Organic
67663	32106	28900*	100 ⁱ			CHLOROFORM, WHOLE WATER	UG/L	General Organic
56235	32260	35.2*	0.005	50*		CARBON TETRACHLORIDE EXTRACTABLES	MG/L	General Organic
67663	32270	28.9*	0.1 ⁱ			CHLOROFORM EXTRACTABLES TOTAL	MG/L	General Organic
108883	34010	17500*	1000	6300*		TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXTR.	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
1330207	34020		10000			XYLENES IN WTR SMPLE GC-MS, HEXADECONE EXTR.	UG/L	General Organic
83329	34205	1700*		970*		ACENAPHTHENE, TOTAL	UG/L	General Organic
83329	34206	1700*		970*		ACENAPHTHENE, DISSOLVED	UG/L	General Organic
83329	34207	1700*		970*		ACENAPHTHENE, SUSPENDED	UG/L	General Organic
107028	34210	68*		55*		ACROLEIN, TOTAL	UG/L	Pesticide
107028	34211	68*		55*		ACROLEIN, DISSOLVED	UG/L	Pesticide
107028	34212	68*		55*		ACROLEIN, SUSPENDED	UG/L	Pesticide
107131	34215	7550*				ACRYLONITRILE, TOTAL	UG/L	General Organic
107131	34216	7550*				ACRYLONITRILE, DISSOLVED	UG/L	General Organic
107131	34217	7550*				ACRYLONITRILE, SUSPENDED	UG/L	General Organic
71432	34235	5300*	5.0	5100*		BENZENE, DISSOLVED	UG/L	General Organic
71432	34236	5300*	5.0	5100*		BENZENE, SUSPENDED	UG/L	General Organic
92875	34239	2500*				BENZIDINE, DISSOLVED	UG/L	General Organic
92875	34240	2500*				BENZIDINE, SUSPENDED	UG/L	General Organic
58899	34265	2.0	0.2	0.16		R-BHC (LINDANE) GAMMA, DISSOLVED	UG/L	Pesticide
58899	34266	2.0	0.2	0.16		R-BHC (LINDANE) GAMMA, SUSPENDED	UG/L	Pesticide
75252	34288		100 ⁱ			BROMOFORM, DISSOLVED	UG/L	General Organic
75252	34289		100 ⁱ			BROMOFORM, SUSPENDED	UG/L	General Organic
56235	34297	35200*	5.0	50000*		CARBON TETRACHLORIDE, DISSOLVED	UG/L	General Organic
56235	34298	35200*	5.0	50000*		CARBON TETRACHLORIDE, SUSPENDED	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
108907	34301		100			CHLOROBENZENE, TOTAL	UG/L	General Organic
108907	34302		100			CHLOROBENZENE, DISSOLVED	UG/L	General Organic
108907	34303		100			CHLOROBENZENE, SUSPENDED	UG/L	General Organic
124481	34306		100 ⁱ			CHLORODIBROMOMETHANE, TOTAL	UG/L	General Organic
124481	34307		100 ⁱ			CHLORODIBROMOMETHANE, DISSOLVED	UG/L	General Organic
124481	34308		100 ⁱ			CHLORODIBROMOMETHANE, SUSPENDED	UG/L	General Organic
67663	34316	28900*	100 ⁱ			CHLOROFORM, DISSOLVED	UG/L	General Organic
67663	34317	28900*	100 ⁱ			CHLOROFORM, SUSPENDED	UG/L	General Organic
57125	34325	0.022	0.2	0.001		CYANIDE, SUSPENDED	MG/L	General Inorganic
75274	34328		100 ⁱ			DICHLOROBROMOMETHANE, DISSOLVED	UG/L	General Organic
75274	34329		100 ⁱ			DICHLOROBROMOMETHANE, SUSPENDED	UG/L	General Organic
122667	34346	270*				1,2-DIPHENYLHYDRAZINE, TOTAL	UG/L	General Organic
122667	34347	270*				1,2-DIPHENYLHYDRAZINE, DISSOLVED	UG/L	General Organic
122667	34348	270*				1,2-DIPHENYLHYDRAZINE, SUSPENDED	UG/L	General Organic
33213659	34356	0.22		0.034		ENDOSULFAN, BETA, TOTAL	UG/L	Pesticide
33213659	34357	0.22		0.034		ENDOSULFAN, BETA, DISSOLVED	UG/L	Pesticide
33213659	34358	0.22		0.034		ENDOSULFAN, BETA, SUSPENDED	UG/L	Pesticide
959988	34361	0.22		0.034		ENDOSULFAN, ALPHA, TOTAL	UG/L	Pesticide
959988	34362	0.22		0.034		ENDOSULFAN, ALPHA, DISSOLVED	UG/L	Pesticide
959988	34363	0.22		0.034		ENDOSULFAN, ALPHA, SUSPENDED	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
100414	34371	32000*	700	430*		ETHYLBENZENE, TOTAL	UG/L	General Organic
100414	34372	32000*	700	430*		ETHYLBENZENE, DISSOLVED	UG/L	General Organic
100414	34373	32000*	700	430*		ETHYLBENZENE, SUSPENDED	UG/L	General Organic
206440	34376	3980*		40*		FLUORANTHENE, TOTAL	UG/L	General Organic
206440	34377	3980*		40*		FLUORANTHENE, DISSOLVED	UG/L	General Organic
206440	34378	3980*		40*		FLUORANTHENE, SUSPENDED	UG/L	General Organic
77474	34386	7.0*	50	7.0*		HEXACHLOROCYCLOPENTADIENE, TOTAL	UG/L	General Organic
77474	34387	7.0*	50	7.0*		HEXACHLOROCYCLOPENTADIENE, DISSOLVED	UG/L	General Organic
77474	34388	7.0*	50	7.0*		HEXACHLOROCYCLOPENTADIENE, SUSPENDED	UG/L	General Organic
87683	34391	90*		32*		HEXACHLOROBUTADIENE, TOTAL	UG/L	General Organic
87683	34392	90*		32*		HEXACHLOROBUTADIENE, DISSOLVED	UG/L	General Organic
87683	34393	90*		32*		HEXACHLOROBUTADIENE, SUSPENDED	UG/L	General Organic
67721	34396	980*		940*		HEXACHLOROETHANE, TOTAL	UG/L	General Organic
67721	34397	980*		940*		HEXACHLOROETHANE, DISSOLVED	UG/L	General Organic
67721	34398	980*		940*		HEXACHLOROETHANE, SUSPENDED	UG/L	General Organic
118741	34401	6.0 ^P	1.0			HEXACHLOROBENZENE, DISSOLVED	UG/L	General Organic
118741	34402	6.0 ^P	1.0			HEXACHLOROBENZENE, SUSPENDED	UG/L	General Organic
193395	34403		0.40 ^c			INDENO (1,2,3-CD) PYRENE, TOTAL	UG/L	General Organic
193395	34404		0.40 ^c			INDENO (1,2,3-CD) PYRENE, DISSOLVED	UG/L	General Organic
193395	34405		0.40 ^c			INDENO (1,2,3-CD) PYRENE, SUSPENDED	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
78591	34408	117000*		12900*		ISOPHORONE, TOTAL	UG/L	Pesticide
78591	34409	117000*		12900*		ISOPHORONE, DISSOLVED	UG/L	Pesticide
78591	34410	117000*		12900*		ISOPHORONE, SUSPENDED	UG/L	Pesticide
75092	34423		5.0			METHYLENE CHLORIDE, TOTAL	UG/L	General Organic
75092	34424		5.0			METHYLENE CHLORIDE, DISSOLVED	UG/L	General Organic
75092	34425		5.0			METHYLENE CHLORIDE, SUSPENDED	UG/L	General Organic
91203	34443	2300*		2350*		NAPHTHALENE, DISSOLVED	UG/L	General Organic
91203	34444	2300*		2350*		NAPHTHALENE, SUSPENDED	UG/L	General Organic
98953	34447	27000*		6680*		NITROBENZENE, TOTAL	UG/L	General Organic
98953	34448	27000*		6680*		NITROBENZENE, DISSOLVED	UG/L	General Organic
98953	34449	27000*		6680*		NITROBENZENE, SUSPENDED	UG/L	General Organic
59507	34452	30*				PARACHLOROMETA CRESOL, TOTAL	UG/L	General Organic
59507	34453	30*				PARACHLOROMETA CRESOL, DISSOLVED	UG/L	General Organic
59507	34454	30*				PARACHLOROMETA CRESOL, SUSPENDED	UG/L	General Organic
87865	34459	20***	1.0	13		PCP (PENTACHLOROPHENOL), DISSOLVED	UG/L	Pesticide
87865	34460	20***	1.0	13		PCP (PENTACHLOROPHENOL), SUSPENDED	UG/L	Pesticide
85018	34461	30 ^P		7.7 ^P		PHENANTHRENE, TOTAL	UG/L	General Organic
85018	34462	30 ^P		7.7 ^P		PHENANTHRENE, DISSOLVED	UG/L	General Organic
85018	34463	30 ^P		7.7 ^P		PHENANTHRENE, SUSPENDED	UG/L	General Organic
108952	34466	10200*		5800*		PHENOL, DISSOLVED	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
108952	34467	10200*		5800*		PHENOL, SUSPENDED	UG/L	General Organic
127184	34475	5280*	5.0	10200*		TETRACHLOROETHYLENE, TOTAL	UG/L	General Organic
127184	34476	5280*	5.0	10200*		TETRACHLOROETHYLENE, DISSOLVED	UG/L	General Organic
127184	34477	5280*	5.0	10200*		TETRACHLOROETHYLENE, SUSPENDED	UG/L	General Organic
108883	34481	17500*	1000	6300*		TOLUENE, DISSOLVED	UG/L	General Organic
108883	34482	17500*	1000	6300*		TOLUENE, SUSPENDED	UG/L	General Organic
79016	34485	45000*	5.0	2000*		TRICHLOROETHYLENE, DISSOLVED	UG/L	General Organic
79016	34486	45000*	5.0	2000*		TRICHLOROETHYLENE, SUSPENDED	UG/L	General Organic
75014	34493		2.0			VINYL CHLORIDE, DISSOLVED	UG/L	General Organic
75014	34494		2.0			VINYL CHLORIDE, SUSPENDED	UG/L	General Organic
75354	34501		7.0			1,1-DICHLOROETHYLENE, TOTAL	UG/L	General Organic
75354	34502		7.0			1,1-DICHLOROETHYLENE, DISSOLVED	UG/L	General Organic
75354	34503		7.0			1,1-DICHLOROETHYLENE, SUSPENDED	UG/L	General Organic
71556	34506		200	31200*		1,1,1-TRICHLOROETHANE, TOTAL	UG/L	General Organic
71556	34507		200	31200*		1,1,1-TRICHLOROETHANE, DISSOLVED	UG/L	General Organic
71556	34508		200	31200*		1,1,1-TRICHLOROETHANE, SUSPENDED	UG/L	General Organic
79005	34511		5.0			1,1,2-TRICHLOROETHANE, TOTAL	UG/L	General Organic
79005	34512		5.0			1,1,2-TRICHLOROETHANE, DISSOLVED	UG/L	General Organic
79005	34513		5.0			1,1,2-TRICHLOROETHANE, SUSPENDED	UG/L	General Organic
79345	34516			9020*		1,1,2,2-TETRACHLOROETHANE, TOTAL	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
79345	34517			9020*		1,1,2,2-TETRACHLOROETHANE, DISSOLVED	UG/L	General Organic
79345	34518			9020*		1,1,2,2-TETRACHLOROETHANE, SUSPENDED	UG/L	General Organic
107062	34531	118000*	5.0	113000*		1,2-DICHLOROETHANE, TOTAL	UG/L	General Organic
107062	34532	118000*	5.0	113000*		1,2-DICHLOROETHANE, DISSOLVED	UG/L	General Organic
107062	34533	118000*	5.0	113000*		1,2-DICHLOROETHANE, SUSPENDED	UG/L	General Organic
95501	34536		600			1,2-DICHLOROBENZENE, TOTAL	UG/L	General Organic
95501	34537		600			1,2-DICHLOROBENZENE, DISSOLVED	UG/L	General Organic
95501	34538		600			1,2-DICHLOROBENZENE, SUSPENDED	UG/L	General Organic
78875	34541		5.0			1,2-DICHLOROPROPANE, TOTAL	UG/L	General Organic
78875	34542		5.0			1,2-DICHLOROPROPANE, DISSOLVED	UG/L	General Organic
78875	34543		5.0			1,2-DICHLOROPROPANE, SUSPENDED	UG/L	General Organic
156605	34546		100			TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER	UG/L	General Organic
156605	34547		100			TRANS-1,2-DICHLOROETHENE, DISSOLVED	UG/L	General Organic
156605	34548		100			TRANS-1,2-DICHLOROETHENE, SUSPENDED	UG/L	General Organic
120821	34551		70			1,2,4-TRICHLOROBENZENE, TOTAL	UG/L	General Organic
120821	34552		70			1,2,4-TRICHLOROBENZENE, DISSOLVED	UG/L	General Organic
120821	34553		70			1,2,4-TRICHLOROBENZENE, SUSPENDED	UG/L	General Organic
541731	34566		600			1,3-DICHLOROBENZENE, TOTAL	UG/L	General Organic
541731	34567		600			1,3-DICHLOROBENZENE, DISSOLVED	UG/L	General Organic
541731	34568		600			1,3-DICHLOROBENZENE, SUSPENDED	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
106467	34571		75			1,4-DICHLOROBENZENE, TOTAL	UG/L	General Organic
106467	34572		75			1,4-DICHLOROBENZENE, DISSOLVED	UG/L	General Organic
106467	34573		75			1,4-DICHLOROBENZENE, SUSPENDED	UG/L	General Organic
95578	34586	4380*				2-CHLOROPHENOL, TOTAL	UG/L	General Organic
95578	34587	4380*				2-CHLOROPHENOL, DISSOLVED	UG/L	General Organic
95578	34588	4380*				2-CHLOROPHENOL, SUSPENDED	UG/L	General Organic
120832	34601	2020*				2,4-DICHLOROPHENOL, TOTAL	UG/L	General Organic
120832	34602	2020*				2,4-DICHLOROPHENOL, DISSOLVED	UG/L	General Organic
120832	34603	2020*				2,4-DICHLOROPHENOL, SUSPENDED	UG/L	General Organic
105679	34606	2120*				2,4-DIMETHYLPHENOL, TOTAL	UG/L	General Organic
105679	34607	2120*				2,4-DIMETHYLPHENOL, DISSOLVED	UG/L	General Organic
105679	34608	2120*				2,4-DIMETHYLPHENOL, SUSPENDED	UG/L	General Organic
121142	34611	330*		590*		2,4-DINITROTOLUENE, TOTAL	UG/L	General Organic
121142	34612	330*		590*		2,4-DINITROTOLUENE, DISSOLVED	UG/L	General Organic
121142	34613	330*		590*		2,4-DINITROTOLUENE, SUSPENDED	UG/L	General Organic
72548	34651	0.6*		3.6*		P,P'-DDD, DISSOLVED	UG/L	Pesticide
72548	34652	0.6*		3.6*		P,P'-DDD, SUSPENDED	UG/L	Pesticide
72559	34653	1050*		14*		P,P'-DDE, DISSOLVED	UG/L	Pesticide
72559	34654	1050*		14*		P,P'-DDE, SUSPENDED	UG/L	Pesticide
50293	34655	1.1		0.13		P,P'-DDT, DISSOLVED	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
50293	34656	1.1		0.13		P,P'-DDT, SUSPENDED	UG/L	Pesticide
1746016	34675	0.01*	0.00003			2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN(TCDD), TOT	UG/L	General Organic
1746016	34676	0.01*	0.00003			2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN(TCDD), DISS	UG/L	General Organic
1746016	34677	0.01*	0.00003			2,3,7,8-TETRACHLORODIBENZO-P-DIOXIN(TCDD), SUSP	UG/L	General Organic
108952	34694	10200*		5800*		PHENOL (C6H5OH) - SINGLE COMPOUND, TOTAL	UG/L	General Organic
91203	34696	2300*		2350*		NAPHTHALENE, TOTAL	UG/L	General Organic
75990	38432		200			DALAPON, WATER, TOTAL	UG/L	Pesticide
75990	38433		200			DALAPON, WATER, DISSOLVED	UG/L	Pesticide
75990	38434		200			DALAPON, WATER, SUSPENDED	UG/L	Pesticide
96128	38437		0.2			DIBROMOCHLOROPROPANE, WATER, TOTAL	UG/L	Pesticide
96128	38438		0.2			DIBROMOCHLOROPROPANE, WATER, DISSOLVED	UG/L	Pesticide
96128	38439		0.2			DIBROMOCHLOROPROPANE WATER, SUSPENDED	UG/L	Pesticide
96128	38760		0.2			DBCP, WATER, TOTAL	UG/L	Pesticide
96128	38761		0.2			DBCP, WATER, DISSOLVED	UG/L	Pesticide
96128	38762		0.2			DBCP, WATER, SUSPENDED	UG/L	Pesticide
88857	38779		7.0			DINOSEB, DISSOLVED	UG/L	Pesticide
88857	38780		7.0			DINOSEB, SUSPENDED	UG/L	Pesticide
23135220	38865		200			OXAMYL, TOTAL	UG/L	Pesticide
23135220	38866		200			OXAMYL, DISSOLVED	UG/L	Pesticide
23135220	38867		200			OXAMYL, SUSPENDED	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
145733	38926		100			ENDOTHALL, WHOLE WATER SAMPLE	UG/L	Pesticide
2921882	38932	0.083		0.011		CHLORPYRIFOS, TOTAL RECOVERABLE	UG/L	Pesticide
2921882	38933	0.083		0.011		CHLORPYRIFOS, DISSOLVED	UG/L	Pesticide
2163806	38935		50			MONOSODIUM METHANEARSONATE (MSMA)	UG/L	Pesticide
2921882	39012	0.083		0.011		DURBAN, FLAME PHOTOMETRIC, WATER SAMPLE	UG/L	Pesticide
56382	39015	0.065				ETHYLPARATHION, FLAME IONIFATION, WATER SAMPLE	UG/L	Pesticide
122349	39025		4.0			SIMAZINE, COULSON CONDUCTIVITY WATER SAMPLE	UG/L	Pesticide
87865	39032	20***	1.0	13		PCP (PENTACHLOROPHENOL) WHOLE WATER SAMPLE	UG/L	Pesticide
1912249	39033		3.0			ATRAZINE IN WHOLE WATER SAMPLE	UG/L	Pesticide
118741	39039	6.0 ^P	1.0			HEXACHLOROBENZENE WATER SAMPLE, ELECTRON CPT	UG/L	Pesticide
93721	39045		50			2,4,5-TP INCLUDES ACIDS & SALTS WATER SAMPLE	UG/L	Pesticide
116063	39053		3.0			ALDICARB IN WHOLE WATER	UG/L	Pesticide
122349	39055		4.0			SIMAZINE IN WHOLE WATER	UG/L	Pesticide
117817	39100	2000*	6.0			BIS(2-ETHYLHEXYL) PHTHALATE, WHOLE WATER	UG/L	General Organic
117817	39103	2000*	6.0			BIS(2-ETHYLHEXYL) PHTHALATE, DISSOLVED	UG/L	General Organic
117817	39104	2000*	6.0			BIS(2-ETHYLHEXYL) PHTHALATE, SUSPENDED	UG/L	General Organic
	39117	0.94*		2.994*		PHTHLATE ESTERS IN WATER	MG/L	General Organic
75014	39175		2.0			VINYL CHLORIDE-WHOLE WATER SAMPLE	UG/L	General Organic
79016	39180	45000*	5.0	2000*		TRICHLOROETHYLENE-WHOLE WATER SAMPLE	UG/L	General Organic
50293	39300	1.1		0.13		P,P' DDT IN WHOLE WATER SAMPLE	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
72548	39310	0.6*		3.6*		P,P' DDD IN WHOLE WATER SAMPLE	UG/L	Pesticide
72559	39320	1050*		14*		P,P' DDE IN WHOLE WATER SAMPLE	UG/L	Pesticide
309002	39330	3.0		1.3		ALDRIN IN WHOLE WATER SAMPLE	UG/L	Pesticide
309002	39331	3.0		1.3		ALDRIN IN FILT. FRAC. OF WAT. SAMP.	UG/L	Pesticide
309002	39332	3.0		1.3		ALDRIN IN SUSP. FRAC. OF WAT. SAMP.	UG/L	Pesticide
58899	39340	2.0	0.2	0.16		GAMMA-BHC(LINDANE), WHOLE WATER	UG/L	Pesticide
58899	39341	2.0	0.2	0.16		GAMMA-BHC(LINDANE), DISSOLVED	UG/L	Pesticide
58899	39342	2.0	0.2	0.16		GAMMA-BHC(LINDANE), SUSPENDED	UG/L	Pesticide
57749	39350	2.4	2.0	0.09		CHLORDANE(TECH MIX & METABS), WHOLE WATER	UG/L	Pesticide
57749	39352	2.4	2.0	0.09		CHLORDANE(TECH MIX & METABS), DISSOLVED	UG/L	Pesticide
57749	39353	2.4	2.0	0.09		CHLORDANE(TECH MIX & METABS), SUSPENDED	UG/L	Pesticide
72548	39360	0.6*		3.6*		DDD IN WHOLE WATER SAMPLE	UG/L	Pesticide
72548	39361	0.6*		3.6*		DDD IN FILT. FRAC. OF WATER SMAPLE	UG/L	Pesticide
72548	39362	0.6*		3.6*		DDD IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
72559	39365	1050*		14*		DDE IN WHOLE WATER SAMPLE	UG/L	Pesticide
72559	39366	1050*		14*		DDE IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
72559	39367	1050*		14*		DDE IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
50293	39370	1.1		0.13		DDT IN WHOLE WATER SAMPLE	UG/L	Pesticide
50293	39371	1.1		0.13		DDT IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
50293	39372	1.1		0.13		DDT IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
60571	39380	2.5		0.71		DIELDRIN IN WHOLE WATER SAMPLE	UG/L	Pesticide
60571	39381	2.5		0.71		DIELDRIN IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
60571	39382	2.5		0.71		DIELDRIN IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
115297	39388	0.22		0.034		ENDOSULFAN IN WHOLE WATER SAMPLE	UG/L	Pesticide
72208	39390	0.18	2.0	0.037		ENDRIN IN WHOLE WATER SAMPLE	UG/L	Pesticide
72208	39391	0.18	2.0	0.037		ENDRIN IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
72208	39392	0.18	2.0	0.037		ENDRIN IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
8001352	39400	0.73	3.0	0.21		TOXAPHENE IN WHOLE WATER SAMPLE	UG/L	Pesticide
8001352	39401	0.73	3.0	0.21		TOXAPHENE IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
8001352	39402	0.73	3.0	0.21		TOXAPHENE IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
76448	39410	0.52	0.4	0.053		HEPTACHLOR IN WHOLE WATER SAMPLE	UG/L	Pesticide
76448	39411	0.52	0.4	0.053		HEPTACHLOR IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
76448	39412	0.52	0.4	0.053		HEPTACHLOR IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
1024573	39420	0.52	0.2	0.053		HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE	UG/L	Pesticide
1024573	39421	0.52	0.2	0.053		HEPTACHLOR EPOXIDE IN FILT. FRAC. WATER SAMPLE	UG/L	Pesticide
1024573	39422	0.52	0.2	0.053		HEPTACHLOR EPOXIDE IN SUSP. FRAC. WATER SAMPLE	UG/L	Pesticide
72435	39478		40			METHOXYCHLOR IN WHOLE WATER DISSOLVED	UG/L	Pesticide
72435	39479		40			METHOXYCHLOR IN WHOLE WATER SUSPENDED	UG/L	Pesticide
72435	39480		40			METHOXYCHLOR IN WHOLE WATER SAMPLE	UG/L	Pesticide
56382	39540	0.065				PARATHION IN WHOLE WATER SAMPLE	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
56382	39542	0.065				PARATHION IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
56382	39543	0.065				PARATHION IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
1912249	39630		3.0			ATRAZINE(AATREX) IN WHOLE WATER SAMPLE	UG/L	Pesticide
1912249	39632		3.0			ATRAZINE DISSOLVED IN WATER	PPB	Pesticide
118741	39700	6.0 ^P	1.0			HEXACHLOROBENZENE IN WHOLE WATER SAMPLE	UG/L	General Organic
87683	39702	90 [*]		32 [*]		HEXACHLOROBUTADIENE IN WHOLE WATER SAMPLE	UG/L	General Organic
1918021	39720		500			PICLORAM IN WHOLE WATER SAMPLE	UG/L	Pesticide
94757	39730		70			2,4-D IN WHOLE WATER SAMPLE	UG/L	Pesticide
94757	39732		70			2,4-D IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
94757	39733		70			2,4-D IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
93721	39760		50			SILVEX IN WHOLE WATER SAMPLE	UG/L	Pesticide
93721	39762		50			SILVEX IN FILT. FRAC. OF WATER SAMPLE	UG/L	Pesticide
93721	39763		50			SILVEX IN SUSP. FRAC. OF WATER SAMPLE	UG/L	Pesticide
58899	39782	2.0	0.2	0.16		LINDANE IN WHOLE WATER SAMPLE	UG/L	Pesticide
1071836	39941		700			ROUNDUP IN WHOLE WATER SAMPLE (GLYPHOSATE)	UG/L	Pesticide
7782505	45650	0.019		0.013		CHLORINE, IN ORGANIC COMPOUNDS, WATER, WHOLE	MG/L	General Inorganic
56382	46315	0.065				ETHYL PARATHION IN WHOLE WATER SAMPLE	UG/L	Pesticide
58899	46322	2.0	0.2	0.16		LINDANE PLUS ISOMERS IN WHOLE WATER SAMPLE	UG/L	Pesticide
76448	46326	0.52	0.4	0.053		HEPTACHLOR AND METABOLITES IN WHOLE H2O SAMPLE	UG/L	Pesticide
15972608	46342		2.0			ALACHLOR (LASSO), WATER, DISSOLVED	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7782505	46472	0.019		0.013		CHLORINE, TOTAL RESIDUAL, AVERAGE VALUE, WATER	MG/L	General Inorganic
7782505	46473	0.019		0.013		CHLORINE, FREE AVAILABLE, AVERAGE VALUE, WATER	MG/L	General Inorganic
57125	46479	22	200	1.0		CYANIDE, DISSOLVED, WATER	UG/L	General Inorganic
7440382	46551	360	50	69		ARSENIC, FIELD ACIDIFIED W/HNO3, LAB FILTERED	UG/L	Metal
7440393	46558		2000			BARIUM, FIELD ACIDIFIED W/HNO3-LAB FILT	UG/L	Metal
7440439	46559	3.9 ⁺	5.0	43		CADMIUM, FIELD ACIDIFIED-HNO3-LAB FILTER	UG/L	Metal
7440473	46560		100			CHROMIUM, FIELD ACIDIFIED-HNO3-LAB FILT.	UG/L	Metal
7440508	46562	18 ⁺	1300 ^a	2.9		COPPER, FIELD ACIDIFIED-HNO3- LAB FILTER.	UG/L	Metal
7439921	46564	82 ⁺	15 ^a	220		LEAD, FIELD ACIDIFIED-HNO3-LAB FILTERED	UG/L	Metal
7440224	46566	4.1 ⁺	100 ^s	0.12		SILVER, FIELD ACIDIFIED-HNO3-LAB FILTER.	UG/L	Metal
7440666	46567	120 ⁺	5000 ^s	95		ZINC, EXTRACTABLE, FIELD ACID W/HNO3, LAB FILTR	UG/L	Metal
56382	49011	0.065				UNKNOWN AS PARATHION IN WHOLE WATER SAMPLE	UG/L	Pesticide
7782505	50058	0.019		0.013		CHLORINE DOSE	MG/L	General Inorganic
7782505	50060	0.019		0.013		CHLORINE, TOTAL RESIDUAL	MG/L	General Inorganic
7782505	50064	0.019		0.013		CHLORINE, FREE AVAILABLE	MG/L	General Inorganic
7782505	50066	0.019		0.013		CHLORINE, COMBINED AVAILABLE	MG/L	General Inorganic
7782505	50074	0.019		0.013		CHLORITE, WHOLE WATER	MG/L	General Inorganic
	61215				200 [^]	FECAL COLIFORM, GENERAL #/100ML	#/100ML	Bacteriological
16887006	70352	860	250 ^s			CHLORIDE, ORGANIC	MG/L	General Organic
14797558	71850		44			NITRATE NITROGEN, TOTAL (AS NO3)	MG/L	Nitrogen

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
14797558	71851		44			NITRATE NITROGEN, DISSOLVED (AS NO3)	MG/L	Nitrogen
14797650	71855		3.3			NITRITE NITROGEN, TOTAL (AS NO2)	MG/L	Nitrogen
14797650	71856		3.3			NITRITE NITROGEN, DISSOLVED (AS NO2)	MG/L	Nitrogen
7439976	71890	2.4	2.0	2.1		MERCURY, DISSOLVED	UG/L	Metal
7439976	71895	2.4	2.0	2.1		MERCURY, SUSPENDED	UG/L	Metal
7439976	71900	2.4	2.0	2.1		MERCURY, TOTAL	UG/L	Metal
7439976	71901	2.4	2.0	2.1		MERCURY, TOTAL RECOVERABLE IN WATER AS HG	UG/L	Metal
7440439	71946	3.9 ⁺	5.0	43		CADMIUM, EXTRACTABLE	UG/L	Metal
7440473	71947		100			CHROMIUM, EXTRACTABLE	UG/L	Metal
7439921	71949	82 ⁺	15 ^a	220		LEAD, EXTRACTABLE	UG/L	Metal
7440666	71950	120 ⁺	5000 ^s	95		ZINC, EXTRACTABLE	UG/L	Metal
7440508	71951	18 ⁺	1300 ^a	2.9		COPPER, EXTRACTABLE	UG/L	Metal
1336363	76011	2000	500	10000		PCBS, SUSPENDED, WATER	NG/L	General Organic
1336363	76012	2000	500	10000		PCBS, TOTAL RECOVERABLE, WATER	NG/L	General Organic
156592	77093		70			CIS-1,2-DICHLOROETHYLENE, WHOLE WATER	UG/L	General Organic
100425	77128		100			STYRENE, WHOLE WATER	UG/L	General Organic
106489	77296			29700 [*]		P-CHLOROPHENOL, WHOLE WATER	UG/L	General Organic
106934	77651		0.05			1,2-DIBROMOETHANE, WHOLE WATER	UG/L	General Organic
95954	77687	100 ^p		240 ^p		2,4,5-TRICHLOROPHENOL, WHOLE WATER	UG/L	General Organic
935955	77769			440 [*]		2,3,5,6-TETRACHLOROPHENOL, WHOLE WATER	UG/L	General Organic

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
103231	77903		400			BIS (2-ETHYLHEXYL) ADIPATE, WHOLE WATER	UG/L	General Organic
18540299	78247	16	100	1100		CHROMIUM, HEXAVALENT, TOTAL RECOVERABLE	UG/L	Metal
57125	78248	22	200	1.0		CYANIDE, TOTAL RECOVERABLE, WATER, WHOLE	UG/L	Metal
	78456	11*		12*		HALOMETHANES, SUMMATION, WHOLE WATER	MG/L	General Organic
14808798	78462		250 ^s			SULFATE, WATER, DISSOLVED AS S	MG/L	Metal
85007	78885		20			DIQUAT DIBROMIDE (REGLONE) WHOLE WATER SAMPLE	UG/L	Pesticide
7440611	80020		20°			URANIUM, DISS. BY EXTRACTION FLUOROMETRIC	UG/L	Radiological
16065831	80357	1700	100	10300*		CHROMIUM, TRIVALENT, DISSOLVED	UG/L	Metal
57125	81208	0.022	0.2	0.001		CYANIDE,FREE (NOT AMENABLE TO CHLORINATION)	MG/L	General Inorganic
608731	81283	100*		0.34*		BENZENEHEXACHLORIDE, WHOLE WATER	UG/L	Pesticide
88857	81287		7.0			DNBP(C10H12N2O5), WHOLE WATER SAMPLE	UG/L	Pesticide
26638197	81327	23000*	5.0	10300*		DICHLOROPROPANE, WHOLE WATER SAMPLE	UG/L	General Organic
25321226	81333	1120*		1970*		DICHLOROBENZENE ISOMER, WHOLE WATER SAMPLE	UG/L	General Organic
2921882	81403	0.083		0.011		DURSBAN (CHLOROPYRIFOS) WHOLE WATER SAMPLE	UG/L	Pesticide
1563662	81405		40			CARBOFURAN (EURADAN) WHOLE WATER SAMPLE	UG/L	Pesticide
76017	81501	7240*		390*		PENTACHLOROETHANE, WHOLE WATER SAMPLE	UG/L	General Organic
25321226	81524	1120*		1970*		DICHLOROBENZENE, WHOLE WATER SAMPLE	UG/L	General Organic
25322207	81549	9320*				TETRACHLOROETHANE, WHOLE WATER SAMPLE	UG/L	General Organic
26638197	81703	23*	0.005*	10.3*		DICHLOROPROPANE, WHOLE WATER SAMPLE	MG/L	General Organic
7440508	81750	18 ⁺	1300 ^a	2.9		COPPER, INTERSTITIAL WATERFROM SEDIMENTS	UG/L	Metal

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
7440020	81752	1400 ⁺	100	75		NICKEL, INTERSTITIAL WATER FROM SEDIMENTS	UG/L	Metal
7440666	81754	120 ⁺	5000 ^s	95		ZINC, INTERSTITIAL WATER FROM SEDIMENTS	UG/L	Metal
25323891	81853	18000 [*]				TRICHLOROETHANE, WHOLE WATER SAMPLE	UG/L	General Organic
7439976	81931	2.4	2.0	2.1		MERCURY (HG) SUSPENDED FRACTION OF WATER	UG/G	Metal
7440666	81933	120 ⁺	5000 ^s	95		ZINC (ZN) SUSPENDED FRACTION OF WATER	UG/G	Metal
7439921	81936	82 ⁺	15 ^a	220		LEAD (PB) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440439	81937	3.9 ⁺	5.0	43		CADMIUM (CD) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440473	81938		100			CHROMIUM (CR) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440508	81939	18 ⁺	1300 ^a	2.9		COPPER (CU) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440666	81940	120 ⁺	5000 ^s	95		ZINC (ZN) DISSOLVED CATIONIC SPECIES	UG/L	Metal
7440473	81941		100			CHROMIUM (CR) DISSOLVED ANIONIC SPECIES	UG/L	Metal
7440508	81942	18 ⁺	1300 ^a	2.9		COPPER (CU) DISSOLVED ANIONIC SPECIES	UG/L	Metal
7440666	81943	120 ⁺	5000 ^s	95		ZINC (ZN) DISSOLVED ANIONIC SPECIES	UG/L	Metal
	82078				50 ^l	TURBIDITY, FIELD	NTU	Physical
	82079				50 ^l	TURBIDITY, LAB	NTU	Physical
88857	82226		7.0			2 SECONDARY BUTYL 4,6-DINITROPHENOL	UG/L	Pesticide
16887006	82295	860000	250000 ^s			CHLORIDE DISSOLVED AS CL IN WATER	UG/L	General Inorganic
72435	82350		40			METHOXYCHLOR, DISSOLVED IN WATER	UG/L	Pesticide
72435	82351		40			METHOXYCHLOR, SUSPENDED IN WATER	UG/L	Pesticide
115297	82354	0.22		0.034		ENDOSULFAN, DISSOLVED IN WATER	UG/L	Pesticide

C.A.S. Number	STORET Code	FRESH ACUTE	DRINKING WATER	MARINE ACUTE	OTHER	PARAMETER DESCRIPTION	UNITS	CATEGORY
115297	82355	0.22		0.034		ENDOSULFAN, SUSPENDED IN WATER	UG/L	Pesticide
57125	82573	0.022	0.2	0.001		CYANIDE/CHLORINATION IN WATER	MG/L	General Inorganic
1646873	82586		4.0			ALDICARB SULFOXIDE, WATER, TOTAL RECOVERABLE	UG/L	General Organic
1646884	82587		2.0			ALDICARB SULFONE, WHOLE WATER, TOTAL RECOVERABLE	UG/L	General Organic
23135220	82613		200			OXAMYL, WHOLE WATER, TOTAL RECOVERABLE	UG/L	Pesticide
1563662	82615		40			CARBOFURAN, WHOLE WATER, TOTAL RECOVERABLE	UG/L	Pesticide
116063	82619		3.0			ALDICARB, WHOLE WATER, TOTAL RECOVERABLE	UG/L	Pesticide
33213659	82624	0.22		0.034		ENDOSULFAN, BETA, WH WATER, TOTAL RECOVERABLE	UG/L	Pesticide
96128	82625		0.2			DIBROMOCHLOROPROPANE, WATER, TOTAL RECOVERABLE	UG/L	Pesticide

Footnote Key:

*Insufficient Data to Develop Criteria. Value Presented is the L.O.E.L. - Lowest Observed Effect Level.

+Hardness Dependent Criteria (100 mg/L CaCO₃ Used).

***pH Dependent Criteria (7.8 pH Used).

▬Rule of thumb criterion used by the NPS Air Quality Division for determining sensitivity to acid deposition.

^Freshwater bathing criterion, EPA geometric mean based on at least 5 samples equally spaced over a 30-day period; Enterococci marine water bathing criterion 35 CFU/100 ml.

#EPA freshwater aquatic life chronic criterion; marine criterion is ≤6.5, ≥8.5.

!Arizona state standard.

^aEPA action level, 40 CFR 141.80.

^bCalifornia and Florida state bathing water standards.

^cA Compilation of Water Quality Goals, California Regional Water Quality Control Board Central Valley Region, Sacramento, California, September, 1991.

ⁿTotal coliform drinking water maximum contaminant level (1 cfu/100ml or 1 mpn/100ml) was not used in water quality criteria comparisons.

^pProposed Criterion.

^rAverage annual concentration assumed to produce a total body or organ dose of 4 mrem/year, 40 CFR 141.16.

^sEPA National Secondary Drinking Water Regulation, 40 CFR 143.

^tThe maximum contaminant level for the sum of the concentrations of trihalomethanes is 100 µg/L, 40 CFR 141.12.

^uColdwater criterion one day minimum; warmwater criterion seven day mean minimum.

Appendix G

Inventory Data Evaluation and Analysis (IDEA) Servicewide Inventory and Monitoring Program "Level I" Parameter Groups

The following table provides the Servicewide Inventory and Monitoring Program's "Level I" water quality inventory parameter groups (National Park Service 1993). In order to determine the presence and/or absence of data for each of these parameter groups in the park, the parameter groups had to be defined by STORET parameter codes. This table provides the STORET codes and parameter descriptions for each parameter comprising one of the Servicewide Inventory and Monitoring Program's "Level I" water quality parameter groups. Additional parameters could have been incorporated into each group, but an effort was made to represent each group with the parameters deemed to most likely occur in STORET and parks. The Toxic Elements Parameter Group was defined as the EPA's Clean Water Act Section 304(a) Priority Toxic Pollutants (40 CFR 131.36). Parameters are listed in ascending order of STORET code within each parameter group. It is important to note that similar parameters often have non-consecutive codes. Consequently, scanning the entire list is necessary to find all the parameters of a particular type (eg. lead, copper, etc.). Refer to the Parameter Period of Record Tabulation to obtain the STORET code for any parameter measured in the park.

STORET Code	Water Temperature Parameter Group	C.A.S. Number
00010	TEMPERATURE, WATER (DEGREES CENTIGRADE)	-
00011	TEMPERATURE, WATER (DEGREES FAHRENHEIT)	-
STORET Code	Flow Parameter Group¹	C.A.S. Number
00056	FLOW RATE, GALLONS/DAY	-
00058	FLOW RATE, GALLONS/MIN.	-
00059	FLOW RATE, INSTANTANEOUS, GALLONS/MINUTE	-
00060	FLOW, STREAM, MEAN DAILY CFS	-
00061	FLOW, STREAM, INSTANTANEOUS CFS	-
00065	STAGE, STREAM (FEET)	-
00067	TIDE STAGE CODE	-
00072	STAGE, STREAM (METERS)	-

¹Tide stage is included in the Flow Parameter Group for coastal parks.

STORET Code	Clarity/Turbidity Parameter Group	C.A.S. Number
00070	TURBIDITY, (JACKSON CANDLE UNITS)	-
00075	TURBIDITY, HELLIGE (PPM AS SILICON DIOXIDE)	-
00076	TURBIDITY, HACH TURBIDIMETER (FORMAZIN TURB UNIT)	-
00077	TRANSPARENCY, SECCHI DISC (INCHES)	-
00078	TRANSPARENCY, SECCHI DISC (METERS)	-
00530	RESIDUE, TOTAL NONFILTRABLE (MG/L)	-
82078	TURBIDITY, FIELD NEPHELOMETRIC TURBIDITY UNITS NTU	-
82079	TURBIDITY, LAB NEPHELOMETRIC TURBIDITY UNITS, NTU	-
STORET Code	Conductivity Parameter Group	C.A.S. Number
00094	SPECIFIC CONDUCTANCE, FIELD (UMHOS/CM @ 25C)	-
00095	SPECIFIC CONDUCTANCE (UMHOS/CM @ 25C)	-
00096	SALINITY AT 25 DEGREES C (MG/ML)	-
00480	SALINITY - PARTS PER THOUSAND	-
STORET Code	Dissolved Oxygen Parameter Group	C.A.S. Number
00299	OXYGEN, DISSOLVED, ANALYSIS BY PROBE (MG/L)	7782447
00300	OXYGEN, DISSOLVED (MG/L)	7782447
00301	OXYGEN, DISSOLVED, PERCENT OF SATURATION	7782447
00389	OXYGEN, DISSOLVED, LAB ANAL. BY PROBE OF FIELD SAMPLE (MG/L)	7782447
STORET Code	pH Parameter Group	C.A.S. Number
00400	PH (STANDARD UNITS)	-
00403	PH, LAB (STANDARD UNITS)	-
00406	PH, FIELD (STANDARD UNITS)	-

STORET Code	Alkalinity Parameter Group	C.A.S. Number
00409	ALKALINITY, TOTAL, LOW LEVEL GRAN ANALYSIS (μ EQ/L)	471341
00410	ALKALINITY, TOTAL (MG/L AS CaCO_3)	471341
00415	ALKALINITY, PHENOLPHTHALEIN (MG/L)	77098
00430	ALKALINITY, CARBONATE (MG/L AS CaCO_3)	471341
00435	ACIDITY, TOTAL (MG/L AS CaCO_3)	471341
00440	BICARBONATE ION (MG/L AS HCO_3)	71523
00445	CARBONATE ION (MG/L AS CO_3)	3812326
STORET Code	Nitrate/Nitrogen Parameter Group	C.A.S. Number
00600	NITROGEN, TOTAL (MG/L AS N)	17778880
00602	NITROGEN, DISSOLVED (MG/L AS N)	17778880
00605	NITROGEN, ORGANIC, TOTAL (MG/L AS N)	17778880
00607	NITROGEN, ORGANIC, DISSOLVED (MG/L AS N)	17778880
00608	NITROGEN, AMMONIA, DISSOLVED (MG/L AS N)	17778880
00610	NITROGEN, AMMONIA, TOTAL (MG/L AS N)	17778880
00612	AMMONIA, UNIONIZED (MG/L AS N)	7664417
00618	NITRATE NITROGEN, DISSOLVED (MG/L AS N)	17778880
00620	NITRATE NITROGEN, TOTAL (MG/L AS N)	17778880
00623	NITROGEN, KJELDAHL, DISSOLVED (MG/L AS N)	17778880
00625	NITROGEN, KJELDAHL, TOTAL (MG/L AS N)	17778880
00630	NITRITE PLUS NITRATE, TOTAL 1 DET. (MG/L AS N)	17778880
00631	NITRITE PLUS NITRATE, DISSOLVED 1 DET. (MG/L AS N)	17778880
71845	NITROGEN, AMMONIA, TOTAL (MG/L AS NH_4)	14798039
71846	NITROGEN, AMMONIA, DISSOLVED (MG/L AS NH_4)	14798039
71850	NITRATE NITROGEN, TOTAL (MG/L AS NO_3)	14797558
71851	NITRATE NITROGEN, DISSOLVED (MG/L AS NO_3)	14797558
71855	NITRITE NITROGEN, TOTAL (MG/L AS NO_2)	14797650
71856	NITRITE NITROGEN, DISSOLVED (MG/L AS NO_2)	14797650

STORET Code	Phosphate/Phosphorus Parameter Group	C.A.S. Number
00650	PHOSPHATE, TOTAL (MG/L AS PO4)	14265442
00655	PHOSPHATE, POLY (MG/L AS PO4)	14265442
00660	PHOSPHATE, ORTHO (MG/L AS PO4)	14265442
00665	PHOSPHORUS, TOTAL (MG/L AS P)	7723140
00666	PHOSPHORUS, DISSOLVED (MG/L AS P)	7723140
00670	PHOSPHORUS, TOTAL ORGANIC (MG/L AS P)	7723140
00671	PHOSPHORUS, DISSOLVED ORTHOPHOSPHATE (MG/L AS P)	7723140
70505	PHOSPHORUS, TOTAL, COLORIMETRIC METHOD (MG/L AS P)	7723140
70507	PHOSPHORUS, IN TOTAL ORTHOPHOSPHATE (MG/L AS P)	7723140
STORET Code	Sulfates/Total Dissolved Solids/Hardness Parameter Group	C.A.S. Number
00900	HARDNESS, TOTAL (MG/L AS CaCO3)	471341
00945	SULFATE, TOTAL (MG/L AS SO4)	14808798
00946	SULFATE, DISSOLVED (MG/L AS SO4)	14808798
70300	RESIDUE, TOTAL FILTRABLE (DRIED AT 180C), (MG/L)	-
STORET Code	Chlorophyll Parameter Group	C.A.S. Number
32209	CHLOROPHYLL A (UG/L) FLUOROMETRIC CORRECTED	479618
32210	CHLOROPHYLL A (UG/L) TRICHROMATIC UNCORRECTED	479618
32211	CHLOROPHYLL A (UG/L) SPECTROPHOTOMETRIC ACID METH.	479618
32217	CHLOROPHYLL A (UG/L) FLUOROMETRIC UNCORRECTED	479618
32223	CHLOROPHYLL A (MG/M2) SPECTROPHOTOMETRIC CORRECTED	479618
32228	CHLOROPHYLL A (MG/M2) PERIPHYTON SPECTRO.	479618
32229	CHLOROPHYLL A (MG/M2) FLUOR. CORRECTED, SUBSTRATER	479618
32230	CHLOROPHYLL A (MG/L)	479618

STORET Code	Bacteria Parameter Group	C.A.S. Number
00111	RATIO OF FECAL COLIFORM TO FECAL STREPTOCOCCI	-
31501	COLIFORM, TOT, MEMBRANE FILTER, IMMED., M-ENDO MED,35C	-
31503	COLIFORM, TOT, MEMBRANE FILTER, DELAY, M-ENDO MED, 35C	-
31504	COLIFORM, TOT, MEMBRANE FILTER, IMMED., LES-ENDO AGAR, 35C	-
31505	COLIFORM, TOT, MPN, CONFIRMED TEST,35C(TUBE 31506)	-
31506	COLIFORM, TOT, MPN, CONFIRMED TEST, TUBE CONFIG.	-
31507	COLIFORM, TOT, MPN, COMPLETED TEST,35C(TUBE 31508)	-
31508	COLIFORM, TOT, MPN, COMPLETED TEST, TUBE CONFIG.	-
31613	FECAL COLIFORM, MEMBR, FILTER,M-FC AGAR,44.5C,24HR	-
31614	FECAL COLIFORM, MPN, TUBE CONFIGURATION	-
31615	FECAL COLIFORM, MPN, EC MED, 44.5C (TUBE 31614)	-
31616	FECAL COLIFORM, MEMBR FILTER, M-FC BROTH, 44.5C	-
31617	FECAL COLIFORM, MPN,EIJKMAN TEST,44.5C(TUBE 31618)	-
31625	FECAL COLIFORM, MF, M-FC, 0.7 UM	-
31648	E. COLI - MTEC-MF	-
31649	ENTEROCOCCI- ME-MF	-
31673	FECAL STREPTOCOCCI, MBR FILT, KF AGAR, 35C, 48HR	-
31676	FECAL STREPTOCOCCI, MPN, KF BROTH, TUBE CONFIG.	-
31677	FECAL STREPTOCOCCI, MPN, AD-EVA, 35C (TUBE 31678)	-
31751	PLATE COUNT, TOTAL, TPC AGAR, 35C, 24 HRS	-
61214	FECAL STREPTOCOCCI, GENERAL #/100ML	-
61215	FECAL COLIFORM, GENERAL #/100ML	-
STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants)	C.A.S. Number
00718	CYANIDE, WEAK ACID, DISSOC. WATER, WHOLE (UG/L)	57125
00719	CYANIDE, FREE, IN WATER & WASTEWATERS, HBG (UG/L)	57125
00720	CYANIDE, TOTAL (MG/L AS CN)	57125
00722	CYANIDE, FREE (AMENABLE TO CHLORINATION) (MG/L)	57125

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
00723	CYANIDE, DISSOLVED STD METHOD (UG/L)	57125
00724	CYANIDE COMPLEXED TO A RANGE OF COMPNDS (UG/L)	57125
00969	CHRYSTILE ASBESTOS FIBERS/LITER	1332214
00973	AMPHIBOLE ASBESTOS FIBERS/LITER	1332214
00976	AMBIGUOUS ASBESTOS FIBERS/LITER	1332214
00977	NON-AMPHIBOLE NON-CHRYSTILE ASBESTOS FIBERS/LITER	1332214
00978	ARSENIC, TOTAL RECOVERABLE IN WATER AS AS	7440382
00981	SELENIUM, TOTAL RECOVERABLE IN WATER AS SE (UG/L)	7782492
00982	THALLIUM, TOTAL RECOVERABLE IN WATER AS (UG/L)	7440280
00990	SELENITE, TOTAL RECOVERABLE INORGANIC (UG/L)	7782492
00991	ARSENIC, TOTAL RECOVER. TRIVALENT INORGANIC (UG/L)	7440382
00995	ARSENIC, INORGANIC DISSOLVED (UG/L AS AS)	7440382
00996	ARSENIC, INORGANIC SUSPENDED (UG/L AS AS)	7440382
00997	ARSENIC, INORGANIC TOTAL (UG/L AS AS)	7440382
00998	BERYLLIUM, TOTAL RECOVERABLE IN WATER AS BE (UG/L)	7440417
01000	ARSENIC, DISSOLVED (UG/L AS AS)	7440382
01001	ARSENIC, SUSPENDED (UG/L AS AS)	7440382
01002	ARSENIC, TOTAL (UG/L AS AS)	7440382
01010	BERYLLIUM, DISSOLVED (UG/L AS BE)	7440417
01011	BERYLLIUM, SUSPENDED (UG/L AS BE)	7440417
01012	BERYLLIUM, TOTAL (UG/L AS BE)	7440417
01025	CADMIUM, DISSOLVED (UG/L AS CD)	7440439
01026	CADMIUM, SUSPENDED (UG/L AS CD)	7440439
01027	CADMIUM, TOTAL (UG/L AS CD)	7440439
01030	CHROMIUM, DISSOLVED (UG/L AS CR)	7440473
01031	CHROMIUM, SUSPENDED (UG/L AS CR)	7440473
01032	CHROMIUM, HEXAVALENT (UG/L AS CR)	7440473
01033	CHROMIUM, TRI-VAL (UG/L AS CR)	16065831
01034	CHROMIUM, TOTAL (UG/L AS CR)	7440473

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
01040	COPPER, DISSOLVED (UG/L AS CU)	7440508
01041	COPPER, SUSPENDED (UG/L AS CU)	7440508
01042	COPPER, TOTAL (UG/L AS CU)	7440508
01049	LEAD, DISSOLVED (UG/L AS PB)	7439921
01050	LEAD, SUSPENDED (UG/L AS PB)	7439921
01051	LEAD, TOTAL (UG/L AS PB)	7439921
01057	THALLIUM, DISSOLVED (UG/L AS TL)	7440280
01058	THALLIUM, SUSPENDED (UG/L AS TL)	7440280
01059	THALLIUM, TOTAL (UG/L AS TL)	7440280
01065	NICKEL, DISSOLVED (UG/L AS NI)	7440020
01066	NICKEL, SUSPENDED (UG/L AS NI)	7440020
01067	NICKEL, TOTAL (UG/L AS NI)	7440020
01074	NICKEL, TOTAL RECOVERABLE IN WATER AS NI (UG/L)	7440020
01075	SILVER, DISSOLVED (UG/L AS AG)	7440224
01076	SILVER, SUSPENDED (UG/L AS AG)	7440224
01077	SILVER, TOTAL (UG/L AS AG)	7440224
01079	SILVER, TOTAL RECOVERABLE IN WATER AS AG (UG/L)	7440224
01089	COPPER AS SUSPENDED BLACK OXIDE IN WATER (MG/L)	7440508
01090	ZINC, DISSOLVED (UG/L AS ZN)	7440666
01091	ZINC, SUSPENDED (UG/L ZN)	7440666
01092	ZINC, TOTAL (UG/L AS ZN)	7440666
01094	ZINC, TOTAL RECOVERABLE IN WATER AS ZN (UG/L)	7440666
01095	ANTIMONY, DISSOLVED (UG/L AS SB)	7440360
01096	ANTIMONY, SUSPENDED (UG/L AS SB)	7440360
01097	ANTIMONY, TOTAL (UG/L AS SB)	7440360
01113	CADMIUM, TOTAL RECOVERABLE IN WATER AS CD (UG/L)	7440439
01114	LEAD, TOTAL RECOVERABLE IN WATER AS PB (UG/L)	7439921
01118	CHROMIUM, TOTAL RECOVERABLE IN WATER AS CR (UG/L)	7440473
01119	COPPER, TOTAL RECOVERABLE IN WATER AS CU (UG/L)	7440508

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
01124	THALLIUM, ACID SOLUBLE, WATER, WHOLE (UG/L)	7440280
01128	THALLIUM,TOTAL RECOVERABLE <95%, UG/L AS TL	7440280
01138	SELENIUM, IN WATER, LBS/DAY	7782492
01145	SELENIUM, DISSOLVED (UG/L AS SE)	7782492
01146	SELENIUM, SUSPENDED (UG/L AS SE)	7782492
01147	SELENIUM, TOTAL (UG/L AS SE)	7782492
01167	SELENIUM, ACID SOLUBLE, WATER, WHOLE (UG/L)	7782492
01220	CHROMIUM, HEXAVALENT, DISSOLVED IN (UG/L AS CR)	18540299
01252	ARSENIC, LB/DAY/CFS STREAM FLOW	7440382
01253	CADMIUM, LB/DAY/CFS STREAM FLOW	7440439
01254	CHROMIUM, TOTAL (LBS/DAY/CFS STREAM FLOW)	7740473
01255	CHROMIUM, HEXAVALENT, LB/DAY/CFS STREAM FLOW	18540299
01256	COPPER, LB/DAY/CFS STREAM FLOW	7440508
01257	CYANIDE LB/DAY/CFS STREAM FLOW	57125
01259	LEAD, LB/DAY/CFS STREAM FLOW	7439921
01260	MERCURY, LB/DAY/CFS STREAM FLOW	7439976
01261	NICKEL, LB/DAY/CFS STREAM FLOW	7440020
01263	SILVER, LB/DAY/CFS STREAM FLOW	7440224
01264	ZINC LB/DAY/CFS STREAM FLOW	7440666
01268	ANTIMONY, (SB), WATER, TOTAL RECOVERABLE (UG/L)	7440360
01291	CYANIDE, FILTERABLE, TOTAL IN WATER (UG/L)	57125
01303	ZINC, POTENTIALLY DISSOLVED WATER (MG/L)	7440666
01304	SILVER, POTENTIALLY DISSOLVED WATER (MG/L)	7440224
01306	COPPER, POTENTIALLY DISSOLVED WATER (MG/L)	7440508
01307	CHROMIUM, HEXAVALENT, POTENT. DISS. WATER (MG/L)	18540299
01309	ARSENIC, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440382
01312	BERYLLIUM, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440417
01313	CADMIUM, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440439

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
01314	CHROMIUM, TRIVALENT, POTENT., DISS., WATER (MG/L)	16065831
01318	LEAD, POTENTIALLY, DISSOLVED, WATER (MG/L)	7439921
01321	MERCURY, POTENTIALLY, DISSOLVED, WATER (MG/L)	7439976
01322	NICKEL, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440020
01323	SELENIUM, POTENTIALLY, DISSOLVED, WATER (MG/L)	7782492
01324	THALLIUM, POTENTIALLY, DISSOLVED, WATER (MG/L)	7440280
01523	SILVER, IONIC (UG/L)	7440224
22675	SELENIUM, DISSOLVED ORGANIC (UG/L)	7782492
22676	SELENIUM, HEXAVALENT, DISSOLVED (UG/L)	7782492
22677	SELENIUM, TETRAVALENT, DISSOLVED	7782492
22678	ARSENIC, DISSOLVED ORGANIC (UG/L)	7440382
22679	ARSENIC, PENTAVALENT, DISSOLVED (UG/L)	7440382
22680	ARSENIC, TRIVALENT, DISSOLVED (UG/L)	7440382
30197	2-CHLOROETHYL VINYL ETHER, WATER, WHL, RECOVER (UG/L)	110758
30201	CHLOROMETHANE, WATER, WHOLE, RECOVERABLE (UG/L)	74873
30202	BROMOMETHANE, WATER, WHOLE, RECOVERABLE (UG/L)	74839
32003	CARBON CHLOROFORM AND CARBON ALCOHOL EXT. (UG/L)	67663
32005	CARBON CHLOROFORM EXTRACTABLES (UG/L)	67663
32021	CARBON CHLOROFORM EXTRACTS, ETHER INSOLUBLE (UG/L)	67663
32022	CARBON CHLOROFORM EXTRACTS, WATER SOLUBLES (UG/L)	67663
32101	BROMODICHLOROMETHANE, WHOLE WATER (UG/L)	75274
32102	CARBON TETRACHLORIDE, WHOLE WATER, (UG/L)	56235
32103	1,2-DICHLOROETHANE, WHOLE WATER (UG/L)	107062
32104	BROMOFORM, WHOLE WATER, (UG/L)	75252
32105	DIBROMOCHLOROMETHANE, WHOLE WATER, (UG/L)	124481
32106	CHLOROFORM, WHOLE WATER (UG/L)	67663
32260	CARBON TETRACHLORIDE EXTRACTABLES (MG/L)	56235
32270	CHLOROFORM EXTRACTABLES TOTAL IN MG PER LITER	67663

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34010	TOLUENE IN WTR SMPLE GC-MS, HEXADECONE EXT. (UG/L)	108883
34030	BENZENE IN WTR SMPLE GC-MS, HEXADECONE EXT. (UG/L)	71432
34198	BHC-DELTA, WATER, WHOLE (LBS/DAY)	319868
34200	ACENAPHTHYLENE, TOTAL (UG/L)	208968
34201	ACENAPHTHYLENE, DISSOLVED (UG/L)	208968
34202	ACENAPHTHYLENE, SUSPENDED (UG/L)	208968
34205	ACENAPHTHENE, TOTAL (UG/L)	83329
34206	ACENAPHTHENE, DISSOLVED (UG/L)	83329
34207	ACENAPHTHENE, SUSPENDED (UG/L)	83329
34210	ACROLEIN, TOTAL (UG/L)	107028
34211	ACROLEIN, DISSOLVED (UG/L)	107028
34212	ACROLEIN, SUSPENDED (UG/L)	107028
34215	ACRYLONITRILE, TOTAL (UG/L)	107131
34216	ACRYLONITRILE, DISSOLVED (UG/L)	107131
34217	ACRYLONITRILE, SUSPENDED (UG/L)	107131
34220	ANTHRACENE, TOTAL (UG/L)	120127
34221	ANTHRACENE, DISSOLVED (UG/L)	120127
34222	ANTHRACENE, SUSPENDED (UG/L)	120127
34225	ASBESTOS (FIBROUS) TOTAL (UG/L)	1332214
34226	ASBESTOS (FIBROUS) DISSOLVED (UG/L)	1332214
34227	ASBESTOS (FIBROUS) SUSPENDED (UG/L)	1332214
34230	BENZO(B)FLUORANTHENE, WHOLE WATER (UG/L)	205992
34231	BENZO(B)FLUORANTHENE, DISSOLVED (UG/L)	205992
34232	BENZO(B)FLUORANTHENE, SUSPENDED (UG/L)	205992
34235	BENZENE, DISSOLVED (UG/L)	71432
34236	BENZENE, SUSPENDED (UG/L)	71432
34239	BENZIDINE, DISSOLVED (UG/L)	92875
34240	BENZIDINE, SUSPENDED (UG/L)	92875

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34242	BENZO(K)FLUORANTHENE, TOTAL (UG/L)	207089
34243	BENZO(K)FLUORANTHENE, DISSOLVED (UG/L)	207089
34244	BENZO(K)FLUORANTHENE, SUSPENDED (UG/L)	207089
34247	BENZO-A-PYRENE, TOTAL (UG/L)	50328
34248	BENZO-A-PYRENE, DISSOLVED (UG/L)	50328
34249	BENZO-A-PYRENE, SUSPENDED (UG/L)	50328
34253	A-BHC-ALPHA, DISSOLVED (UG/L)	319846
34254	A-BHC-ALPHA, SUSPENDED (UG/L)	319846
34255	B-BHC-BETA, DISSOLVED (UG/L)	319857
34256	B-BHC-BETA, SUSPENDED (UG/L)	319857
34259	DELTA BENZENE HEXACHLORIDE, TOTAL (UG/L)	319868
34260	DELTA BENZENE HEXACHLORIDE, DISSOLVED (UG/L)	319868
34261	DELTA BENZENE HEXACHLORIDE, SUSPENDED (UG/L)	319868
34265	R-BHC (LINDANE) GAMMA, DISSOLVED (UG/L)	58899
34266	R-BHC (LINDANE) GAMMA, SUSPENDED (UG/L)	58899
34273	BIS (2-CHLOROETHYL) ETHER, TOTAL (UG/L)	111444
34274	BIS (2-CHLOROETHYL) ETHER, DISSOLVED (UG/L)	111444
34275	BIS (2-CHLOROETHYL) ETHER, SUSPENDED (UG/L)	111444
34278	BIS (2-CHLOROETHOXY) METHANE, TOTAL (UG/L)	111911
34279	BIS (2-CHLOROETHOXY) METHANE, DISSOLVED (UG/L)	111911
34280	BIS (2-CHLOROETHOXY) METHANE, SUSPENDED (UG/L)	111911
34288	BROMOFORM, DISSOLVED (UG/L)	75252
34289	BROMOFORM, SUSPENDED (UG/L)	75252
34292	N-BUTYL BENZYL PHTHALATE, WHOLE WATER (UG/L)	85687
34293	N-BUTYL BENZYL PHTHALATE, DISSOLVED (UG/L)	85687
34294	N-BUTYL BENZYL PHTHALATE, SUSPENDED (UG/L)	85687
34297	CARBON TETRACHLORIDE, DISSOLVED (UG/L)	56235
34298	CARBON TETRACHLORIDE, SUSPENDED (UG/L)	56235

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34301	CHLOROBENZENE, TOTAL (UG/L)	108907
34302	CHLOROBENZENE, DISSOLVED (UG/L)	108907
34303	CHLOROBENZENE, SUSPENDED (UG/L)	108907
34306	CHLORODIBROMOMETHANE, TOTAL (UG/L)	124481
34307	CHLORODIBROMOMETHANE, DISSOLVED (UG/L)	124481
34308	CHLORODIBROMOMETHANE, SUSPENDED (UG/L)	124481
34311	CHLOROETHANE, TOTAL (UG/L)	75003
34312	CHLOROETHANE, DISSOLVED (UG/L)	75003
34313	CHLOROETHANE, SUSPENDED (UG/L)	75003
34316	CHLOROFORM, DISSOLVED (UG/L)	67663
34317	CHLOROFORM, SUSPENDED (UG/L)	67663
34320	CHRYSENE, TOTAL (UG/L)	218019
34321	CHRYSENE, DISSOLVED (UG/L)	218019
34322	CHRYSENE, SUSPENDED (UG/L)	218019
34325	CYANIDE, SUSPENDED (MG/L)	57125
34327	DI-N-BUTYL PHTHALATE, DISSOLVED (UG/L)	84742
34328	DICHLOROBROMOMETHANE, DISSOLVED (UG/L)	75274
34329	DICHLOROBROMOMETHANE, SUSPENDED (UG/L)	75274
34336	DIETHYL PHTHALATE, TOTAL (UG/L)	84662
34337	DIETHYL PHTHALATE, DISSOLVED (UG/L)	84662
34338	DIETHYL PHTHALATE, SUSPENDED (UG/L)	84662
34341	DIMETHYL PHTHALATE, TOTAL (UG/L)	131113
34342	DIMETHYL PHTHALATE, DISSOLVED (UG/L)	131113
34343	DIMETHYL PHTHALATE, SUSPENDED (UG/L)	131113
34346	1,2-DIPHENYLHYDRAZINE, TOTAL (UG/L)	122667
34347	1,2-DIPHENYLHYDRAZINE, DISSOLVED (UG/L)	122667
34348	1,2-DIPHENYLHYDRAZINE, SUSPENDED (UG/L)	122667
34351	ENDOSULFAN SULFATE, TOTAL (UG/L)	1031078

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34352	ENDOSULFAN SULFATE, DISSOLVED (UG/L)	1031078
34353	ENDOSULFAN SULFATE, SUSPENDED (UG/L)	1031078
34356	ENDOSULFAN, BETA, TOTAL (UG/L)	33213659
34357	ENDOSULFAN, BETA, DISSOLVED (UG/L)	33213659
34358	ENDOSULFAN, BETA, SUSPENDED (UG/L)	33213659
34361	ENDOSULFAN, ALPHA, TOTAL (UG/L)	959988
34362	ENDOSULFAN, ALPHA, DISSOLVED (UG/L)	959988
34363	ENDOSULFAN, ALPHA, SUSPENDED (UG/L)	959988
34371	ETHYLBENZENE, TOTAL (UG/L)	100414
34372	ETHYLBENZENE, DISSOLVED (UG/L)	100414
34373	ETHYLBENZENE, SUSPENDED (UG/L)	100414
34376	FLUORANTHENE, TOTAL (UG/L)	206440
34377	FLUORANTHENE, DISSOLVED (UG/L)	206440
34378	FLUORANTHENE, SUSPENDED (UG/L)	206440
34381	FLUORENE, TOTAL (UG/L)	86737
34382	FLUORENE, DISSOLVED (UG/L)	86737
34383	FLUORENE, SUSPENDED (UG/L)	86737
34386	HEXACHLOROCYCLOPENTADIENE, TOTAL (UG/L)	77474
34387	HEXACHLOROCYCLOPENTADIENE, DISSOLVED (UG/L)	77474
34388	HEXACHLOROCYCLOPENTADIENE, SUSPENDED (UG/L)	77474
34391	HEXACHLOROBUTADIENE, TOTAL (UG/L)	87683
34392	HEXACHLOROBUTADIENE, DISSOLVED (UG/L)	87683
34393	HEXACHLOROBUTADIENE, SUSPENDED (UG/L)	87683
34396	HEXACHLOROETHANE, TOTAL (UG/L)	67721
34397	HEXACHLOROETHANE, DISSOLVED (UG/L)	67721
34398	HEXACHLOROETHANE, SUSPENDED (UG/L)	67721
34401	HEXACHLOROBENZENE, DISSOLVED (UG/L)	118741
34402	HEXACHLOROBENZENE, SUSPENDED (UG/L)	118741

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34403	INDENO (1,2,3-CD) PYRENE, TOTAL (UG/L)	193395
34404	INDENO (1,2,3-CD) PYRENE, DISSOLVED (UG/L)	193395
34405	INDENO (1,2,3-CD) PYRENE, SUSPENDED (UG/L)	193395
34408	ISOPHORONE, TOTAL (UG/L)	78591
34409	ISOPHORONE, DISSOLVED (UG/L)	78591
34410	ISOPHORONE, SUSPENDED (UG/L)	78591
34413	METHYL BROMIDE, TOTAL (UG/L)	74839
34414	METHYL BROMIDE, DISSOLVED (UG/L)	74839
34415	METHYL BROMIDE, SUSPENDED (UG/L)	74839
34418	METHYL CHLORIDE, TOTAL (UG/L)	74873
34419	METHYL CHLORIDE, DISSOLVED (UG/L)	74873
34420	METHYL CHLORIDE, SUSPENDED (UG/L)	74873
34423	METHYLENE CHLORIDE, TOTAL (UG/L)	75092
34424	METHYLENE CHLORIDE, DISSOLVED (UG/L)	75092
34425	METHYLENE CHLORIDE, SUSPENDED (UG/L)	75092
34428	N-NITROSODI-N-PROPYLAMINE, TOTAL (UG/L)	621647
34429	N-NITROSODI-N-PROPYLAMINE, DISSOLVED (UG/L)	621647
34430	N-NITROSODI-N-PROPYLAMINE, SUSPENDED (UG/L)	621647
34433	N-NITROSODIPHENYLAMINE, TOTAL (UG/L)	86306
34434	N-NITROSODIPHENYLAMINE, DISSOLVED (UG/L)	86306
34435	N-NITROSODIPHENYLAMINE, SUSPENDED (UG/L)	86306
34438	N-NITROSODIMETHYLAMINE, TOTAL (UG/L)	62759
34439	N-NITROSODIMETHYLAMINE, DISSOLVED (UG/L)	62759
34440	N-NITROSODIMETHYLAMINE, SUSPENDED (UG/L)	62759
34443	NAPHTHALENE, DISSOLVED (UG/L)	91203
34444	NAPHTHALENE, SUSPENDED (UG/L)	91203
34447	NITROBENZENE, TOTAL (UG/L)	98953
34448	NITROBENZENE, DISSOLVED (UG/L)	98953

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34449	NITROBENZENE, SUSPENDED (UG/L)	98953
34452	PARACHLOROMETA CRESOL, TOTAL (UG/L)	59507
34453	PARACHLOROMETA CRESOL, DISSOLVED (UG/L)	59507
34454	PARACHLOROMETA CRESOL, SUSPENDED (UG/L)	59507
34457	PCB - 1242, DISSOLVED (UG/L)	53469219
34458	PCB - 1242, SUSPENDED (UG/L)	53469219
34459	PCP (PENTACHLOROPHENOL), DISSOLVED (UG/L)	87865
34460	PCP (PENTACHLOROPHENOL), SUSPENDED (UG/L)	87865
34461	PHENANTHRENE, TOTAL (UG/L)	85018
34462	PHENANTHRENE, DISSOLVED (UG/L)	85018
34463	PHENANTHRENE, SUSPENDED (UG/L)	85018
34466	PHENOL, DISSOLVED (UG/L)	108952
34467	PHENOL, SUSPENDED (UG/L)	108952
34469	PYRENE, TOTAL (UG/L)	129000
34470	PYRENE, DISSOLVED (UG/L)	129000
34471	PYRENE, SUSPENDED (UG/L)	129000
34475	TETRACHLOROETHYLENE, TOTAL (UG/L)	127184
34476	TETRACHLOROETHYLENE, DISSOLVED (UG/L)	127184
34477	TETRACHLOROETHYLENE, SUSPENDED (UG/L)	127184
34481	TOLUENE, DISSOLVED (UG/L)	108883
34482	TOLUENE, SUSPENDED (UG/L)	108883
34485	TRICHLOROETHYLENE, DISSOLVED (UG/L)	79016
34486	TRICHLOROETHYLENE, SUSPENDED (UG/L)	79016
34493	VINYL CHLORIDE, DISSOLVED (UG/L)	75014
34494	VINYL CHLORIDE, SUSPENDED (UG/L)	75014
34496	1,1-DICHLOROETHANE, TOTAL (UG/L)	75343
34497	1,1-DICHLOROETHANE, DISSOLVED (UG/L)	75343
34498	1,1-DICHLOROETHANE, SUSPENDED (UG/L)	75343

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34501	1,1-DICHLOROETHYLENE, TOTAL (UG/L)	75354
34502	1,1-DICHLOROETHYLENE, DISSOLVED (UG/L)	75354
34503	1,1-DICHLOROETHYLENE, SUSPENDED (UG/L)	75354
34506	1,1,1-TRICHLOROETHANE, TOTAL (UG/L)	71556
34507	1,1,1-TRICHLOROETHANE, DISSOLVED (UG/L)	71556
34508	1,1,1-TRICHLOROETHANE, SUSPENDED (UG/L)	71556
34511	1,1,2-TRICHLOROETHANE, TOTAL (UG/L)	79005
34512	1,1,2-TRICHLOROETHANE, DISSOLVED (UG/L)	79005
34513	1,1,2-TRICHLOROETHANE, SUSPENDED (UG/L)	79005
34516	1,1,2,2-TETRACHLOROETHANE, TOTAL (UG/L)	79345
34517	1,1,2,2-TETRACHLOROETHANE, DISSOLVED (UG/L)	79345
34518	1,1,2,2-TETRACHLOROETHANE, SUSPENDED (UG/L)	79345
34521	BENZO(GHI)PERYLENE1,12-BENZOPERYLENE, TOTAL (UG/L)	191242
34522	BENZO(GHI)PERYLENE1,12-BENZOPERYLENE, DISS. (UG/L)	191242
34523	BENZO(GHI)PERYLENE1,12-BENZOPERYLENE, SUSP. (UG/L)	191242
34526	BENZO(A)ANTHRACENE1,2-BENZANTHRACENE, TOTAL (UG/L)	56553
34527	BENZO(A)ANTHRACENE1,2-BENZANTHRACENE, DISS. (UG/L)	56553
34528	BENZO(A)ANTHRACENE1,2-BENZANTHRACENE, SUSP. (UG/L)	56553
34531	1,2-DICHLOROETHANE, TOTAL (UG/L)	107062
34532	1,2-DICHLOROETHANE, DISSOLVED (UG/L)	107062
34533	1,2-DICHLOROETHANE, SUSPENDED (UG/L)	107062
34536	1,2-DICHLOROBENZENE, TOTAL (UG/L)	95501
34537	1,2-DICHLOROBENZENE, DISSOLVED (UG/L)	95501
34538	1,2-DICHLOROBENZENE, SUSPENDED (UG/L)	95501
34541	1,2-DICHLOROPROPANE, TOTAL (UG/L)	78875
34542	1,2-DICHLOROPROPANE, DISSOLVED (UG/L)	78875
34543	1,2-DICHLOROPROPANE, SUSPENDED (UG/L)	78875
34546	TRANS-1,2-DICHLOROETHENE, TOTAL, IN WATER (UG/L)	156605

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34547	TRANS-1,2-DICHLOROETHENE, DISSOLVED (UG/L)	156605
34548	TRANS-1,2-DICHLOROETHENE, SUSPENDED (UG/L)	156605
34551	1,2,4-TRICHLOROBENZENE, TOTAL (UG/L)	120821
34552	1,2,4-TRICHLOROBENZENE, DISSOLVED (UG/L)	120821
34553	1,2,4-TRICHLOROBENZENE, SUSPENDED (UG/L)	120821
34556	1,2,5,6-DIBENZANTHRACENE, TOTAL (UG/L)	53703
34557	1,2,5,6-DIBENZANTHRACENE, DISSOLVED (UG/L)	53703
34558	1,2,5,6-DIBENZANTHRACENE, SUSPENDED (UG/L)	53703
34561	1,3-DICHLOROPROPENE, TOTAL (UG/L)	542756
34562	1,3-DICHLOROPROPENE, DISSOLVED (UG/L)	542756
34563	1,3-DICHLOROPROPENE, SUSPENDED (UG/L)	542756
34566	1,3-DICHLOROBENZENE, TOTAL (UG/L)	541731
34567	1,3-DICHLOROBENZENE, DISSOLVED (UG/L)	541731
34568	1,3-DICHLOROBENZENE, SUSPENDED (UG/L)	541731
34571	1,4-DICHLOROBENZENE, TOTAL (UG/L)	106467
34572	1,4-DICHLOROBENZENE, DISSOLVED (UG/L)	106467
34573	1,4-DICHLOROBENZENE, SUSPENDED (UG/L)	106467
34576	2-CHLOROETHYL VINYL ETHER, TOTAL (UG/L)	110758
34577	2-CHLOROETHYL VINYL ETHER, DISSOLVED (UG/L)	110758
34578	2-CHLOROETHYL VINYL ETHER, SUSPENDED (UG/L)	110758
34581	2-CHLORONAPHTHALENE, TOTAL (UG/L)	91587
34582	2-CHLORONAPHTHALENE, DISSOLVED (UG/L)	91587
34583	2-CHLORONAPHTHALENE, SUSPENDED (UG/L)	91587
34586	2-CHLOROPHENOL, TOTAL (UG/L)	95578
34587	2-CHLOROPHENOL, DISSOLVED (UG/L)	95578
34588	2-CHLOROPHENOL, SUSPENDED (UG/L)	95578
34591	2-NITROPHENOL, TOTAL (UG/L)	88755
34592	2-NITROPHENOL, DISSOLVED (UG/L)	88755

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34593	2-NITROPHENOL, SUSPENDED (UG/L)	88755
34596	DI-N-OCTYL PHTHALATE, TOTAL (UG/L)	117840
34597	DI-N-OCTYL PHTHALATE, DISSOLVED (UG/L)	117840
34598	DI-N-OCTYL PHTHALATE, SUSPENDED (UG/L)	117840
34601	2,4-DICHLOROPHENOL, TOTAL (UG/L)	120832
34602	2,4-DICHLOROPHENOL, DISSOLVED (UG/L)	120832
34603	2,4-DICHLOROPHENOL, SUSPENDED (UG/L)	120832
34606	2,4-DIMETHYLPHENOL, TOTAL (UG/L)	105679
34607	2,4-DIMETHYLPHENOL, DISSOLVED (UG/L)	105679
34608	2,4-DIMETHYLPHENOL, SUSPENDED (UG/L)	105679
34611	2,4-DINITROTOLUENE, TOTAL (UG/L)	121142
34612	2,4-DINITROTOLUENE, DISSOLVED (UG/L)	121142
34613	2,4-DINITROTOLUENE, SUSPENDED (UG/L)	121142
34616	2,4-DINITROPHENOL, TOTAL (UG/L)	51285
34617	2,4-DINITROPHENOL, DISSOLVED (UG/L)	51285
34618	2,4-DINITROPHENOL, SUSPENDED (UG/L)	51285
34621	2,4,6-TRICHLOROPHENOL, TOTAL (UG/L)	88062
34622	2,4,6-TRICHLOROPHENOL, DISSOLVED (UG/L)	88062
34623	2,4,6-TRICHLOROPHENOL, SUSPENDED (UG/L)	88062
34626	2,6-DINITROTOLUENE, TOTAL (UG/L)	606202
34627	2,6-DINITROTOLUENE, DISSOLVED (UG/L)	606202
34628	2,6-DINITROTOLUENE, SUSPENDED (UG/L)	606202
34631	3,3'-DICHLOROBENZIDINE, TOTAL (UG/L)	91941
34632	3,3'-DICHLOROBENZIDINE, DISSOLVED (UG/L)	91941
34633	3,3'-DICHLOROBENZIDINE, SUSPENDED (UG/L)	91941
34636	4-BROMOPHENYL PHENYL ETHER, TOTAL (UG/L)	101553
34637	4-BROMOPHENYL PHENYL ETHER, DISSOLVED (UG/L)	101553
34638	4-BROMOPHENYL PHENYL ETHER, SUSPENDED (UG/L)	101553

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34641	4-CHLOROPHENYL PHENYL ETHER, TOTAL (UG/L)	7005723
34642	4-CHLOROPHENYL PHENYL ETHER, DISSOLVED (UG/L)	7005723
34643	4-CHLOROPHENYL PHENYL ETHER, SUSPENDED (UG/L)	7005723
34646	4-NITROPHENOL, TOTAL (UG/L)	100027
34647	4-NITROPHENOL, DISSOLVED (UG/L)	100027
34648	4-NITROPHENOL, SUSPENDED (UG/L)	100027
34651	P,P'-DDD, DISSOLVED (UG/L)	72548
34652	P,P'-DDD, SUSPENDED (UG/L)	72548
34653	P,P'-DDE, DISSOLVED (UG/L)	72559
34654	P,P'-DDE, SUSPENDED (UG/L)	72559
34655	P,P'-DDT, DISSOLVED (UG/L)	50293
34656	P,P'-DDT, SUSPENDED (UG/L)	50293
34657	DNOC (4,6-DINITRO-ORTHO-CRESOL), TOTAL (UG/L)	534521
34658	DNOC (4,6-DINITRO-ORTHO-CRESOL), DISSOLVED (UG/L)	534521
34659	DNOC (4,6-DINITRO-ORTHO-CRESOL), SUSPENDED (UG/L)	534521
34662	PCB - 1221, DISSOLVED (UG/L)	11104282
34663	PCB - 1221, SUSPENDED (UG/L)	11104282
34665	PCB - 1232, DISSOLVED (UG/L)	11141165
34666	PCB - 1232, SUSPENDED (UG/L)	11141165
34671	PCB - 1016, TOTAL (UG/L)	12674112
34672	PCB - 1016, DISSOLVED (UG/L)	12674112
34673	PCB - 1016, SUSPENDED (UG/L)	12674112
34675	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD),TOT(UG/L)	1746016
34676	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)DISS(UG/L)	1746016
34677	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)SUSP(UG/L)	1746016
34694	PHENOL(C6H5OH)-SINGLE COMPOUND TOTAL (UG/L)	108952
34696	NAPHTHALENE, TOTAL (UG/L)	91203
34750	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)TOT(PG/L)	1746016

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
34751	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)DISS(PG/L)	1746016
34752	2,3,7,8-TETRACHLORODIBENZO-PDIOXIN(TCDD)SUSP(PG/L)	1746016
39032	PCP (PENTACHLOROPHENOL) WHOLE WATER SAMPLE (UG/L)	87865
39039	HEXACHLOROBENZENE WATER SAMPLE,ELECTRON CPT (UG/L)	118741
39100	BIS(2-ETHYLHEXYL) PHTHALATE, WHOLE WATER (UG/L)	117817
39103	BIS(2-ETHYLHEXYL) PHTHALATE, DISSOLVED, (UG/L)	117817
39104	BIS(2-ETHYLHEXYL) PHTHALATE, SUSPENDED, (UG/L)	117817
39107	PHTHALATES,DIETHYLHEXYL SUS.FRAC.WTR DWT (MG/KG)	117817
39110	DI-N-BUTYL PHTHALATE, WHOLE WATER (UG/L)	84742
39114	DI-N-BUTYL PHTHALATE, SUSPENDED (UG/L)	84742
39115	PHTHALATES,DIBUTYL SUS.FRAC.WATER DWT (UG/KG)	84742
39120	BENZIDINE IN WHOLE WATER SAMPLE (UG/L)	92875
39175	VINYL CHLORIDE-WHOLE WATER SAMPLE (UG/L)	75014
39180	TRICHLOROETHYLENE-WHOLE WATER SAMPLE (UG/L)	79016
39300	P,P' DDT IN WHOLE WATER SAMPLE (UG/L)	50293
39310	P,P' DDD IN WHOLE WATER SAMPLE (UG/L)	72548
39320	P,P' DDE IN WHOLE WATER SAMPLE (UG/L)	72559
39330	ALDRIN IN WHOLE WATER SAMPLE (UG/L)	309002
39331	ALDRIN IN FILT. FRAC. OF WAT. SAMP. (UG/L)	309002
39332	ALDRIN IN SUSP. FRAC. OF WAT. SAMP. (UG/L)	309002
39336	BHC-ALPHA, WATER, WHOLE (LBS/DAY)	319846
39337	ALPHA BENZENE HEXACHLORIDE IN WHOLE WATER (UG/L)	319846
39338	BETA BENZENE HEXACHLORIDE IN WHOLE WATER (UG/L)	319857
39340	GAMMA-BHC(LINDANE), WHOLE WATER (UG/L)	58899
39341	GAMMA-BHC(LINDANE), DISSOLVED (UG/L)	58899
39342	GAMMA-BHC(LINDANE), SUSPENDED (UG/L)	58899
39344	BHC-GAMMA, WATER, WHOLE (LBS/DAY)	58899
39350	CHLORDANE(TECH MIX & METABS), WHOLE WATER (UG/L)	57749

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
39352	CHLORDANE(TECH MIX & METABS), DISSOLVED (UG/L)	57749
39353	CHLORDANE(TECH MIX & METABS), SUSPENDED (UG/L)	57749
39360	DDD IN WHOLE WATER SAMPLE (UG/L)	72548
39361	DDD IN FILT. FRAC. OF WATER SMAPLE (UG/L)	72548
39362	DDD IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	72548
39365	DDE IN WHOLE WATER SAMPLE (UG/L)	72559
39366	DDE IN FILT. FRAC. OF WATER SAMPLE (UG/L)	72559
39367	DDE IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	72559
39370	DDT IN WHOLE WATER SAMPLE (UG/L)	50293
39371	DDT IN FILT. FRAC. OF WATER SAMPLE (UG/L)	50293
39372	DDT IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	50293
39380	DIELDRIN IN WHOLE WATER SAMPLE (UG/L)	60571
39381	DIELDRIN IN FILT. FRAC. OF WATER SAMPLE (UG/L)	60571
39382	DIELDRIN IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	60571
39390	ENDRIN IN WHOLE WATER SAMPLE (UG/L)	72208
39391	ENDRIN IN FILT. FRAC. OF WATER SAMPLE (UG/L)	72208
39392	ENDRIN IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	72208
39400	TOXAPHENE IN WHOLE WATER SAMPLE (UG/L)	8001352
39401	TOXAPHENE IN FILT. FRAC. OF WATER SAMPLE (UG/L)	8001352
39402	TOXAPHENE IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	8001352
39410	HEPTACHLOR IN WHOLE WATER SAMPLE (UG/L)	76448
39411	HEPTACHLOR IN FILT. FRAC. OF WATER SAMPLE (UG/L)	76448
39412	HEPTACHLOR IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	76448
39420	HEPTACHLOR EPOXIDE IN WHOLE WATER SAMPLE (UG/L)	1024573
39421	HEPTACHLOR EPOXIDE IN FILT. FRAC. WAT. SAM. (UG/L)	1024573
39422	HEPTACHLOR EPOXIDE IN SUSP. FRAC. WAT. SAM. (UG/L)	1024573
39488	PCB - 1221 IN THE WHOLE WATER SAMPLE (UG/L)	11104282
39492	PCB - 1232 PCB SERIES WHOLE WATER SAMPLE (UG/L)	11141165

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
39496	PCB - 1242 PCB SERIES WHOLE WATER SAMPLE (UG/L)	53469219
39500	PCB - 1248 PCB SERIES WHOLE WATER SAMPLE (UG/L)	12672296
39501	PCB - 1248 IN FILT. FRAC. OF WATER SAMPLE (UG/L)	12672296
39502	PCB - 1248 IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	12672296
39504	PCB - 1254 PCB SERIES WHOLE WATER SAMPLE (UG/L)	11097691
39505	PCB - 1254 IN FILT. FRAC. OF WATER SAMPLE (UG/L)	11097691
39506	PCB - 1254 IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	11097691
39508	PCB - 1260 PCB SERIES WHOLE WATER SAMPLE (UG/L)	11096825
39509	PCB - 1260 IN FILT. FRAC. OF WATER SAMPLE (UG/L)	11096825
39510	PCB - 1260 IN SUSP. FRAC. OF WATER SAMPLE (UG/L)	11096825
39700	HEXACHLOROBENZENE IN WHOLE WATER SAMPLE (UG/L)	118741
39702	HEXACHLOROBUTADIENE IN WHOLE WATER SAMPLE (UG/L)	87683
39782	LINDANE IN WHOLE WATER SAMPLE (UG/L)	58899
39920	DNOC IN WHOLE WATER SAMPLE (UG/L)	534521
46322	LINDANE PLUS ISOMERS IN WHOLE WATER SAMPLE (UG/L)	58899
46323	DELTA-BHC IN WHOLE WATER SAMPLE (UG/L)	319868
46326	HEPTACHLOR AND METABOLITES IN WH. H2O SAMP. (UG/L)	76448
46479	CYANIDE, DISSOLVED, WATER (UG/L)	57125
46551	ARSENIC, FIELD ACIDIFIED W/HNO3, LAB FILT. (UG/L)	7440382
46559	CADMIUM, FIELD ACIDIFIED-HNO3-LAB FILTER (UG/L-CD)	7440439
46560	CHROMIUM, FIELD ACIDIFIED-HNO3-LAB FILT. (UG/L-CR)	7440473
46562	COPPER, FIELD ACIDIFIED-HNO3-LAB FILTER. (UG/L-CU)	7440508
46564	LEAD, FIELD ACIDIFIED-HNO3-LAB FILTERED (UG/L-PB)	7439921
46566	SILVER, FIELD ACIDIFIED-HNO3-LAB FILTER.(UG/L-AG)	7440224
46567	ZINC, EXTRACT. FIELD ACID W/HNO3, LAB FILT. (UG/L)	7440666
70012	PARACHLOROMETA CRESOL, WATER, WHOLE (LBS/DAY)	59507
70017	HEXACHLOROCYCLOPENTADIENE, WATER, WHOLE (LBS/DAY)	77474
70021	LEAD, (TCLP), WATER, TOTAL (MG/L)	7439921

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
71890	MERCURY, DISSOLVED (UG/L AS HG)	7439976
71895	MERCURY, SUSPENDED (UG/L AS HG)	7439976
71900	MERCURY, TOTAL (UG/L AS HG)	7439976
71901	MERCURY, TOTAL RECOVERABLE IN WATER AS HG (UG/L)	7439976
71946	CADMIUM, EXTRACTABLE (UG/L AS CD)	7440439
71947	CHROMIUM, EXTRACTABLE (UG/L AS CR)	7440473
71949	LEAD, EXTRACTABLE (UG/L AS PB)	7439921
71950	ZINC, EXTRACTABLE (UG/L AS ZN)	7440666
71951	COPPER, EXTRACTABLE (UG/L AS CU)	7440508
73063	CHLOROQUAIACOL,4-, TOTAL, WATER (UG/L)	16766306
73522	PROPANE, 2,2'-OXYBIS(1-CHLORO)- TOTAL (UG/L)	108601
77163	1,3-DICHLOROPROPENE-1, WHOLE WATER (UG/L)	542756
77354	1,1-DICHLORO-2,2-DIFLUOROETHANE WHOLE WATER (UG/L)	471432
77771	3-CHLORO-4-HYDROXYBENZOPHENONE, WHOLE WATER (UG/L)	55191203
78113	ETHYL BENZENE WHOLE WATER SAMPLE (UG/L)	100414
78124	BENZENE IN WATER (VOLATILE ANALYSIS) (UG/L)	71432
78131	TOLUENE IN WHOLE WATER (VOLATILE ANALYSIS) (UG/L)	108883
78208	2,4-DINITRO-O-CRESOL IN WHOLE WATER SAMPLE (UG/L)	534521
78247	CHROMIUM, HEXAVALENT, TOTAL RECOVERABLE, WT (UG/L)	18540299
78248	CYANIDE, TOTAL RECOVERABLE, WATER, WHOLE (UG/L)	57125
80357	CHROMIUM, TRIVALENT, DISSOLVED, AS CR	16065831
81208	CYANIDE, FREE (NOT AMEN. TO CHLORINATION) (MG/L)	57125
81210	CYANIDE - STATE OF ILLINOIS (MG/L)	57125
81214	CADMIUM - STATE OF ILLINOIS (MG/L)-COLD	7440439
81215	CHROMIUM - STATE OF ILLINOIS (MG/L), COLD DIGEST	18540299
81216	CHROMIUM(TRI)-STATE OF ILLINOIS (MG/L)-COLD DIGEST	16065831
81217	CHROMIUM, TOTAL - STATE OF ILLINOIS (MG/L) COLD DIGEST	7440473
81218	COPPER, STATE OF ILLINOIS, MG/L, COLD DIGEST	7440508

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
81220	LEAD, STATE OF ILLINOIS, MG/L, COLD DIGEST	7439921
81222	NICKEL - STATE OF ILLINOIS, MG/L, COLD DIGEST	7440020
81223	SILVER, STATE OF ILLINOIS, MG/L, COLD DIGEST	7440224
81224	ZINC - STATE OF ILLINOIS, MG/L, COLD DIGEST	7440666
81642	SILVER (AG) IN WATER POUNDS PER DAY (LBS/DAY)	7440224
81750	COPPER, INTERSTITIAL WATER FROM SEDIMENTS (UG/L)	7440508
81751	LEAD, INTERSTITIAL WATER FROM SEDIMENTS (UG/L)	7439921
81752	NICKEL, INTERSTITIAL WATER FROM SEDIMENTS (UG/L)	7440020
81753	CADMIUM, INTERSTITIAL WATER FROM SEDIMENT	7440439
81754	ZINC, INTERSTITIAL WATER FROM SEDIMENTS (UG/L)	7440666
81766	HEPTACHLOR EPOXIDE IN EPILITHIC ALGAE SED. (UG/KG)	1024573
81931	MERCURY (HG) SUSPENDED FRACTION OF WATER (UG/G)	7439976
81932	CADMIUM (CD) SUSPENDED FRACTION OF WATER (UG/G)	7440439
81933	ZINC (ZN) SUSPENDED FRACTION OF WATER (UG/G)	7440666
81934	LEAD (PB) SUSPENDED FRACTION OF WATER (UG/G)	7439921
81936	LEAD (PB) DISSOLVED CATIONIC SPECIES (UG/L)	7439921
81937	CADMIUM (CD) DISSOLVED CATIONIC SPECIES (UG/L)	7440439
81938	CHROMIUM, DISSOLVED CATIONIC SPECIES (UG/L)	7440473
81939	COPPER (CU) DISSOLVED CATIONIC SPECIES (UG/L)	7440508
81940	ZINC (ZN) DISSOLVED CATIONIC SPECIES (UG/L)	7440666
81941	CHROMIUM, DISSOLVED ANIONIC SPECIES (UG/L)	7440473
81942	COPPER (CU) DISSOLVED ANIONIC SPECIES (UG/L)	7440508
81943	ZINC (ZN) DISSOLVED ANIONIC SPECIES (UG/L)	7440666
82058	CHROMIUM, TOTAL, PERCENT REMOVAL	7440473
82399	CHROMIUM, HEXAVALENT (KG/BATCH)	18540299
82512	M,P-DICHLOROBENZENE (MEASURES 1,3&1,4) TOT. (UG/L)	541731
82573	CYANIDE/CHLORINATION IN WATER (MG/L)	57125
82621	HEXACHLOROBENZENE, WATER, TOTAL RECOVER. (UG/L)	118741

STORET Code	Toxic Elements (EPA Section 304(a) Priority Toxic Pollutants) cont.-	C.A.S. Number
82622	ENDRIN ALDEHYDE, WH. WATER, TOTAL RECOVER. (UG/L)	7421934
82623	ENDOSULFAN SULFATE, WATER, TOTAL RECOVER. (UG/L)	1031078
82624	ENDOSULFAN, BETA, WH. WATER, TOTAL RECOVER. (UG/L)	33213659
82626	1,2-DIPHENYLHYDRAZINE, WATER, TOTAL RECOVER. (UG/L)	122667
82627	PARACHLOROMETA CRESOL, WATER, TOTAL RECOVER. (UG/L)	59507
85006	ZINC, TOTAL - (#/DAY)	7440666
85007	CHROMIUM, TOTAL (#/DAY)	7440473
85010	NICKEL, TOTAL - (#/DAY)	7440020
85013	MERCURY, TOTAL - (#/DAY)	7439976

Appendix H

Literature Cited

Code of Federal Regulations. 1994. Protection of Environment. 40 CFR Parts 100 to 149. Revised as of July 1, 1994. Published by the Office of the Federal Register, National Archives and Records Administration. U.S. Government Printing Office, Washington, D.C. 20402.

Gilbert, R. O. 1987. Statistical Methods for Environmental Pollution Monitoring. Van Nostrand Reinhold Co., New York, NY. 320p.

GKY and Associates. 1990. Dam Inventory Database and Retrieval Software: Final Report. U.S. Environmental Protection Agency, Water Quality Analysis Branch. Under Contract #68-03-3339.

Kunkle, S. and J. Wilson. 1984. Specific Conductance and pH Measurements in Surface Waters: An Introduction for Park Natural Resource Specialists. Water Resources Field Support Laboratory Report No. 84-3. National Park Service, Water Resources Division, Fort Collins, Colorado 80525. 51p.

National Park Service. 1993. Strategic Plan for Conducting Baseline Natural Resource Inventories in the National Park Service. National Park Service, Washington Office, Servicewide Inventory and Monitoring Program, Washington, D.C. Unpublished. 17p.

U.S. Environmental Protection Agency. 1995. Quality Criteria for Water 1995. Final Draft. Office of Water Regulations and Standards, Washington, D.C.

U.S. Environmental Protection Agency. 1989. STORET User Handbook. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. 20460.

U.S. Environmental Protection Agency. 1992. Office of Water Environmental and Program Information Systems Compendium. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. 20460. 152p.

U.S. Environmental Protection Agency. 1993. Technical Description of the Reach File. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. 20460. 23p.

U.S. Geological Survey. 1982. A U.S. Geological Survey Data Standard: Codes for the Identification of Hydrologic Units in the United States and Caribbean Outlying Areas. Geological Survey Circular 878-A. U.S. Geological Survey, Water Resources Division, Reston, VA. 22092. 115p.

U.S. Geological Survey 1992. Hydro-Climatic Data Network: A U.S. Geological Survey Streamflow Data Set for the United States for the Study of Climate Variations 1874-1988. Open File Report 92-129/USGS Water Supply Paper No. 2406. U.S. Geological Survey, Water Resources Division, Reston, VA. 22092. 193p.

Ward, R. C., J. C. Loftis, and G. B. McBride. 1990. Design of Water Quality Monitoring Systems. Van Nostrand Reinhold Co., New York, NY. 231p.

Appendix I

Selected General Water Quality References

- American Public Health Association. 1989. Standard Methods for the Examination of Water and Wastewater (17th ed.). Washington, D.C. 1476p.
- Drever, J. I. 1982. The Geochemistry of Natural Waters. Prentice-Hall, Inc., Englewood Cliffs, NJ. 388p.
- Dunne, T. and L. B. Leopold. 1978. Water in Environmental Planning. W.H. Freeman and Company, San Francisco, CA. 818p.
- Everett, L. G. 1980. Groundwater Monitoring. General Electric Co., Schenectady, NY. 440p.
- Fetter, C. W. 1988. Applied Hydrogeology (2nd ed.). MacMillan Publishing Co., New York, NY. 592p.
- Flora, M. D., T. E. Ricketts, J. Wilson, and S. Kunkle. 1984. Water Quality Criteria: An Overview for Park Natural Resource Specialists. WRFSL Report No. 84-4. National Park Service, Water Resources Field Support Laboratory, Fort Collins, CO. 46p.
- Gilbert, R. O. 1987. Statistical Methods for Environmental Pollution Monitoring. Van Nostrand Reinhold Co., New York, NY. 320p.
- Hem, J. D. 1985. Study and Interpretation of the Chemical Characteristics of Natural Water (3rd ed.). U.S. Geological Survey Water-Supply Paper 2254. U.S. Government Printing Office, Washington, D.C. 263p.
- Kunkle, S., W. S. Johnson, and M. Flora. 1987. Monitoring Stream Water Quality for Land-Use Impacts: A Training Manual for Natural Resource Management Specialists. Water Resources Division, National Park Service, Fort Collins, CO. 102p.
- Kunkle, S. and J. Wilson. 1984. Specific Conductance and pH Measurements in Surface Waters: An Introduction for Park Natural Resource Specialists. Water Resources Field Support Laboratory Report No. 84-3. National Park Service, Water Resources Division, Fort Collins, Colorado 80525. 51p.
- Merritt, R. W., and K. W. Cummins (eds.). 1984. An Introduction to the Aquatic Insects of North America (2nd ed.). Kendall/Hunt Publishing Co., Dubuque, IA. 44p.
- Morel, F. M. 1983. Principles of Aquatic Chemistry. John Wiley & Sons, Inc., New York, NY. 446p.
- Nielsen, D. M. (ed.). 1991. Practical Handbook of Ground-Water Monitoring. Lewis Publishers, Inc. Chelsea, MI. 717p.
- Ponce, S. L. 1980a. Statistical Methods Commonly Used in Water Quality Data Analysis. WSDG Technical Paper WSDG-TP-00001. U.S. Department of Agriculture, Forest Service, Watershed Systems Development Group, Fort Collins, CO. 136p.
- Ponce, S. L. 1980b. Water Quality Monitoring Programs. WSDG Technical Paper WSDG-TP-00002. U.S. Department of Agriculture, Forest Service, Watershed Systems Development Group, Fort Collins, CO. 68p.
- Rand, G. M. and S. R. Petrocelli (eds.). 1985. Fundamentals of Aquatic Toxicology. Hemisphere Publishing Co., New York, NY. 666p.

Rantz, S. E. and others. 1982. Measurement and Computation of Streamflow: Volume 1. Measurement of Stage and Discharge. Volume 2. Computation of Discharge. U.S. Department of the Interior, Geological Survey Water Supply Paper 2175. 631p.

Stednick, J.D. and D. M. Gilbert. 1998. Water Quality Inventory Protocol: Riverine Environments. National Park Service, Water Resources Division Technical Report NPS/NRWRD/NRTR-98/177. Fort Collins, CO. 103p.

Stednick, J. D. 1991. Wildland Water Quality Sampling and Analysis. Academic Press, Inc., San Diego, CA. 217p.

United Nations Educational, Scientific and Cultural Organization (UNESCO). 1978. Water Quality Surveys: A Guide for the Collection and Interpretation of Water Quality Data. IHD-WHO Working Group on the Quality of Water, Paris, France. 350p.

U.S. Department of the Interior. 1977. National Handbook of Recommended Methods for Water-Data Acquisition. U.S. Geological Survey, Office of Water-Data Coordination, Reston, VA. 990p.

U.S. Environmental Protection Agency. 1978. Microbiological Methods for Monitoring the Environment: Water and Wastes. R. H. Border, J. A. Winter, and P. W. Scarpino. EPA-600/8-78-017. Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 338p.

U.S. Environmental Protection Agency. 1979b. Methods for Chemical Analysis of Water and Wastes. EPA-600/4-79-020. (Revised March 1983). Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 460p.

U.S. Environmental Protection Agency. 1983. Water Quality Standards Handbook. Office of Water Regulations and Standards, Washington, D.C. 218p.

U.S. Environmental Protection Agency. 1995. Quality Criteria for Water 1995. Final Draft. Office of Water Regulations and Standards, Washington, D.C.

U.S. Environmental Protection Agency. 1989. Rapid Bioassessment Protocols for Use in Streams and Rivers: Benthic Macroinvertebrates and Fish. J. L. Plafkin, M. T. Barbour, K. D. Porter, S. K. Gross, and R. M. Hughes. EPA-444/4-89-001. Office of Water Regulations and Standards, Assessment and Watershed Protection Division, Washington, D.C. 162p.

U.S. Environmental Protection Agency. 1990. Macroinvertebrate Field and Laboratory Methods for Evaluating the Biological Integrity of Surface Waters. D. J. Klemm, P. A. Lewis, F. Fulk, and J. M. Lazorchak. EPA-600/4-90-030. Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 256p.

U.S. Environmental Protection Agency. 1991a. Methods for Measuring the Acute Toxicity of Effluents and Receiving Waters to Freshwater and Marine Organisms (4th ed.). C. I. Weber, ed. EPA-600/4-90-027. Office of Research and Development, Environmental Monitoring Systems Laboratory, Cincinnati, OH. 293p.

U.S. Environmental Protection Agency. 1991b. Monitoring Guidelines to Evaluate Effects of Forestry Activities on Streams in the Pacific Northwest and Alaska. L. H. MacDonald, A. W. Smart, and R. C. Wissmar. EPA-910/9-91-001. Region 10, Seattle, WA. 162p.

U.S. Environmental Protection Agency. 1993. Guide to Federal Water Quality Programs and Information. T. Stuart and N. P. Ross. EPA-230-B-93-001. Office of Strategic Planning and Environmental Data, Environmental Statistics and Information Division. Washington, D.C. 194p.

Verschueren, K. 1983. Handbook of Environmental Data on Organic Chemicals (2nd ed.). Van Nostrand Reinhold Co., New York, NY. 1310p.

Viessman W. and M. J. Hammer. 1985. Water Supply and Pollution Control (4th ed.). Harper and Row, Publishers, Inc. New York, NY. 797p.

Ward, R. C., J. C. Loftis, and G. B. McBride. 1990. Design of Water Quality Monitoring Systems. Van Nostrand Reinhold Co., New York, NY. 231p.

Wetzel, R. G. 1983. Limnology (2nd ed.). Sanders College Publishing, Philadelphia, PA. 767p.



As the nation's principal conservation agency, the Department of the Interior has the responsibility for most of our nationally owned public lands and natural and cultural resources. This includes fostering wise use of our land and water resources, protecting our fish and wildlife, preserving the environmental and cultural values of our national parks and historical places, and providing for enjoyment of life through outdoor recreation. The Department assesses our energy and mineral resources and works to ensure that their development is in the best interests of all our people. The Department also promotes the goals of the Take Pride in America campaign by encouraging stewardship and citizen responsibility for the public lands and promoting citizen participation in their care. The Department also has a major responsibility for American Indian reservation communities and for people who live in island territories under U.S. administration.